



A COMPLETE RANGE OF INDOOR, OUTDOOR AND ARCHITECTURAL LED LIGHTING SOLUTION





CONTENTS




Magnet Series (Ultra Slim)**25** Accessories - (Surface Track / Recessed Track)**27** Linear Spot**31** Spot Light (Tilttable)**34** Surface Spot**29** Linears**32** Track Spot**35** Pendant**Magnet Series (Non Dimmable)****37** Accessories - (Surface Track / Recessed Track)**38 - 41** Track Spot / Linears / Linear Spot / Pendant / Spot Light / Diffuser Light**43** Downlights**89** Foot Lights**101** Laser Spot
(Recessed / Mini / Trimless)**46** Backlit Panels**90** Cabinet Lights**108** Surface Spot**50** Surface Panels**94** Wall Grazer**128** Track Lights**52** Smash COB Spot**96** Tilttable Spot**136** Hanging Lights**54** Spot Lights**98** Zoom Spot**142** Cluster Lights**99** Wall Washer**144** Tube Lights / Mirror Lights**154** Flood Lights**165** Wall Washer**196** Wall Lights**156** High - Bay Lights**167** Bollards**196** Garden Lights**157** Box Lanterns**187** Pole Bollards**221** Ground Burials**158** Spike Lights**189** Wall Lamps**223** Foot Lights

Base Lights

191 Pole Lamps**195****226** Rope Light**238** Silicone Neon Flex**282** RGB Controllers**227** Strip Lights**246** Aluminium Profiles**282** Accessories**235** Neon Flex**280** Power Supply**283** Bluetooth Accessories**285** Deep Panels**295** Deep Spot Lights**304** Flood Lights**286** Downlights**297** Spot Lights**305** Wall Lights**287** Slim Panels**300** Track Lights**305** Foot Light**288** Surface Panels**301** Surface Spot**306** Strip Lights**290** Poly Carbonate Series**302** Street Lights**308** Aluminium Profiles**294** Downlights**303** High-Bay Lights**309** Power Supply

6 MM


Ultra thin thickness



ULTRA
SLIM
MAGNET SERIES

ULTRA SLIM MAGNET SERIES


Surface Track



MT 1014
1 Mtr.

MT 1015
2 Mtr.


Recessed Track



MT 1022
1 Mtr.

MT 1023
2 Mtr.

Surface Track



MT 1021
2 Mtr.

ACCESSORIES (SURFACE TRACK)



MT 1016
CONNECTOR
(Surface Track) 25



MT 1017
L CONNECTOR
(Surface Track) 25



MT 1018
T CONNECTOR
(Surface Track) 25



MT 1019
+ CONNECTOR
(Surface Track) 25



MT 1020
L CONNECTOR
(Surface Track) 25



MT 1034
END CAP
(Surface Track) 25

ACCESSORIES (SURFACE TRACK)



MT 1036
END CAP
(Surface Track) 25



MT 1037
TRACK CONNECTOR
(Surface Track) 25

ACCESSORIES (RECESSED TRACK)



MT 1024
TRACK CONNECTOR
(Recessed Track) 25



MT 1025
TRACK CONNECTOR
(Recessed Track) 25



MT 1026
RECESSED CONNECTOR
(Recessed Track) 25



MT 1035
END CAP
(Recessed Track) 25

Magnetic Linear Spot



MT 1001
12W (BLACK) 27



MT 1002
18W (BLACK) 27



MT 1003
24W (BLACK) 27



MT 1004
30W (BLACK) 27

Magnetic Linears



MT 1005
10W (BLACK) 29



MT 1006
20W (BLACK) 29



MT 1007
30W (BLACK) 29

Magnetic Pendant



MT 1013
7W (BLACK)
35

Magnetic Spot (Tilttable)



MT 1008
6W (BLACK)
31



MT 1009
12W (BLACK)
31

Magnetic Track Spot



MT 1010
9W (BLACK)
33



MT 1011
18W (BLACK)
33



MT 1033
2x9W (BLACK)
33

Magnetic Spot Light



MT 1012
6W (BLACK)
32



MT 1038
6W (BLACK)
34

ACCESSORIES (SURFACE TRACK)



MT 1040
HANGING / SURFACE SPARE KIT
25

CONNECTORS



MT 1027
EXTERNAL
DRIVER CONNECTOR
25



MT 1028
TRACK
CONNECTOR
25



MT 1029
TRACK
CONNECTOR
25



MT 1032
DRIVER COVER
25

DRIVERS



MT 1030
DRIVER (100W)
(DC 48V) 25



MT 1031
DRIVER (200W)
(DC 48V) 25

Magnetic


System Series 



MAGNETIC SERIES (48V - NON DIMMABLE)

MAGNETIC ACCESSORIES

Surface Track



MT 001
SURFACE
37



MT 001
MAGNETIC SURFACE TRACK
37

1 Mtr. | 2 Mtr. | 0.25 Mtr.



MT 006
L CONNECTOR
(Surface)
37




MT 007
L CONNECTOR
(Surface)
37




END CAP
37

Recessed Track



MT 003
RECESSED
37



MT 003
MAGNETIC RECESSED TRACK
37

1 Mtr. | 2 Mtr. | 0.25 Mtr.



MT 004
L CONNECTOR
(Recessed)
37



MT 005
L CONNECTOR
(Recessed)
37



BACK RECESSED CLAMP
37



CONNECTOR SPARE
37

Non Dimmable Series

Magnetic Track Spot

(NON DIMMABLE)



MT 008
5W (WHITE / BLACK / BRONZE)
38



MT 009
12W (WHITE / BLACK / BRONZE)
38



MT 010
18W (WHITE / BLACK / BRONZE)
38



MT 027
30W (WHITE / BLACK / BRONZE)
38

Magnetic Tilttable Spot

(NON DIMMABLE)



MT 015
6W (BLACK) 40

Diffuser Light

(NON DIMMABLE)



MT 028
20W (WHITE) 40

Magnetic Spot

(NON DIMMABLE)



MT 019
5W (BLACK) 41

Magnetic Pendant

(NON DIMMABLE)



MT 016
5W (WHITE) (BLACK) (BRONZE)
41

Magnetic Linears

(NON DIMMABLE)



MT 011
7.2W (BLACK)
39



MT 012
14.4W (BLACK)
39

Magnetic Linear Spot

(NON DIMMABLE)



MT 013
6W (BLACK)
39



MT 014
12W (BLACK)
39

INDOOR LIGHTS

Downlights



Backlit Panels



Backlit - 2x2



Surface Panel Backlit




Spot Lights



Smash COB Spot



Spot Lights



INDOOR LIGHTS

Spot Lights



Foot Lights




Cabinet Lights



Wall Grazer



SL 702 (36W) (GREY) 94



Wall Grazer



Tiltable Spot



Wall Washer




Zoom Spot



INDOOR LIGHTS

Laser Spot (Tiltable)



LB 626 (5x2W)
(WHITE / BLACK)
101

Laser Spot



LB 526 (10W)
(WH / BK) 102



LB 527 (20W)
(WH / BK) 102



LB 528 (10W)
(WH / BK) 103



LB 529 (20W)
(WH / BK) 103

Laser Spot



LB 627 (3W)
(WH) 104



LB 628 (5W)
(WH) 104



LB 629 (12W)
(WH) 104



LB 630 (24W)
(WH) 104

Trimless Laser Spot



LB 458 (20W)
(BK) 104



Laser Spot (Mini)



LB 621 (4W)
105



LB 622 (8W)
105



LB 623 (12W)
105



LB 624 (16W)
105



LB 625 (22W)
105

Laser Spot (Recessed)



CS 381 (4W)
107



CS 382 (12W)
107



CS 383 (20W)
107



CS 384 (16W)
107



CS 385 (36W)
107

Surface Spot



NEW
OD 983 (7W)
(BLACK) 108



NEW
OD 984 (12W)
(BLACK) 108



NEW
OD 985 (18W)
(BLACK) 108



SL 561 (7W)
(WH / BK) 109



SL 562 (12W)
(WH / BK) 109



SL 575 (18W)
(WH / BK) 109



SL 565 (7W)
(WH / BK) 110



SL 564 (12W)
(WH / BK) 110



SL 563 (18W)
(WH / BK) 111



SL 571 (16W)
(WH / BK) 112



SL 559 (12W)
(WHITE / BLACK / SILVER / GOLD) 112



SL 572 (6W)
(WH / BK) 113



SL 573 (11W)
(WH / BK) 113



SL 574 (18W)
(WH / BK) 113



SL 567 (7W)
(WH / BK) 116



SL 568 (2x7W)
(WH / BK) 116



SL 569 (12W)
(WH / BK) 116



SL 570 (2x14W)
(WH / BK) 116



SP 749 (12W)
(BK / WH) 115



SP 750 (18W)
(BK / WH) 115



NEW
SL 592 (6W)
(ANTIQUE COPPER)
(ANTIQUE BRONZE)
(GUN BLACK) 118



NEW
SL 593 (15W)
(ANTIQUE COPPER)
(ANTIQUE BRONZE)
(GUN BLACK) 118



NEW
SL 685 (12W)
(ANTIQUE COPPER)
(ANTIQUE BRONZE)
(GUN BLACK) 119



SL 590 (7W)
(SANDY WH) 117



SL 591 (12W)
(SANDY WH) 117



SL 548 (12W)
(WH / BK) 121



SL 557 (5W)
(WH / BK) 122



CS 333 (15W)
(WH / BK) 122



CS 346 (7W)
(WH / BK) 122



CS 314 (3W)
(WH / BK) 123



CS 316 (10W)
(WH / BK) 123

Laser Surface Spot



SL 585 (2x1.5W)
(SANDY WH / BK) 124



SL 586 (5x1.5W)
(SANDY WHITE)
(SANDY BLACK) 124



SL 587 (4x1.5W)
(SANDY WHITE)
(SANDY BLACK) 124



SL 588 (10x1.5W)
(SANDY WHITE)
(SANDY BLACK) 125



SL 589 (12W)
(SANDY WHITE)
(SANDY BLACK) 125



CS 386 (16W)
(WH / BK) 126



CS 387 (36W)
(WH / BK) 126



SL 530 (10W)
(WH / BK) 127



CS 318 (15W)
(WH / BK) 134



CS 319 (15W)
(WH / BK) 134



CS 320 (50W)
(WH / BK) 134

Track Lights



CS 228 (12W)
(WH / BK) 128



NEW
CS 189 (15W)
(WH / BK) 129



NEW
CS 190 (30W)
(WH / BK) 129



CS 225 (8W)
CS 226 (15W)
(ANTIQUE COPPER)
(ANTIQUE BRONZE)
(GUN BLACK) 130



CS 288 (30W)
(WH / BK) 131



CS 318 (15W)
(WH / BK) 134



CS 319 (15W)
(WH / BK) 134



CS 229 (18W)
(WH / BK) 128



CS 230 (30W)
(WH / BK) 128



CS 321 (15W)
(WH / BK) 132



CS 322 (30W)
(WH / BK) 132



CS 338 (15W)
(WH / BK) 133



CS 339 (30W)
(WH / BK) 133



CS 293 (15W)
(WH / BK) 135



CS 294 (30W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135



CS 345 (7W)
(WH / BK) 135

Track Base

1 Mtr. | 2 Mtr.
(WH / BK) 133




INDOOR LIGHTS


Hanging Lights



Hanging Light



Tube Lights



Wall Lights



OUTDOOR LIGHTS

Flood Lights


 FLD 531 (50W)
 154

 FLD 532 (100W)
 154

 FLD 533 (150W)
 154

 FLD 534 (200W)
 154

 FLD 471 (10W)
 155

 FLD 472 (30W)
 155

 FLD 477 (50W)
 (RGB) 155

High-Bay Lights


 UFO (100W)
 (BK) 156

 UFO (150W)
 (BK) 156

 UFO (200W)
 (BK) 156

Box Lanterns


 OD 681
 (MATT BK)
 157

 OD 682
 (MATT BK)
 157

Base Lights


 OD 467
 (3W)
 (SANDY BK)
 159

 OD 468
 (7W)
 (SANDY BK)
 159

 OD 470
 (10W)
 (SANDY BK)
 159

Spike Lights


 NEW
 OD 618
 (10W)
 (DG)
 158

 OD 350
 (10W)
 (BLACK)
 158

 OD 359
 (8W)
 (BLACK)
 158

 OD 437
 (10W)
 (BLACK)
 158

Spike Lights


 OD 467
 (3W)
 (SANDY BK)
 159

 OD 468
 (7W)
 (SANDY BK)
 159

 OD 470
 (10W)
 (SANDY BK)
 159

 NEW
 OD 633
 (5W)
 160

 NEW
 OD 634
 (10W)
 160

 NEW
 OD 980
 (3W)
 161

 NEW
 OD 981
 (6W)
 161

 NEW
 OD 982
 (12W)
 161

 OD 486
 (7W)
 (SANDY BK)
 162

 OD 487
 (10W)
 (SANDY BK)
 162

 NEW
 OD 735
 (7W)
 (BLACK)
 163

 OD 815
 (6W)
 (DARK GREY)
 163

 OD 523
 (6W)
 (DARK GREY)
 163

24V (DC)

Wall Washer


 OD 888 (18W) - 0.5 Mtr.
 (GREY) 165

 OD 889 (36W) - 1 Mtr.
 (GREY) 165

Bollards


 OD 484 (12W)
 (DARK GREY)
 167

 OD 505 (12W)
 (DARK GREY)
 167

 OD 506 (12W)
 (DARK GREY)
 167

 OD 576 (12W)
 (DARK GREY)
 169

 OD 577 (20W)
 (DARK GREY)
 169

 OD 848 (5W)
 (DARK GREY)
 170

 OD 678
 (DARK GREY)
 170

 OD 456 (5W)
 (DARK GREY)
 171

 OD 429 (9W)
 (DARK GREY)
 171

 OD 595
 (10W)
 (DARK GREY)
 172

 OD 594
 (10W)
 (DARK GREY)
 172

 OD 607
 (10W)
 (DARK GREY)
 173

 OD 608
 (10W)
 (DARK GREY)
 173

 OD 669
 (7W)
 (DARK GREY)
 175

 OD 670
 (7W)
 (DARK GREY)
 175

 OD 683
 (7W)
 (DARK GREY)
 177

 OD 684
 (7W)
 (DARK GREY)
 177

 OD 519
 (12W)
 (DARK GREY)
 179

 OD 510
 (20W)
 (DARK GREY)
 179

 OD 507
 (10W)
 (DARK GREY)
 181

 OD 500
 (10W)
 (DARK GREY)
 181

OUTDOOR LIGHTS

Bollards / Pole Bollards



OD 423 (12W)
(DARK GREY)
182



OD 424 (20W)
(DARK GREY)
182



OD 432 (50W)
(DARK GREY)
182



OD 436 (50W)
(DARK GREY)
183



OD 516 (12W)
(DARK GREY)
185



OD 517 (20W)
(DARK GREY)
185



OD 518 (20W)
(DARK GREY)
185



OD 520 (50W)
(DARK GREY)
187



OD 578 (50W)
(DARK GREY)
187

Pole Lamps



OD 677
(DARK GREY)
191



OD 675 (2 Head)
(DARK GREY)
191



OD 676 (3 Head)
(DARK GREY)
191



OD 856
(MATT BLACK)
195



OD 855 (3 Head)
(MATT BLACK)
195



OD 854 (2 Head)
(MATT BLACK)
195

Wall / Hanging Lamps



OD 421 (12W)
(GREY)
212



OD 480 (12W)
(DARK GREY)
184



OD 671
(DARK GREY)
189



OD 672
(DARK GREY)
189



OD 673
(DARK GREY)
189



OD 674
(DARK GREY)
189



OD 851
(MATT BLACK)
193



OD 852
(MATT BLACK)
193



OD 853
(MATT BLACK)
193

WALL LIGHTS



OD 347 (5W)
(WHITE) 196



OD 347 (5W)
(GREY) 196



OD 348 (10W)
(WHITE) 196



OD 348 (10W)
(GREY) 196



OD 619 (4W)
(WHITE) 196



OD 619 (4W)
(GREY) 196



OD 620 (3 x 3W)
(WHITE) 196



OD 620 (3 x 3W)
(GREY) 196



OD 770 (8W)
(WHITE) 197



OD 770 (8W)
(GREY) 197



OD 784 (3W)
(WHITE) 197



OD 784 (3W)
(GREY) 197



OD 659 (2x1W)
(WHITE) 197



OD 659 (2x1W)
(GREY) 197



OD 660 (2x3W)
(WHITE) 197



OD 660 (2x3W)
(GREY) 197



OD 616 (2x1W)
(WHITE) 198



OD 616 (2x1W)
(GREY) 198



OD 612 (1W)
(WHITE) 198



OD 612 (1W)
(GREY) 198



OD 613 (2x1W)
(WHITE) 198



OD 613 (2x1W)
(GREY) 198



OD 614 (1W)
(WHITE) 198



OD 614 (1W)
(GREY) 198



OD 615 (2x1W)
(WHITE) 199



OD 615 (2x1W)
(GREY) 199



OD 899 (5W)
(WHITE) 199



OD 899 (5W)
(GREY) 199



OD 900 (2x5W)
(WHITE) 199



OD 900 (2x5W)
(GREY) 199



OD 450 (3W)
(WHITE) 199



OD 450 (3W)
(GREY) 199



OD 859 (3W)
(WHITE) 200



OD 859 (3W)
(DARK GREY) 200



OD 438 (2x3W)
(WHITE) 200



OD 438 (2x3W)
(GREY) 200



OD 537 (6W)
(WHITE) 200



OD 537 (6W)
(GREY) 200



OD 538 (6W)
(WHITE) 200



OD 538 (6W)
(GREY) 200



OD 539 (12W)
(WHITE) 201



OD 539 (12W)
(GREY) 201



OD 540 (12W)
(WHITE) 201



OD 540 (12W)
(GREY) 201



OD 524 (2x3W)
(WHITE) 201



OD 524 (2x3W)
(GREY) 201



OD 850 (2x3W)
(SANDY WH) 201



OD 850 (2x3W)
(SANDY GREY) 201

WALL LIGHTS



OD 492 (2x1W)
(WHITE) **202**



OD 492 (2x1W)
(GREY) **202**




OD 871 (4x1W)
(SANDY WH) **202**



OD 871 (4x1W)
(SANDY GREY) **202**



OD 490 (4x3W)
(SANDY WH) **202**



OD 490 (4x3W)
(SANDY GREY) **202**



OD 810 (4x3W)
(SANDY WH) **202**



OD 810 (4x3W)
(SANDY GREY) **202**



OD 883 (4x3W)
(SANDY WHITE) **203**



OD 883 (4x3W)
(SANDY GREY) **203**



OD 879 (1x3W)
(WHITE) **203**



OD 879 (1x3W)
(GREY) **203**



OD 880 (2x3W)
(WHITE) **203**



OD 880 (2x3W)
(GREY) **203**



OD 496 (2x3W)
(WHITE) **203**



OD 496 (2x3W)
(GREY) **203**



OD 491 (2x3W)
(WHITE) **204**



OD 491 (2x3W)
(GREY) **204**



OD 843 (2x3W)
(WHITE) **204**



OD 843 (2x3W)
(GREY) **204**



OD 844 (2x3W)
(WHITE) **204**




OD 844 (2x3W)
(GREY) **204**



OD 845 (2x3W)
(WHITE) **204**



OD 845 (2x3W)
(GREY) **204**



OD 868 (2x5.5W)
(SANDY WH) **205**



OD 868 (2x5.5W)
(SANDY GREY) **205**



OD 869 (4x2W)
(SANDY WH) **205**



OD 869 (4x2W)
(SANDY BK) **205**



OD 881 (1x2W)
(WHITE) **205**



OD 881 (1x2W)
(GREY) **205**



OD 882 (1x4W)
(WHITE) **205**



OD 882 (1x4W)
(GREY) **205**



OD 846 (9W)
(SANDY WH) **206**



OD 846 (9W)
(SANDY GREY) **206**



OD 897 (12W)
(WHITE) **206**



OD 897 (12W)
(GREY) **206**



OD 898 (12W)
(WHITE) **206**



OD 898 (12W)
(GREY) **206**



OD 837 (12W)
(DARK GREY) **206**



OD 838 (12W)
(DARK GREY) **206**



OD 788 (2x1W)
(DARK GREY) **207**



OD 789 (3x1W)
(DARK GREY) **207**



OD 827 (2x1W)
(GREY) **207**



OD 828 (4x1W)
(GREY) **207**



OD 829 (6x1W)
(GREY) **207**



OD 830 (8x1W)
(GREY) **207**



OD 658 (10W)
(GREY) **208**



OD 778 (20W)
(ALUMINIUM FINISH)
208

WALL LIGHTS



OD 535 (5W)
(DARK GREY) 208



OD 541 (8W)
(DARK GREY) 208



OD 536 (5W)
(DARK GREY) 208



OD 542 (8W)
(DARK GREY) 208



OD 656 (4x1W)
(DARK GREY) 209



OD 657 (6W)
(DARK GREY) 209



OD 488 (7W)
(DARK GREY) 209



OD 489 (2x7W)
(DARK GREY) 209



OD 839 (6W)
(DARK GREY) 209



OD 840 (14W)
(DARK GREY) 209



OD 445 (8W)
(GREY) 210




OD 767 (6W)
(GREY / WHITE) 210



OD 543 (2x3W)
(SANDY WHITE) 211



OD 812 (2x5W)
(DARK GREY) 211




OD 686 (2x5W)
(WHITE) 211



OD 686 (2x5W)
(GREY) 211



OD 444 (2x10W)
(DARK GREY) 211



OD 441 (2x12W)
(GREY) 211



OD 875 (2x3W)
(SANDY GREY) 212



OD 876 (2x3W)
(SANDY GREY) 212



OD 877 (2x3W)
(SANDY GREY) 212



OD 572 (7W)
(WH / BK / GREY) 213




OD 573 (12W)
(WH / BK / GREY) 213



OD 574 (20W)
(WH / BK / GREY) 213



OD 508 (3W)
(DARK GREY) 214



OD 509 (2x3W)
(DARK GREY) 214



OD 813 (3W)
(DARK GREY) 214



OD 814 (2x3W)
(DARK GREY) 214



OD 434 (7W)
(GREY) 214



OD 435 (2x7W)
(GREY) 214



OD 446 (3W)
(DARK GREY) 215



OD 447 (2x3W)
(DARK GREY) 215



OD 874 (2x7W)
(DARK GREY) 215




OD 466 (6W)
(DARK GREY) 215



OD 472 (2x3W)
(WHITE) 215



OD 864 (2x3W)
(DARK GREY) 215



OD 497 (1x3W)
(SANDY WH / DG) 216



OD 460 (2x3W)
(DARK GREY) 216



OD 433 (2x3W)
(DARK GREY) 216



OD 465 (2x3W)
(SANDY BLACK) 216



OD 425 (1x2W)
(BLACK) 216




OD 459 (3W)
(GREY) 216



OD 455 (5W)
(SANDY BLACK) 217



OD 448 (4x3W)
(DARK GREY) 217



OD 493 (3W)
(BLACK) 217



OD 865 (12W)
(BLACK) 217



OD 887 (9W)
(BLACK) 217



OD 679
(DARK GREY) 217


OUTDOOR LIGHTS



OD 885
(5W)
218



OD 886
(2x5W)
218



OD 861 (6W)
(DARK GREY)
218



OD 862 (6W)
(DARK GREY)
218



OD 863 (6W)
(DARK GREY)
218



OD 849 (5W)
(DARK GREY)
218



OD 890
(MATT BLACK)
219



OD 891
(MATT BLACK)
219



OD 892
(MATT BLACK)
219



OD 858 (5W)
(BLACK)
219



OD 857 (6W)
(DARK GREY)
219



**Ground
Burial**



OD 807 (3W)
221



OD 808 (6W)
221




OD 809 (12W)
221



OD 895 (1W)
24V (221)



OD 817 3W)
221



**Foot
Lights**



OD 695 (3W)
(WHITE) 223



OD 695 (3W)
(GREY) 223



OD 696 (3W)
(WHITE) 223



OD 696 (3W)
(GREY) 223



OD 841 (3W)
(WHITE) 223



OD 841 (3W)
(GREY) 223



OD 842 (6W)
(WHITE) 223



OD 842 (6W)
(GREY) 223



OD 790 (3W)
(GREY) 224



OD 430 (2W)
(DARK GREY)
224



OD 431 (4W)
(DARK GREY)
224



OD 443 (5W)
(DARK GREY)
224



OD 893 (1.5W)
(BLACK)
224



OD 894 (1.5W)
(BLACK)
224



OD 439 (2W)
225



OD 440
(3W)
225



OD 499
(1x3W)
(SANDY WH)
(GREY)
225




OD 498
(1x6W)
(SANDY WH)
(GREY)
225


SILICONE NEON FLEX



Side Bendable




SN 501 S
Size : 4 x 12 (MM)
238



SN 502 S
Size : 6 x 12 (MM)
238




SN 503 S
Size : 6 x 12 (MM)
238



SN 504 S
Size : 10 x 18 (MM)
239



SN 505 S
Size : 12 x 20 (MM)
239




SN 506 S
Size : 16 x 16 (MM)
239




SN 507 S
Size : 20 x 20 (MM)
239


Top Bendable




SN 508 T
Size : 10 x 10 (MM)
242



SN 509 T
Size : 12 x 12 (MM)
242




SN 510 T
Size : 16 x 16 (MM)
242




SN 511 T
Size : 20 x 10 (MM)
242




SN 512 T
Size : 30 x 14 (MM)
243



SN 513 T
Size : 50 x 20 (MM)
243




SN 514 T
Size : 15 x 10 (MM)
243



SN 515 T
Size : 20 x 10 (MM)
243

Round Bendable




SN 516 R
Size : Ø 26 (MM)
245



Led Controllers



RC 509 (144W)
282



Waterproof Connector
282



RA 512
282



Heat Sink Tape
282



RA 511
282



**SC 362 (12V / 24V)
DC 60W - IR Door
Trigger Sensor**
282



RC 488 (12V / 24V)
282

Bluetooth Series



BT - WR 59 (Wall Remote)
283



BT - URC 51 (SV - 1 Amp) - IR Blaster (Universal Remote Control)
283



BT SSW - 57 (Smart Scene Switch)
283



BT - RC 516 (Smart Switch)
283




BT - 55 (Smart Switch)
10 Amp (283)



BT - 53 (Gate Way)
5V - 1 Amp
283



BT - PS 519 (12V / 24V) Smart CV BT - Controller 60W
(283)



BT - PS 520 (12V / 24V) Smart CV BT - Controller 120W
(283)

STRIP LIGHTS

Led Rope Light


RL 01 - 220V (IP 65) 226

Accessories

A/C POWER PLUG
4 AMP
226

A/C POWER PLUG
8 AMP (2KV)
226

A/C POWER PLUG
8 AMP (4KV)
226

MIDDLE CONNECTOR
226

SUPER STRONG - HEAVY DUTY

2835 - 12V (IP 33)

LS 18 - 2835 H (60 LED) - 12V (IP 33)
227

LS 40 - 2835 (120 LED) - 12V (IP 33)
227

LS 41 - 2835 (168 LED) - 12V (IP 33)
227

LS 50 - 2835 (180 LED) - 12V (IP 33)
227

LS 37 - 2835 (240 LED) - 12V (IP 33)
227

LS 08 - 5050 - ICE BLUE (60 LED) - 12V (IP 33) 227

SUPER STRONG - HEAVY DUTY

2835 - 24V (IP 33)

LS 36 - 2835 H (60 LED) - 24V (IP 33)
228

LS 20 - 2835 (120 LED) - 24V (IP 33)
228

LS 29 - 2835 (168 LED) - 24V (IP 33)
228

LS 25 - 2835 (192 LED) - 24V (IP 33)
228

LS 30 - 2835 (240 LED) - 24V (IP 33)
228

LS 48 - 2835 (352 LED) - 24V (IP 33)
228

LS 45 - 2835 (120 LED) - 24V (IP 33)
229

XPRESS SERIES

2835 - 12V (IP 33)

LS 17 - 2835 (60 LED) - 12V (IP 33)
XPRESS (229)

LS 46 - 2835 (120 LED) - 12V (IP 33)
XPRESS (229)

LS 52 - 2835 (168 LED) - 12V (IP 33)
XPRESS (229)

LS 55 - 2835 (180 LED) - 12V (IP 20)
XPRESS (229)

LS 56 - 2835 (240 LED) - 12V (IP 20)
XPRESS (229)

XPRESS SERIES

2835 - 24V (IP 33)

LS 67 - 2835 (60 LED) - 24V (IP 33)
XPRESS (230)

LS 76 - 2835 (120 LED) - 24V (IP 33)
XPRESS (230)

LS 86 - 2835 (240 LED) - 24V (IP 33)
XPRESS (230)

5 MM 2835 - 12V / 24V (IP 33)

LS 21 - 2835 (120 LED) - 12V (IP 33)
230

LS 61 - 2835 (120 LED) - 24V (IP 33)
230

LS 24 - 2835 (168 LED) - 12V (IP 33)
230

TUN and DIM 2835 - 12V / 24V (IP 33)

LS 44 - 2835 (120 LED) - 12V (IP 33)
231

LS 49 - 2835 (168 LED) - 12V (IP 33)
231

LS 74 - 2835 (120 LED) - 24V (IP 33)
231

LS 69 - 2835 (192 LED) - 24V (IP 33)
231

2835 - 12V / 24V (IP 65)

LS 19 - 2835 H (60 LED) - 12V (IP 65)
231

LS 59 - 2835 H (60 LED) - 24V (IP 65)
231

LS 22 - 2835 (120 LED) - 12V (IP 65)
232

LS 23 - 2835 (120 LED) - 24V (IP 65)
232

LS 73 (R) - 2835 (168 LED) - 12V / 24V (IP 65) 232

LS 38 - AC 5050 (60 LED) - IP 65
232

LS 12 - 5050 (60 LED) - 12V (IP 65)
232

LS 13 - 5050 (60 LED) - 24V (IP 65)
232

RGB LED - 2835 - 12V (IP 33)

LS 09 - 5050 (RGB LED) - 12V (IP 33)
233

LS 32 - 3535 (RGB - 60 LED) - 12V (IP 33) 233

LS 33 - 3535 (RGB - 120 LED) - 12V (IP 33) 233

LS 51 - 2835 (RGB - 120 LED) - 12V (IP 33) 233
2835 - 12V / 24V (IP 68)

LS 34 - 2835 (120 LED) - 12V (IP 68)
233

LS 43 - 5050 (60 LED) - 24V (IP 68)
233

SILICONE NEON


LS 39 - LED NEON FLEX (RGB) - 24V (IP 65)
234

LS 28 - LED NEON FLEX - 24V (IP 65)
234

SILICONE NEON FLEX


LS 63 - 2835 (120 LED) - 12V (IP 65)
235

LS 65 - 2835 (120 LED) - 24V (IP 65)
235

LS 67 - 2835 (120 LED) - 24V (IP 65)
235


POWER SUPPLY


12V Series
280


24V Series
280

Triac Dimmable
282

Triac Dimmable
282



ALP B - 901 (H)
246



ALP 965
250


Ground Burials




ALP 912
256



ALP 930
262



ALP 940
264




ALP 943
271




ALP B - 902 (H)
246



ALP 923
250



ALP 920
256




ALP 931
263



ALP 952
264




ALP 937
271



ALP 901
247



ALP 924
250



ALP 948
257



ALP 932
263



ALP 962
266



ALP 945
272




ALP 901 (L)
247



ALP 905
251




ALP 948
257



ALP 933
263



ALP 963
266



ALP 946
273




ALP 902
247



ALP 922
251



ALP 956
257



ALP 934
263




ALP 944
266



ALP 941
273



ALP 902 (L)
247



ALP 906
252



ALP 917
259



ALP 907
264



ALP 971
267



ALP 957
273




ALP 903
248



ALP 942
252



ALP 918
259




ALP 939
264



ALP 972
267




ALP 954
274




ALP 966
248



ALP 908
253



ALP 927
259



ALP 951
265



ALP 928
267



ALP 955
275




ALP 904
249




ALP 909
253



ALP 919
260



NEW ALP 958 (48W)
(WH / BK / ALU)
270



ALP 929
267



ALP 953
276



ALP 926
249




ALP 910
255



ALP 936
260



ALP 911
278



NEW
ALP 975 (Round)
268



ALP 953
276




ALP 935
249



ALP 914
258



ALP 921
261



ALP 961
279



ALP 970
269



ALP 938
277



ALP 964
249



ALP 916
259



ALP 915
262



ALP 961
279

XPRESS SERIES



XPRESS
SERIES

Downlights Aluminium Body



Slim Panels Aluminium Body



Surface Panels Aluminium Body



Downlights



Spot Lights



Street Lights




Strip Lights



Backlit Panels (Poly Carbonate Series)



Spot Lights



Surface Spot



Surface Striker



Bulkhead Light



Track Lights



Wall Lights



Foot Lights



High-Bay Lights




Flood Lights



Aluminium Profiles



Power Supply





ULTRA
SLIM
MAGNET SERIES




The track bar can be integrated into the scheme without the main light and can be spliced by DIY to create a more concise aesthetic feeling of the space.

ULTRA SLIM MAGNET TRACK



SURFACE TRACK




RECESSED TRACK



SURFACE / HANGING
TRACK

ULTRA SLIM MAGNET TRACK ACCESSORIES


SURFACE TRACK



MT 1014
1 Mtr.

MT 1015
2 Mtr.


RECESSED TRACK



MT 1022
1 Mtr.

MT 1023
2 Mtr.

SURFACE / HANGING TRACK



MT 1021
2 Mtr.

SURFACE TRACK ACCESSORIES



46 x 26 x 6 (MM)



MT 1016
CONNECTOR



36 x 36 x 6 (MM)



MT 1017
L CONNECTOR



46 x 36 x 6 (MM)



MT 1018
T CONNECTOR



46 x 46 x 6 (MM)



MT 1019
+ CONNECTOR



MT 1020
L CONNECTOR



26 x 26 x 6 (MM)



MT 1034
END CAP



26 x 18 x 6 (MM)

RECESSED TRACK ACCESSORIES




46 x 26 x 6 (MM)

MT 1024
TRACK CONNECTOR



36 x 36 x 6 (MM)

MT 1025
TRACK CONNECTOR



46 x 36 x 6 (MM)

MT 1026
RECESSED CONNECTOR



35 x 29 (MM)

MT 1035
END CAP

CONNECTORS

MT 1027
EXTERNAL DRIVER
CONNECTOR



MT 1029
TRACK CONNECTOR



MT 1028
TRACK CONNECTOR



MT 1032
DRIVER COVER

DRIVERS

MT 1030
DRIVER (100W)
(DC 48V)



MT 1031
DRIVER (200W)
(DC 48V)



SURFACE TRACK ACCESSORIES



50 x 29 (MM)

MT 1036
END CAP (SURFACE TRACK)



80 x 50 x 30 (MM)

MT 1037
TRACK CONNECTOR
(SURFACE TRACK)




MT 1040
HANGING / SURFACE SPARE KIT

ULTRA SLIM LINEAR SPOT




LINEAR SPOT

ULTRA SLIM LINEAR SPOT




MT 1001
12w

Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 230, Width - 24, Height - 26 (MM)		




MT 1002
18w

Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 338, Width - 24, Height - 26 (MM)		



MT 1003
24w


Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 445, Width - 24, Height - 26 (MM)		



MT 1004
30w


Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 555, Width - 24, Height - 26 (MM)		

ULTRA SLIM LINEAR LIGHTS




LINEAR LIGHT

ULTRA SLIM LINEAR LIGHTS




MT 1005
10w

Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	100° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 230, Width - 24, Height - 26 (MM)		



MT 1006
20w

Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	100° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 230, Width - 24, Height - 26 (MM)		




MT 1007
30w

Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	100° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	☐ NW-4K ☐ WW-3K
Body Size (MM)	Length - 230, Width - 24, Height - 26 (MM)		

ULTRA SLIM
LINEAR SPOT
(TILTABLE)


6mm



TILTABLE SPOT


ULTRA SLIM LINEAR SPOT

MT 1008 | 6w



Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	 NW-4K WW-3K
Body Size (MM)	Length - 122, Width - 26, Height - 80 (MM)		


MT 1009 | 12w



Light Source	Cree Led	Installation	Clip Up System
CRI	≥ 90	Beam Angle	36° (Degree)
Lifetime	50,000 hrs	Body	Die Cast Aluminium
Direct Current	DC 48V	Body Color	Black
Warranty	2 Years	Color (CCT)	 NW-4K WW-3K
Body Size (MM)	Length - 230, Width - 26, Height - 80 (MM)		

ULTRA SLIM
TRACK SPOT


MT 1012 | 6W



Body Size (MM)	Length - 122, Width - 26, Height - 55 (MM)
----------------	--


Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36 ° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	☐ NW-4K ☐ WW-3K
Installation	Clip up System

ULTRA SLIM TRACK SPOT




MT 1010 | 9w

Body Size (MM)	Dia - 44, Height - 110 (MM)
Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	□ NW-4K □ WW-3K
Installation	Clip up System



MT 1011 | 18w

Body Size (MM)	Dia - 55, Height - 135 (MM)
Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	□ NW-4K □ WW-3K
Installation	Clip up System



MT 1033 | 2x9w


Body Size (MM)	Dia - 44, Height - 110 (MM)
Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	□ NW-4K □ WW-3K
Installation	Clip up System

ULTRA SLIM
SURFACE SPOT

NEW

MT 1038

6w




Body Size (MM)

Dia - 75, Height - 75 (MM)

Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	☐ NW-4K ☐ WW-3K
Installation	Clip up System

ULTRA SLIM PENDANT







MT 1013 | 7w

Body Size (MM)	Dia - 40 Height - 300 (MM)
----------------	----------------------------


Light Source	Cree Led
CRI	≥ 90
Direct Current	DC 48V
Warranty	2 Years
Lifetime	50,000 hrs
Beam Angle	36° (Degree)
Body	Die Cast Aluminium
Body Color	Black
Color (CCT)	☐ NW-4K ☐ WW-3K
Installation	Clip up System

MAGNET SYSTEM




MAGNET SYSTEM ACCESSORIES

LED MAGNETIC SURFACE TRACK



MT 001
SURFACE TRACK

Size (MM)
Width - 28.7, Height - 50



MT 001
1 Mtr
(Surface Track)

Body Size
1 Mtr.

MT 001
2 Mtr
(Surface Track)

Body Size
2 Mtr.


MT 001
0.25 Mtr
(Surface Track)

Body Size
0.25 Mtr.

MT 006
L CONNECTOR
(Surface)




Body Size (MM)
Width - 100 x 100, Height - 28.7 x 50



MT 007
L CONNECTOR
(Surface)



Body Size (MM)
Width - 100 x 100, Height - 28.7 x 50




END CAP




Body Size (MM)
Width - 28.7, Height - 50

LED MAGNETIC RECESSED TRACK



MT 003
RECESSED TRACK

Size (MM)
Width - 28.7 x 70, Height - 50



MT 003
1 Mtr
(Recessed Track)

Body Size
1 Mtr.

MT 003
2 Mtr
(Recessed Track)

Body Size
2 Mtr.


MT 003
0.25 Mtr
(Recessed Track)

Body Size
0.25 Mtr.

MT 004
L CONNECTOR
(Recessed)




Body Size (MM)
Width - 100 x 100, Height - 28.7 x 50



MT 005
L CONNECTOR
(Recessed)



Body Size (MM)
Width - 126.5 x 100, Height - 28.7 x 50







BACK RECESSED CLAMP



CONNECTOR SPARE



NON DIMMABLE TRACK SPOT



MT 008
5w

MT 009
12w


MT 010
18w

MT 027
30w

Non Dimmable	Power	Lumens	Lens	Ingress Protection	IP 20	Color
MT 008 (48V)	5W	380	△ 24° / 36° (Degree)	Direct Current	DC 48V	□ WH-6K
MT 009 (48V)	12W	1000	△ 24° / 36° (Degree)	Adjustable Angle	0 - 90° / 355°	□ NW-4K
MT 010 (48V)	18W	1600	△ 24° / 36° (Degree)	Warranty	2 Years	□ WW-3K
MT 027 (48V)	30W	2550	△ 24° / 36° (Degree)	Body Color	White / Black / Bronze	


NON DIMMABLE LINEARS

MT 011
7.2w



Size (MM) Width - 235 x 22, Height - 33 (MM)


MT 012
14.4w



Size (MM) Width - 465 x 22, Height - 33 (MM)


NON DIMMABLE LINEAR SPOT

MT 013
6w



Size (MM) Width - 120 x 22, Height - 33 (MM)

MT 014
12w




Size (MM) Width - 235 x 22, Height - 33 (MM)

Non Dimmable	Power	Lumens	Lens	Ingress Protection	IP 20	Color
MT 011 (48V)	7.2W	500	△ 100° (Degree)	Direct Current	DC 48V	□ NW-4K
MT 012 (48V)	14.4W	1000	△ 100° (Degree)	Adjustable Angle	Non Adjustable	□ WW-3K
MT 013 (48V)	6W	500	△ 20° / 30° (Degree)	Warranty	2 Years	
MT 014 (48V)	12W	1000	△ 20° / 30° (Degree)	Body Color	Black Body	

NON DIMMABLE SPOT LIGHT (TILTABLE)



MT 015
6w




Lumens	500	Adjustable Angle	0 - 90 °
Ingress Protection	IP 20	Lens	△ 30 ° (Degree)
Direct Current	DC 48V	Body Color	Black Body
Warranty	2 Years	Color	☐ NW-4K ☐ WW-3K

Body Size (MM)	Width - 119 / 135 x 22, Height - 56 (MM)
-----------------------	--

NON DIMMABLE DIFFUSER LIGHT (TILTABLE)

MT 028
20w




Lumens	1600	Adjustable Angle	0 - 100 ° / 355 °
Ingress Protection	IP 20	Lens	△ 100 ° (Degree)
Direct Current	DC 48V	Body Color	White Body
Warranty	2 Years	Frame Color	White / Gold
		Color	☐ NW-4K ☐ WW-3K

Body Size (MM)	Width - 138, Height - 35 (MM)
-----------------------	-------------------------------

NON DIMMABLE PENDANT



MT 016
5w




Body Size (MM)	Width - 40, Height - 300 (MM)
----------------	-------------------------------

Lumens	380	Adjustable Angle	Non Adjustable	Color
Ingress Protection	IP 20	Lens	Δ 24° (Degree)	☐ WH-6K
Direct Current	DC 48V	Body Color	Black Body	☐ NW-4K
Warranty	2 Years			☐ WW-3K

NON DIMMABLE SPOT LIGHT



MT 019
5w




Body Size (MM)	Width - 50, Height - 52 (MM)
----------------	------------------------------

Lumens	450	Adjustable Angle	Non Adjustable	Color
Ingress Protection	IP 20	Lens	Δ 30° (Degree)	☐ WH-6K
Direct Current	DC 48V	Body Color	Black Body	☐ NW-4K
Warranty	2 Years			☐ WW-3K

DOWNLIGHTS





DOWNLIGHTS





SP 757 (7W)

LED RECESSED DOWNLIGHT
 IP 20 | 100 L/W
 PF - 0.9 | CRI $\geq$ 80 +
 PHILIPS DRIVER
 WARRANTY - 2 YEARS
 TOTAL LUMEN - 700
 BEAM ANGLE - 90°
 BODY SIZE : CUT DIA - 75,
 OUT - 85, HEIGHT - 50 (MM)
 BODY COLOR : BLACK / WHITE
 COLOR : WH-6K, NW-4K, WW-3K





SP 758 (12W)

LED RECESSED DOWNLIGHT
 IP 20 | 100 L/W
 PF - 0.9 | CRI $\geq$ 80 +
 PHILIPS DRIVER
 WARRANTY - 2 YEARS
 TOTAL LUMEN - 1200
 BEAM ANGLE - 90°
 BODY SIZE : CUT DIA - 95,
 OUT - 105, HEIGHT - 53 (MM)
 BODY COLOR : BLACK / WHITE
 COLOR : WH-6K, NW-4K, WW-3K




SP 759 (18W)

LED RECESSED DOWNLIGHT
 IP 20 | 100 L/W
 PF - 0.9 | CRI $\geq$ 80 +
 FULHAM DRIVER
 WARRANTY - 2 YEARS
 TOTAL LUMEN - 1800
 BEAM ANGLE - 90°
 BODY SIZE : CUT DIA - 120,
 OUT - 130, HEIGHT - 65 (MM)
 BODY COLOR : BLACK / WHITE
 COLOR : WH-6K, NW-4K, WW-3K



SP 760 (24W)

LED RECESSED DOWNLIGHT
 IP 20 | 100 L/W
 PF - 0.9 | CRI $\geq$ 80 +
 FULHAM DRIVER
 WARRANTY - 2 YEARS
 TOTAL LUMEN - 2400
 BEAM ANGLE - 90°
 BODY SIZE : CUT DIA - 160,
 OUT - 170, HEIGHT - 74 (MM)
 BODY COLOR : BLACK / WHITE
 COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

 TRIAC
 DIMMABLE


 TUNABLE AND DIMMABLE
 RF

 BLUETOOTH WIFI
 TUNABLE AND DIMMABLE

 DALI
 DIMMABLE

 DALI
 TUNABLE AND DIMMABLE

DOWNLIGHTS

**SP 831 (8W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 880



BEAM ANGLE - 120 °

BODY SIZE : CUT DIA - 105,
OUT - 123, HEIGHT - 47 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 832 (15W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 1650



BEAM ANGLE - 120 °

BODY SIZE : CUT DIA - 146,
OUT - 160, HEIGHT - 47 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 833 (22W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 2400


BEAM ANGLE - 120 °

BODY SIZE : CUT DIA - 166,
OUT - 180, HEIGHT - 47 (MM)



BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



DOWNLIGHTS

**SP 834 (8W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 880



BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 105 x 105,
OUT - 123 X 123, HEIGHT - 47 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 835 (15W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 1650



BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 150 x 150,
OUT - 164 x 164, HEIGHT - 47 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 836 (22W)**

LED DOWNLIGHT

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 2400


BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 175 x 175,
OUT - 189 x 189, HEIGHT - 47 (MM)


BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



BACKLIT PANELS

**SP 821 (8W)**

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 880

BEAM ANGLE - 120°



BODY SIZE : CUT DIA - 95,

OUT - 103, HEIGHT - 33 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 822 (15W)**

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 1650

BEAM ANGLE - 120°



BODY SIZE : CUT DIA - 135,

OUT - 145, HEIGHT - 33 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 823 (22W)**

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 2400

BEAM ANGLE - 120°


BODY SIZE : CUT DIA - 160,

OUT - 170, HEIGHT - 33 (MM)

BODY : ALUMINIUM



BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K





BACKLIT PANELS



SP 824 (8W)

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 880

BEAM ANGLE - 120°



BODY SIZE : CUT DIA - 95 x 95,

OUT - 103 x 103, HEIGHT - 33 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



SP 825 (15W)

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 1650

BEAM ANGLE - 120°




BODY SIZE : CUT DIA - 135 x 135,

OUT - 145 x 145, HEIGHT - 33 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



SP 826 (22W)

LED BACKLIT PANEL

IP 20 | 110 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 2400

BEAM ANGLE - 120°


BODY SIZE : CUT DIA - 160 x 160,

OUT - 171 x 171, HEIGHT - 33 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE



COLOR : WH-6K, NW-4K, WW-3K



BACKLIT PANEL



595 x 595



SP 719 (48W) SQUARE

LED BACKLIT PANEL (RECESSED)

IP 20 | 100 L/W | PF - 0.9 | CRI $\geq$ 80

WARRANTY - 2 YEARS

TOTAL LUMEN - 4800

ANTI GLARE VALUE : UGR < 19

BODY SIZE : CUT DIA - 595 x 595,



OUT - 620 x 620 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K



BACKLIT PANEL


NEW
SP 693 (40W)

LED BACKLIT PANEL (RECESSED)

 IP 20 | 110 L/W | PF - 0.9 | CRI $\geq$ 80+

FULHAM DRIVER | ANTI GLARE VALUE : UGR < 19

WARRANTY - 2 YEARS | TOTAL LUMEN - 4400

BODY SIZE : CUT DIA - 571x571,

OUT - 595 x 595, HEIGHT - 30 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K



SURFACE PANEL

**SP 751 (8W)**

LED SURFACE PANEL BACKLIT

IP 20 | 100 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 800

BEAM ANGLE - 110 °

BODY SIZE : CUT DIA - 95,
HEIGHT - 32 (MM)

BODY : ALUMINIUM BODY

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 752 (15W)**

LED SURFACE PANEL BACKLIT

IP 20 | 100 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 1500

BEAM ANGLE - 110 °

BODY SIZE : CUT DIA - 154,
HEIGHT - 35 (MM)

BODY : ALUMINIUM BODY

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 753 (22W)**

LED SURFACE PANEL BACKLIT

IP 20 | 100 L/W | PF - 0.9

WARRANTY - 2 YEARS

TOTAL LUMEN - 2200

BEAM ANGLE - 110 °

BODY SIZE : CUT DIA - 180,
HEIGHT - 35 (MM)

BODY : ALUMINIUM BODY



BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K






SURFACE PANEL




SP 754 (8W)

LED SURFACE PANEL BACKLIT
IP 20 | 100 L/W | PF - 0.9
WARRANTY - 2 YEARS
TOTAL LUMEN - 800
BEAM ANGLE - 110 °
BODY SIZE : CUT DIA - 95 x 95,
HEIGHT - 32 (MM)
BODY : ALUMINIUM BODY
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K



SP 755 (15W)

LED SURFACE PANEL BACKLIT
IP 20 | 100 L/W | PF - 0.9
WARRANTY - 2 YEARS
TOTAL LUMEN - 1500
BEAM ANGLE - 110 °
BODY SIZE : CUT DIA - 153 x 153,
HEIGHT - 35 (MM)
BODY : ALUMINIUM BODY
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K




SP 756 (22W)

LED SURFACE PANEL BACKLIT
IP 20 | 100 L/W | PF - 0.9
WARRANTY - 2 YEARS
TOTAL LUMEN - 2200
BEAM ANGLE - 110 °
BODY SIZE : CUT DIA - 178 x 178,
HEIGHT - 35 (MM)
BODY : ALUMINIUM BODY
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K



SMASH COB SPOT



SP 761 (4W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 320



WARRANTY - 2 YEARS

BODY COLOR : WHITE

BODY SIZE : CUT DIA - 52,

OUTER - 64, HEIGHT - 40 (MM)

COLOR : WH-6K, NW-4K, WW-3K



SP 762 (7W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 560



WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 73,

OUTER - 85, HEIGHT - 67 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



SP 763 (12W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 960


WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 95,

OUTER - 108, HEIGHT - 73 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SMASH COB SPOT



SP 764 (18W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 1440



WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 123,

OUTER - 134, HEIGHT - 85 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



SP 765 (24W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 1920



WARRANTY - 2 YEARS

BODY COLOR : WHITE

BODY SIZE : CUT DIA - 123,

OUTER - 135, HEIGHT - 85 (MM)

COLOR : WH-6K, NW-4K, WW-3K



SP 766 (30W)

LED SMASH COB SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

TOTAL LUMEN - 2400


WARRANTY - 2 YEARS

BODY COLOR : WHITE

BODY SIZE : CUT DIA - 143,

OUTER - 157, HEIGHT - 105 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 635 (7W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER | IP 20 | CRI $\geq$ 80+


BEAM ANGLE - 50° | WARRANTY - 2 YEARS

BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY SIZE : CUT DIA - 55, OUTER - 65, HEIGHT - 72 (MM)

COLOR : WH-6K, NW-4K, WW-3K



CS 636 (12W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER | IP 20 | CRI $\geq$ 80+

BEAM ANGLE - 50° | WARRANTY - 2 YEARS

BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY SIZE : CUT DIA - 75, OUTER - 85, HEIGHT - 79 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF


BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

LED

SPOT LIGHTS



CS 637 (18W)

LED SPOT LIGHT (TILTABLE)

CREE LED | FULHAM DRIVER | IP 20 | CRI ≥ 80+


BEAM ANGLE - 50° | WARRANTY - 2 YEARS

BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY SIZE : CUT DIA - 75, OUTER - 85, HEIGHT - 95 (MM)

COLOR : WH-6K, NW-4K, WW-3K



CS 638 (30W)

LED SPOT LIGHT (TILTABLE)

CREE LED | FULHAM DRIVER | IP 20 | CRI ≥ 80+

BEAM ANGLE - 50° | WARRANTY - 2 YEARS

BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY SIZE : CUT DIA - 95, OUTER - 105, HEIGHT - 120 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE



TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



LED SPOT LIGHT (TILTABLE)

CS 639 (12W) - PHILIPS DRIVER

BODY SIZE : CUT DIA - 79, OUTER - 85, HEIGHT - 85 (MM)

CS 221 (18W) - FULHAM DRIVER



BODY SIZE : CUT DIA - 79, OUTER - 85, HEIGHT - 100 (MM)

CREE LED | IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

BEAM ANGLE - 50° | BODY COLOR : WHITE / BLACK

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY : ALUMINIUM | COLOR : WH-6K, NW-4K, WW-3K



LED SPOT LIGHT (TILTABLE)

CS 640 (2x12W) - PHILIPS DRIVER

BODY SIZE : CUT DIA - 165 x 75, OUTER - 170 x 85, HEIGHT - 90 (MM)

CS 222 (2x18W) - FULHAM DRIVER


BODY SIZE : CUT DIA - 165 x 75, OUTER - 170 x 85, HEIGHT - 100 (MM)

CREE LED | IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

BEAM ANGLE - 50° | BODY COLOR : WHITE / BLACK

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY : ALUMINIUM | COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE




TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



LED SPOT LIGHT (TILTABLE)

CS 641 (3x12W) - PHILIPS DRIVER

BODY SIZE : CUT DIA - 250 x 75, OUTER - 255 x 85, HEIGHT - 90 (MM)

CS 223 (3x18W) - FULHAM DRIVER

BODY SIZE : CUT DIA - 250 x 75, OUTER - 255 x 85, HEIGHT - 100 (MM)

CREE LED | IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

BEAM ANGLE - 50° | BODY COLOR : WHITE / BLACK

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY : ALUMINIUM | COLOR : WH-6K, NW-4K, WW-3K



LED SPOT LIGHT (TILTABLE)

CS 642 (4x12W) - PHILIPS DRIVER

BODY SIZE : CUT DIA - 165 x 165, OUTER - 170 x 170, HEIGHT - 90 (MM)

CS 224 (4x18W) - FULHAM DRIVER

BODY SIZE : CUT DIA - 165 x 165, OUTER - 170 x 170, HEIGHT - 100 (MM)

CREE LED | IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

BEAM ANGLE - 50° | BODY COLOR : WHITE / BLACK

REFLECTOR COLOR : WHITE / BLACK / METALLIC GUN BLACK

BODY : ALUMINIUM | COLOR : WH-6K, NW-4K, WW-3K





OPTIONAL

REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

TRIMLESS SPOT



CS 643 (7W)

LED TRIMLESS SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | CRI $\geq 80+$ | BEAM ANGLE - 50°

WARRANTY - 2 YEARS | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK



REFLECTOR COLOR : WHITE / BLACK

METALLIC GUN BLACK

BODY SIZE : CUT DIA - 55,

OUTER - 74, HEIGHT - 72 (MM)

COLOR : WH-6K, NW-4K, WW-3K



CS 644 (12W)

LED TRIMLESS SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | CRI $\geq 80+$ | BEAM ANGLE - 50°

WARRANTY - 2 YEARS | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK



REFLECTOR COLOR : WHITE / BLACK

METALLIC GUN BLACK

BODY SIZE : CUT DIA - 75,

OUTER - 99, HEIGHT - 79 (MM)

COLOR : WH-6K, NW-4K, WW-3K



CS 645 (18W)

LED TRIMLESS SPOT (TILTABLE)

CREE LED | FULHAM DRIVER

IP 20 | CRI $\geq 80+$ | BEAM ANGLE - 50°

WARRANTY - 2 YEARS | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK


REFLECTOR COLOR : WHITE / BLACK

METALLIC GUN BLACK

BODY SIZE : CUT DIA - 75,

OUTER - 99, HEIGHT - 95 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 368 (7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 36°


BODY SIZE : CUT DIA - 51,

OUTER - 59, HEIGHT - 65 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : BLACK / WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 370 (12W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

IP 20 | CRI ≥ 80 | TOTAL LUMEN - 900

BODY SIZE : CUT DIA - 70,


OUTER - 80, HEIGHT - 75 (MM)

BODY COLOR : BLACK BODY - BLACK REFLECTOR

WHITE BODY - WHITE REFLECTOR

BLACK BODY - ROSE GOLD REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K



CS 369 (18W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 35°

BODY SIZE : CUT DIA - 83,

OUTER - 95, HEIGHT - 90 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : BLACK / WHITE

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 798 (8W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 85 L/W | PF - 0.9 | CRI $\geq$ 80+

WARRANTY - 2 YEARS | BEAM ANGLE - 36°

ANTI GLARE VALUE: UGR<19

TOTAL LUMEN - 680 | BODY : ALUMINIUM



BODY SIZE : CUT DIA - 53,

OUTER - 60, HEIGHT - 46 (MM)

BODY COLOR : BLACK BODY / WHITE BODY

REFLECTOR COLOR : WH / BK / ROSE GOLD
CHROME / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



CS 799 (12W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 85 L/W | PF - 0.9 | CRI $\geq$ 80+

WARRANTY - 2 YEARS | BEAM ANGLE - 36°

ANTI GLARE VALUE: UGR<19

TOTAL LUMEN - 1020 | BODY : ALUMINIUM



BODY SIZE : CUT DIA - 71,

OUTER - 80, HEIGHT - 62 (MM)

BODY COLOR : BLACK BODY / WHITE BODY

REFLECTOR COLOR : WH / BK / ROSE GOLD
CHROME / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



CS 800 (16W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 85 L/W | PF - 0.9 | CRI $\geq$ 80+

WARRANTY - 2 YEARS | BEAM ANGLE - 36°

ANTI GLARE VALUE: UGR<19

TOTAL LUMEN - 1360 | BODY : ALUMINIUM


BODY SIZE : CUT DIA - 71,

OUTER - 80, HEIGHT - 75 (MM)

BODY COLOR : BLACK BODY / WHITE BODY

REFLECTOR COLOR : WH / BK / ROSE GOLD
CHROME / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF




BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

HONEYCOMB REFLECTOR

**SP 774 (7W)**

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 33 | 85 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS


TOTAL LUMEN - 595 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 58,

OUTER - 69, HEIGHT - 37 (MM)

REFLECTOR : HONEYCOMB REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K

**SP 775 (12W)**

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 33 | 85 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS


TOTAL LUMEN - 1020 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 73,

OUTER - 85, HEIGHT - 41 (MM)

REFLECTOR : HONEYCOMB REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K

**SP 776 (18W)**

LED SPOT LIGHT

CREE LED | FULHAM DRIVER

IP 33 | 85 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS

TOTAL LUMEN - 1530 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 85,

OUTER - 96, HEIGHT - 45 (MM)

REFLECTOR : HONEYCOMB REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K




OPTIONAL

REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

BLACK NICKLE



CS 399 (12W)

LED RECESSED SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.95 | CRI ≥ 85 | NON WATERPROOF

ANTI GLARE VALUE : UGR<19 | WARRANTY - 2 YEARS



BODY : ALUMINIUM | BODY COLOR : WHITE

REFLECTOR COLOR : BLACK NICKLE

BODY SIZE : CUT DIA - 68,

OUTER - 80, HEIGHT - 117 (MM)

COLOR : WH-6K, NW-4K, WW-3K



CS 399 (16W)

LED RECESSED SPOT (TILTABLE)

CREE LED | FULHAM DRIVER

IP 20 | PF - 0.95 | CRI ≥ 85 | NON WATERPROOF

ANTI GLARE VALUE : UGR<19 | WARRANTY - 2 YEARS


BODY : ALUMINIUM | BODY COLOR : WHITE

REFLECTOR COLOR : BLACK NICKLE

BODY SIZE : CUT DIA - 68,

OUTER - 80, HEIGHT - 125 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF


BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

TRIMLESS SPOT

BLACK NICKLE

**CS 400 (12W)**

LED TRIMLESS SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | NON WATERPROOF | PF - 0.95 | CRI $\geq$ 85

ANTI GLARE VALUE : UGR<19


WARRANTY - 2 YEARS

BODY : ALUMINIUM | BODY COLOR : WHITE

REFLECTOR COLOR : BLACK NICKLE

BODY SIZE : HOLE SIZE - 73, HEIGHT - 120 (MM)

COLOR : WH-6K, NW-4K, WW-3K

**CS 400 (16W)**

LED TRIMLESS SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | NON WATERPROOF | PF - 0.95 | CRI $\geq$ 85

ANTI GLARE VALUE : UGR<19

WARRANTY - 2 YEARS

BODY : ALUMINIUM | BODY COLOR : WHITE

REFLECTOR COLOR : BLACK NICKLE

BODY SIZE : HOLE SIZE - 73, HEIGHT - 125 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL


REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



IP 55

**CS 371 (10W)**

LED SPOT LIGHT (IP 55)

CREE LED | PHILIPS DRIVER

IP 55 | CRI $\geq 90+$ | 80 L/W

WARRANTY - 2 YEARS

TOTAL LUMEN - 800 | BEAM ANGLE - 45°


BODY : ALUMINIUM | BODY COLOR : WHITE BODY

REFLECTOR COLOR : BLACK / CHROME

BODY SIZE : CUT DIA - 94,

OUTER - 110, HEIGHT - 67 (MM)

COLOR : WH-6K, NW-4K, WW-3K

**CS 372 (20W)**

LED SPOT LIGHT (IP 55)

CREE LED | PHILIPS DRIVER

IP 55 | CRI $\geq 90+$ | 80 L/W

WARRANTY - 2 YEARS

TOTAL LUMEN - 1600 | BEAM ANGLE - 45°

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

REFLECTOR COLOR : BLACK / CHROME

BODY SIZE : CUT DIA - 130,

OUTER - 140, HEIGHT - 87 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

**CS 373 (30W)**

LED SPOT LIGHT (IP 55)

CREE LED | PHILIPS DRIVER

IP 55 | CRI $\geq 90+$ | 80 L/W

WARRANTY - 2 YEARS

TOTAL LUMEN - 2400 | BEAM ANGLE - 45°

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

REFLECTOR COLOR : BLACK

BODY SIZE : CUT DIA - 170,

OUTER - 185, HEIGHT - 112 (MM)

COLOR : WH-6K, NW-4K, WW-3K

**CS 374 (40W)**

LED SPOT LIGHT (IP 55)

CREE LED | PHILIPS DRIVER

IP 55 | CRI $\geq 90+$ | 80 L/W

WARRANTY - 2 YEARS

TOTAL LUMEN - 3200 | BEAM ANGLE - 45°


BODY : ALUMINIUM | BODY COLOR : WHITE BODY

REFLECTOR COLOR : BLACK

BODY SIZE : CUT DIA - 200,

OUTER - 230, HEIGHT - 120 (MM)

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL



REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

DEEP SPOT



DEEP SPOT



TL 351 (7W)

LED DEEP SPOT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS

BEAM ANGLE - 30°


TOTAL LUMEN - 560

BODY SIZE : CUT DIA - 48,

OUTER - 58, HEIGHT - 77 (MM)

BODY COLOR : BK / WH / COPPER

COLOR : WH-6K, NW-4K, WW-3K



TL 352 (10W)

LED DEEP SPOT

CREE LED | PHILIPS DRIVER

IP 20 | 90 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS

BEAM ANGLE - 30°


TOTAL LUMEN - 900

BODY SIZE : CUT DIA - 70,

OUTER - 76, HEIGHT - 99 (MM)

BODY COLOR : BK / WH / COPPER

COLOR : WH-6K, NW-4K, WW-3K



TL 353 (15W)

LED DEEP SPOT

CREE LED | PHILIPS DRIVER

IP 20 | 90 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS

BEAM ANGLE - 30°



TOTAL LUMEN - 1350

BODY SIZE : CUT DIA - 82,

OUTER - 90, HEIGHT - 122 (MM)

BODY COLOR : BK / WH / COPPER

COLOR : WH-6K, NW-4K, WW-3K



TL 354 (25W)

LED DEEP SPOT

CREE LED | PHILIPS DRIVER

IP 20 | 90 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS

BEAM ANGLE - 30°


TOTAL LUMEN - 2250

BODY SIZE : CUT DIA - 122,

OUTER - 128, HEIGHT - 120 (MM)

BODY COLOR : BK / WH / COPPER

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 376 (7W)

LED RECESSED SPOT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 85 L/W | CRI ≥ 90

WARRANTY - 2 YEARS

TOTAL LUMEN - 595

BODY SIZE : CUT DIA - 54,



OUTER - 62, HEIGHT - 55 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

CUP COLOR : CHAMPAGNE / ROSE GOLD
CHROME / BLACK / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



CS 377 (12W)

LED RECESSED SPOT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 85 L/W | CRI ≥ 90

WARRANTY - 2 YEARS

TOTAL LUMEN - 1020

BODY SIZE : CUT DIA - 75,



OUTER - 87, HEIGHT - 70 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

CUP COLOR : CHAMPAGNE / ROSE GOLD
CHROME / BLACK / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



CS 378 (18W)

LED RECESSED SPOT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 85 L/W | CRI ≥ 90

WARRANTY - 2 YEARS

TOTAL LUMEN - 1530

BODY SIZE : CUT DIA - 95,


OUTER - 115, HEIGHT - 85 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

CUP COLOR : CHAMPAGNE / ROSE GOLD
CHROME / BLACK / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE



TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 380 (30W)

LED RECESSED SPOT

CREE LED | FULHAM DRIVER

IP 20 | PF - 0.9 | 85 L/W | CRI ≥ 90

WARRANTY - 2 YEARS | TOTAL LUMEN - 2550


BODY SIZE : CUT DIA - 110,

OUTER - 130, HEIGHT - 96 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

CUP COLOR : ROSE GOLD / CHROME / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 379 (12W)

LED RECESSED SPOT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 85 L/W | CRI ≥ 90

WARRANTY - 2 YEARS | TOTAL LUMEN - 1020

BODY SIZE : CUT DIA - 73 x 73,

OUTER - 85 x 85, HEIGHT - 58 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

CUP COLOR : ROSE GOLD / CHROME / BLACK / GOLDEN

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

**CS 343 (35W)** - LED SPOT LIGHTCREE LED | FULHAM DRIVER | IP 20 | CRI $\geq 80+$

WARRANTY - 2 YEARS | BEAM ANGLE - 40°


BODY SIZE : CUT DIA - 104,

OUTER - 114, HEIGHT - 100 (MM)

BODY : ALUMINIUM | BODY COLOR : BLACK / WHITE

REFLECTOR COLOR : SILVER FINISH


COLOR : WH-6K, NW-4K, WW-3K




SPOT LIGHTS

**CS 263 (30W) - LED SPOT LIGHT (TILTABLE)**

CREE LED | FULHAM DRIVER | IP 20 | PF - 0.9 | CRI $\geq$ 80+
 BEAM ANGLE - 36° | WARRANTY - 2 YEARS
 BODY SIZE: CUT DIA - 122, OUTER - 140, HEIGHT - 105 (MM)
 BODY: ALUMINIUM | BODY COLOR: BLACK / WHITE
 COLOR: WH-6K, NW-4K, WW-3K


**CS 264 (30W) - LED SPOT LIGHT**

CREE LED | FULHAM DRIVER | IP 20 | PF - 0.9 | CRI $\geq$ 80+
 BEAM ANGLE - 36° | WARRANTY - 2 YEARS
 BODY SIZE: CUT DIA - 108, OUTER - 120, HEIGHT - 105 (MM)
 BODY: ALUMINIUM | BODY COLOR: BLACK / WHITE
 COLOR: WH-6K, NW-4K, WW-3K



OPTIONAL | REGULAR | TRIAC DIMMABLE | TUNABLE AND DIMMABLE RF | BLUETOOTH WIFI TUNABLE AND DIMMABLE | DALI DIMMABLE | DALI TUNABLE AND DIMMABLE

SPOT LIGHTS

**CS 332 (40W)**

LED SPOT LIGHT (TILTABLE)

TOYONIA LED (JAPAN)


IP 20 | PF - 0.9 | CRI $\geq$ 80 | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 3300

BODY SIZE : CUT DIA - 140, OUTER - 150, HEIGHT - 130 (MM)


BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K





SPOT LIGHTS



CS 349 (12W) - IP 65

LED SPOT LIGHT

OSRAM LED | IP 65

BEAM ANGLE - 38° | WARRANTY - 2 YEARS



BODY SIZE : CUT DIA - 70, OUTER - 80, HEIGHT - 54 (MM)

BODY COLOR : MATT WHITE

COLOR : NW-4K, WW-3K



SPOT LIGHTS

**CS 388 (7W)**

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 80 L/W | CRI ≥ 80+

WARRANTY - 2 YEARS

BEAM ANGLE - 32° | TOTAL LUMEN - 560



BODY SIZE : CUT DIA - 32,

OUTER - 40, HEIGHT - 57 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**CS 389 (12W)**

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 80 L/W | CRI ≥ 80+

WARRANTY - 2 YEARS

BEAM ANGLE - 32° | TOTAL LUMEN - 960


BODY SIZE : CUT DIA - 50,

OUTER - 60, HEIGHT - 78 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K





OPTIONAL

REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 396 (8W)

LED SPOT LIGHT

IP 20 | PF - 0.9 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

TOTAL LUMEN - 640


BODY SIZE : CUT DIA - 39,

OUTER - 45, HEIGHT - 59 (MM)

BODY : ALUMINIUM

BODY COLOR : COPPER FINISH

COLOR : WH-6K, NW-4K, WW-3K



CS 397 (12W)

LED SPOT LIGHT

IP 20 | PF - 0.9 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

TOTAL LUMEN - 960


BODY SIZE : CUT DIA - 52,

OUTER - 60, HEIGHT - 82 (MM)

BODY : ALUMINIUM

BODY COLOR : COPPER FINISH

COLOR : WH-6K, NW-4K, WW-3K



CS 398 (18W)

LED SPOT LIGHT

IP 20 | PF - 0.9 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

TOTAL LUMEN - 1440

BODY SIZE : CUT DIA - 66,

OUTER - 74, HEIGHT - 98 (MM)

BODY : ALUMINIUM

BODY COLOR : COPPER FINISH

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE



DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS





CS 356 (10W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
TOTAL LUMEN - 800
BODY SIZE : CUT DIA - 88,
OUTER - 91, HEIGHT - 90 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K




CS 357 (10W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
TOTAL LUMEN - 800
BODY SIZE : CUT DIA - 88 x 88,
OUTER - 91 x 91, HEIGHT - 90 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K




CS 358 (2 x 10W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
TOTAL LUMEN - 1600
BODY SIZE : CUT DIA - 167 x 84,
OUTER - 172 x 90, HEIGHT - 85 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL | REGULAR | TRIAC DIMMABLE | TUNABLE AND DIMMABLE RF | BLUETOOTH WIFI TUNABLE AND DIMMABLE | DALI DIMMABLE | DALI TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 280 (7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W

WARRANTY - 2 YEARS


BEAM ANGLE - 36° | TOTAL LUMEN - 560

BODY SIZE : CUT DIA - 35,

OUTER - 42, HEIGHT - 54 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 281 (7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W

WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 560

BODY SIZE : CUT DIA - 35 x 35,

OUTER - 42 x 42, HEIGHT - 54 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE



TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 282 (2 x 7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | WARRANTY - 2 YEARS



BEAM ANGLE - 36° | TOTAL LUMEN - 1120

BODY SIZE : CUT DIA - 71 x 36,

OUTER - 77 x 42, HEIGHT - 64 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 283 (4 x 7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | WARRANTY - 2 YEARS


BEAM ANGLE - 36° | TOTAL LUMEN - 2240

BODY SIZE : CUT DIA - 142 x 36,

OUTER - 148 x 42, HEIGHT - 65 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE



TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 284 (2 x 7W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 1120



BODY SIZE : CUT DIA - 91 x 63,

OUTER - 97 x 69, HEIGHT - 65 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 286 (5W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 400



BODY SIZE : CUT DIA - 53,

OUTER - 63, HEIGHT - 64 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 287 (5W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 400


BODY SIZE : CUT DIA - 52 x 52,

OUTER - 62 x 62, HEIGHT - 64 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 311 (10W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI $\geq$ 90+

WARRANTY - 2 YEARS



BEAM ANGLE - 38° | TOTAL LUMEN - 800

BODY SIZE : CUT DIA - 71,

OUTER - 85, HEIGHT - 68 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 324 (16W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI $\geq$ 90+

WARRANTY - 2 YEARS


BEAM ANGLE - 38° | TOTAL LUMEN - 1280

BODY SIZE : CUT DIA - 71,

OUTER - 85, HEIGHT - 88 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

**CS 312 (10W)**

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI $\geq$ 90+

WARRANTY - 2 YEARS



BEAM ANGLE - 38° | TOTAL LUMEN - 800

BODY SIZE : CUT DIA - 75,

OUTER - 84, HEIGHT - 85 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**CS 325 (16W)**

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI $\geq$ 90+

WARRANTY - 2 YEARS


BEAM ANGLE - 38° | TOTAL LUMEN - 1280

BODY SIZE : CUT DIA - 75,

OUTER - 84, HEIGHT - 105 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K





OPTIONAL

REGULAR

TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 313 (10W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS



BEAM ANGLE - 38° | TOTAL LUMEN - 800

BODY SIZE : CUT DIA - 74 x 74,

OUTER - 84 x 84, HEIGHT - 85 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 326 (16W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI ≥ 90+

WARRANTY - 2 YEARS


BEAM ANGLE - 38° | TOTAL LUMEN - 1280

BODY SIZE : CUT DIA - 74 x 74,

OUTER - 84 x 84, HEIGHT - 105 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

MR 16 - MODULE



CS 300 (10W)

MR - 16 MODULE

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI ≥ 90+


WARRANTY - 2 YEARS

BEAM ANGLE - 38° | TOTAL LUMEN - 800

BODY SIZE : WIDTH - 50, HEIGHT - 75 (MM)

BODY COLOR : BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 327 (16W)

MR - 16 MODULE

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.5 | 80 L/W | CRI ≥ 90+


WARRANTY - 2 YEARS

BEAM ANGLE - 38° | TOTAL LUMEN - 1280

BODY SIZE : WIDTH - 55, HEIGHT - 75 (MM)

BODY COLOR : BLACK

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE



DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS





CS 330 (10W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W | CRI ≥ 90+
WARRANTY - 2 YEARS
TOTAL LUMEN - 800
BODY SIZE : CUT DIA - 60,
OUTER - 80, HEIGHT - 95 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K





CS 331 (10W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W | CRI ≥ 90+
WARRANTY - 2 YEARS
TOTAL LUMEN - 800
BODY SIZE : CUT DIA - 60,
OUTER - 80, HEIGHT - 95 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K




CS 334 (16W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W | CRI ≥ 90+
WARRANTY - 2 YEARS
TOTAL LUMEN - 1280
BODY SIZE : CUT DIA - 60,
OUTER - 80, HEIGHT - 120 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K



CS 335 (16W)

LED SPOT LIGHT
CREE LED | PHILIPS DRIVER
IP 20 | 80 L/W | CRI ≥ 90+
WARRANTY - 2 YEARS
TOTAL LUMEN - 1280
BODY SIZE : CUT DIA - 60,
OUTER - 80, HEIGHT - 120 (MM)
BODY COLOR : WHITE
COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 306 (16W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | CRI ≥ 90+

TOTAL LUMEN - 1280



WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 85,

OUT - 95, HEIGHT - 85 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 307 (16W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | CRI ≥ 90+

TOTAL LUMEN - 1280



WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 85 x 85,

OUT - 100 x 100, HEIGHT - 90 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 308 (16W)

LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | 80 L/W | CRI ≥ 90+

TOTAL LUMEN - 1280


WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 92,

OUT - 102, HEIGHT - 105 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS



CS 394 (2 x 7W) - LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | WARRANTY - 2 YEARS

BEAM ANGLE - 30° | TOTAL LUMEN - 1120



BODY SIZE : CUT DIA - 135 x 65,

OUT - 150 x 80, HEIGHT - 54 (MM)

BODY COLOR : WHITE BODY - WHITE FRAME

BLACK BODY - BLACK FRAME

COLOR : WH-6K, NW-4K, WW-3K



CS 395 (2 x 10W) - LED SPOT LIGHT

CREE LED | PHILIPS DRIVER

IP 20 | WARRANTY - 2 YEARS

BEAM ANGLE - 30° | TOTAL LUMEN - 1600


BODY SIZE : CUT DIA - 175 x 85,

OUT - 190 x 100, HEIGHT - 69 (MM)

BODY COLOR : WHITE BODY - WHITE FRAME

BLACK BODY - BLACK FRAME

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

SPOT LIGHTS

**SP 408 (7W)**

LED SPOT LIGHT

CREE LED | IP 20

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 60,

OUT - 71, HEIGHT - 46.5 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**SP 409 (10W)**

LED SPOT LIGHT

CREE LED | IP 20

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 75,

OUT - 85, HEIGHT - 60 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K





OPTIONAL

REGULAR



TRIAC
DIMMABLETUNABLE AND DIMMABLE
RFBLUETOOTH WIFI
TUNABLE AND DIMMABLEDALI
DIMMABLEDALI
TUNABLE AND DIMMABLE

SPOT LIGHTS




SP 782 (7W)

LED SPOT LIGHT (RECESSED)
IP 20 | WARRANTY - 2 YEARS
BODY SIZE : CUT DIA - 50,
OUTER - 56 x 56, HEIGHT - 60 (MM)
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K




SP 783 (12W)

LED SPOT LIGHT (RECESSED)
IP 20 | WARRANTY - 2 YEARS
BODY SIZE : CUT DIA - 70,
OUTER - 80 x 80, HEIGHT - 80 (MM)
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K



FOOT LIGHTS




FT 419 (3W)

LED FOOT LIGHT

CREE LED | IP 20 | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 47, OUTER - 60 (MM)

COLOR : WW-3K



FT 420 (3W)

LED FOOT LIGHT


CREE LED | IP 20 | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 47, OUTER - 60 x 60 (MM)

COLOR : WW-3K



CABINET LIGHTS

**SP 406 (3W)**

LED SPOT LIGHT

IP 20 | CRI ≥ 80 | COB

WARRANTY - 2 YEARS

BEAM ANGLE - 24°

BODY SIZE : CUT DIA - 42,

OUTER - 52, HEIGHT - 15 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**SP 780 (3W)**

LED SPOT LIGHT

IP 20


WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 29,

OUTER - 37, HEIGHT - 24 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K

**SP 781 (3W)**

LED SPOT LIGHT

IP 20



WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 39,

OUTER - 45, HEIGHT - 40 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**SP 785 (3W)**

LED SPOT LIGHT

80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 24°

BODY SIZE : CUT DIA - 30,

OUTER - 38, HEIGHT - 25 (MM)


BODY : DIE CAST ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K




CABINET LIGHTS




SP 779 (3W)

LED SPOT LIGHT (SS FINISH)
 IP 20 | CRI $\geq$ 80 | PURY CHIP
 TOTAL LUMEN - 150
 WARRANTY - 2 YEARS
 BODY SIZE : CUT DIA - 30,
 OUTER - 40, HEIGHT - 24 (MM)
 COLOR : WH-6K, NW-4K, WW-3K




CS 360 (3W)

LED SPOT LIGHT
 CREE LED | IP 20
 WARRANTY - 2 YEARS
 BODY SIZE : CUT DIA - 43,
 OUTER - 49, HEIGHT - 45 (MM)
 BODY COLOR : WHITE
 COLOR : WH-6K, NW-4K, WW-3K



CS 363 (7W)

LED SPOT LIGHT
 IP 20
 WARRANTY - 2 YEARS
 BODY SIZE : CUT DIA - 34,
 OUTER - 40, HEIGHT - 57 (MM)
 BODY COLOR : WHITE
 REFLECTOR COLOR : BLACK
 COLOR : WH-6K, NW-4K, WW-3K




SP 777 (3W)

SMASH LED
 CREE LED | IP 20 | PF - 0.9
 WARRANTY - 2 YEARS
 BODY SIZE : CUT DIA - 26,
 OUTER - 38, HEIGHT - 20 (MM)
 BODY COLOR : WHITE
 COLOR : WH-6K, NW-4K, WW-3K



CABINET LIGHTS



SP 617 (5W)

LED SURFACE (ROUND)




IP 20 | WARRANTY - 2 YEARS

BODY SIZE : DIA - 60,

HEIGHT - 21 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



SP 410 (3W)

LED SURFACE (ROUND)

IP 33 | CRI ≥ 80+ | BEAM ANGLE - 90 °


WARRANTY - 2 YEARS

BODY SIZE : DIA - 60, HEIGHT - 15 (MM)

BODY COLOR : COPPER / GREY

WHITE / BLACK

COLOR : WW-3K



SP 718 (3W)

LED SURFACE (SQUARE)

IP 20 | CRI ≥ 80

WARRANTY - 2 YEARS

TOTAL LUMEN - 165

BODY SIZE : WIDTH - 56 x 56,


HEIGHT - 11 (MM)

BODY COLOR : WHITE

COLOR : NW-4K, WW-3K



CABINET LIGHTS



CL 721 (4W)


LED CABINET LIGHT

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : WIDTH - 325 x 22, HEIGHT - 7 (MM)

BODY COLOR : ALUMINIUM FINISH

COLOR : WH-6K, NW-4K, WW-3K



CL 722 (8W)

LED CABINET LIGHT

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : WIDTH - 587 x 22, HEIGHT - 7 (MM)

BODY COLOR : ALUMINIUM FINISH

COLOR : WH-6K, NW-4K, WW-3K



WALL GRAZER

SL 700 (10W)

LED WALL GRAZER (SURFACE MOUNTED)

IP 20 | INPUT VOLTAGE - 240V | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 313, HEIGHT - 32 (MM)

BODY COLOR : ALUMINIUM | BODY COLOR : GREY

COLOR : NW-4K, WW-3K



SL 701 (24W)

LED WALL GRAZER (SURFACE MOUNTED)

IP 20 | INPUT VOLTAGE - 240V | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 615, HEIGHT - 32 (MM)

BODY COLOR : ALUMINIUM | BODY COLOR : GREY

COLOR : NW-4K, WW-3K



SL 702 (36W)

LED WALL GRAZER (SURFACE MOUNTED)

IP 20 | INPUT VOLTAGE - 240V | WARRANTY - 2 YEARS


BODY SIZE : LENGTH - 1155, HEIGHT - 32 (MM)

BODY COLOR : ALUMINIUM | BODY COLOR : GREY

COLOR : NW-4K, WW-3K



WALL GRAZER - 24V

**SL 631 (20W)**

LED RECESSED LIGHT (RECESSED)

IP 20 | INPUT VOLTAGE - 24V | WARRANTY - 2 YEARS

POWER SUPPLY EXTRA | DRIVER EXTRA

BODY SIZE : LENGTH - 1026, CUT DIA - 21,

OUTER - 29, HEIGHT - 20 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K

**SL 632 (20W)**



LED WALL GRAZER (SURFACE)

IP 20 | INPUT VOLTAGE - 24V | WARRANTY - 2 YEARS


POWER SUPPLY EXTRA | DRIVER EXTRA

BODY SIZE : LENGTH - 1016, CORNER - 22 x 20, HEIGHT - 38 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K



SPOT LIGHTS



CS 547 (12W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS


BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 90,

OUTER - 98, HEIGHT - 120 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 366 (2 x 5W)

LED ZOOM SPOT (TILTABLE)

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

IP 20 | PF - 0.9 | CRI ≥ 80+ | 80 L/W



BEAM ANGLE - 40° | TOTAL LUMEN - 800

BODY SIZE : CUT DIA - 97, OUTER - 107 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : NW-4K, WW-3K



CS 364 (7W)

LED ZOOM SPOT (TILTABLE)

IP 20 | PF - 0.5 | CRI ≥ 80

BEAM ANGLE - 36°

WARRANTY - 2 YEARS


BODY SIZE : CUT DIA - 80,

OUTER - 90, HEIGHT - 55 (MM)

BODY : ALUMINIUM

BODY COLOR : WH BODY - BK REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE

TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE



SPOT LIGHTS



CS 544 (5W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PF - 0.9 | CRI $\geq$ 80+

WARRANTY - 2 YEARS | BEAM ANGLE - 36°


BODY SIZE : CUTTING - 42, OUTER - 60,

DIA - 30, HEIGHT - 95 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 285 (5W) - LED SPOT LIGHT

CREE LED | PHILIPS DRIVER | 80 L/W

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

TOTAL LUMEN - 400


BODY SIZE : CUT DIA - 54,

OUTER - 62, HEIGHT - 70 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 367 (7W)

LED SPOT LIGHT (TILTABLE)

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

IP 20 | PF - 0.9 | CRI $\geq$ 80+ | 80 L/W


TOTAL LUMEN - 560 | BEAM ANGLE - 40°

BODY SIZE : CUT DIA - 63, OUTER - 75,

HEIGHT - 185 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : NW-4K, WW-3K



REGULAR | TRIAC DIMMABLE

OPTIONAL

TUNABLE AND DIMMABLE RF

TUNABLE AND DIMMABLE - BLUETOOTH WIFI

DALI DIMMABLE | DALI - TUNABLE AND DIMMABLE

ZOOM SPOT



CZ 698 (10W)

LED ZOOM SPOT (TILTABLE)
CREE LED | FULHAM DRIVER
IP 20 | CRI $\geq$ 80+
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
BODY SIZE : OUTER - 90,
HEIGHT - 70 (MM)
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K



CZ 699 (15W)

LED ZOOM SPOT (TILTABLE)
CREE LED | FULHAM DRIVER
IP 20 | CRI $\geq$ 80+
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
BODY SIZE : OUTER - 110,
HEIGHT - 80 (MM)
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K



CZ 796 (30W)

LED ZOOM SPOT (TILTABLE)
CREE LED | FULHAM DRIVER
IP 20 | CRI $\geq$ 80+
WARRANTY - 2 YEARS
BEAM ANGLE - 36°
BODY SIZE : CUT DIA - 136,
OUTER - 165, HEIGHT - 132 (MM)
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K



OPTIONAL

REGULAR

TRIAC
DIMMABLE


TUNABLE AND DIMMABLE
RF

BLUETOOTH WIFI
TUNABLE AND DIMMABLE

DALI
DIMMABLE

DALI
TUNABLE AND DIMMABLE

WALL WASHER

**CS 317 (12W)**

LED WALL WASHER

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 80 L/W

WARRANTY - 2 YEARS | TOTAL LUMEN - 960

BODY SIZE : CUT DIA - 71, OUTER - 85, HEIGHT - 66 (MM)

BODY COLOR : WHITE | COLOR : WH-6K, NW-4K, WW-3K




REGULAR | TRIAC DIMMABLE

OPTIONAL

TUNABLE AND DIMMABLE RF

TUNABLE AND DIMMABLE - BLUETOOTH WIFI

DALI DIMMABLE | DALI - TUNABLE AND DIMMABLE

**CS 375 (22W)**

LED WALL WASHER

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | 80 L/W


WARRANTY - 2 YEARS | TOTAL LUMEN - 1760

BODY SIZE : CUT DIA - 89,


OUTER - 107, HEIGHT - 80 (MM)

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



WALL WASHER



RCS 370 (5W)

LED WALL WASHER

CREE LED | PHILIPS DRIVER

IP 20 | 90 L/W | WARRANTY - 2 YEARS



BEAM ANGLE - 24° | TOTAL LUMEN - 400

BODY SIZE : CUT DIA - 76, OUTER - 84,

HEIGHT - 88 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE BODY - CHROME REFLECTOR

COLOR : WH-6K, NW-4K, WW-3K



LB 525 (10W)

LED WALL WASHER

CREE LED | PHILIPS DRIVER


WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 137 x 34,

OUTER - 147 x 44 (MM)

BODY COLOR : WHITE

COLOR : NW-4K, WW-3K



LB 454 (10W) - TILTABLE

LED WALL WASHER / SPOT LASER

CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 152 x 67,



OUTER - 170 x 87, HEIGHT - 90 (MM)

BODY COLOR : WHITE

COLOR : NW-4K, WW-3K



LASER SPOT

**LB 626 (5 x 2W) - LED LASER SPOT (TILTABLE)**

CREE LED | PHILIPS DRIVER

IP 20 | PF - 0.9 | CRI $\geq$ 90 | 80 L/W

WARRANTY - 2 YEARS | BEAM ANGLE - 38° | TOTAL LUMEN - 1600

BODY SIZE : CUT DIA - 67 x 143, OUTER - 75 x 157,

HEIGHT - 55 (MM) | BODY : ALUMINIUM


BODY COLOR : WHITE BODY - WHITE REFLECTOR

BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



LASER SPOT



LB 526 (10W)

LED LASER SPOT

PF - 0.9 | CRI $\geq$ 80+ | PHILIPS DRIVER

WARRANTY - 2 YEARS | BEAM ANGLE - 30°

BODY SIZE : CUT DIA - 140 x 35,


OUTER - 148.6 x 45, HEIGHT - 45 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE BODY - BLACK REFLECTOR

BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



LB 527 (20W)

LED LASER SPOT

PF - 0.9 | CRI $\geq$ 80+ | PHILIPS DRIVER

WARRANTY - 2 YEARS | BEAM ANGLE - 30°

BODY SIZE : CUT DIA - 275 x 35,

OUTER - 281.6 x 45, HEIGHT - 45 (MM)

BODY : ALUMINIUM


BODY COLOR : WHITE BODY - BLACK REFLECTOR

BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



TRIMLESS LASER SPOT



LB 528 (10W)

LED LASER SPOT (TRIMLESS)



PF - 0.9 | CRI $\geq$ 80+ | PHILIPS DRIVER

WARRANTY - 2 YEARS | BEAM ANGLE - 30°

BODY SIZE : CUT DIA - 150 x 52, OUTER - 160 x 58,
HEIGHT - 45 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE BODY - BLACK REFLECTOR
BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



LB 529 (20W)

LED LASER SPOT (TRIMLESS)

PF - 0.9 | CRI $\geq$ 80+ | PHILIPS DRIVER

WARRANTY - 2 YEARS | BEAM ANGLE - 30°

BODY SIZE : CUT DIA - 282 x 52, OUTER - 295 x 58,
HEIGHT - 45 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE BODY - BLACK REFLECTOR
BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



LASER SPOT



44 x 44




34 x 34

LB 627 (3W) - LED LASER SPOT

CREE LED | PF - 0.9 | CRI $\geq$ 90 + | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 34 x 34, OUTER - 44 x 44 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



75 x 45




65 x 35

LB 628 (5W) - LED LASER SPOT

CREE LED | PF - 0.9 | CRI $\geq$ 90 + | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 65 x 35, OUTER - 75 x 45 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



147 x 44



137 x 34

LB 629 (12W) - LED LASER SPOT


CREE LED | PHILIPS DRIVER

PF - 0.9 | CRI $\geq$ 90 + | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 137 x 34, OUTER - 147 x 44 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K

OPTIONAL ■ REGULAR | TRIAC DIMMABLE



280 x 44




272 x 36

LB 630 (24W) - LED LASER SPOT

CREE LED | PF - 0.9 | CRI $\geq$ 90 + | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 272 x 36, OUTER - 280 x 44 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



274 x 38



274 x 38

LB 458 (20W)

LED LASER SPOT (TRIMLESS)


CREE LED | PF - 0.9 | CRI $\geq$ 90 + | WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 274 x 38, HEIGHT - 55 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K




LASER SPOT (MINI)




LB 621 (4W) - LED LASER SPOT (MINI)

OSRAM LED | IP 20 | PF - 0.9 | CRI $\geq$ 90 | WARRANTY - 2 YEARS | BEAM ANGLE - 30°
 BODY SIZE : CUT DIA - 47 x 27.5, OUTER - 52 x 32, HEIGHT - 32 (MM)
 BODY : ALUMINIUM | COLOR : NW-4K, WW-3K




LB 622 (8W) - LED LASER SPOT (MINI)

OSRAM LED | IP 20 | PF - 0.9 | CRI $\geq$ 90 | WARRANTY - 2 YEARS | BEAM ANGLE - 30°
 BODY SIZE : CUT DIA - 45 x 45, OUTER - 52 x 32, HEIGHT - 38 (MM)
 BODY : ALUMINIUM | COLOR : NW-4K, WW-3K





LB 623 (12W) - LED LASER SPOT (MINI)

OSRAM LED | IP 20 | PF - 0.9 | CRI $\geq$ 90 | WARRANTY - 2 YEARS | BEAM ANGLE - 30°
 BODY SIZE : CUT DIA - 104 x 27.5, OUTER - 108 x 32, HEIGHT - 37 (MM)
 BODY : ALUMINIUM | COLOR : NW-4K, WW-3K



LB 624 (16W) - LED LASER SPOT (MINI)

OSRAM LED | IP 20 | PF - 0.9 | CRI $\geq$ 90 | WARRANTY - 2 YEARS | BEAM ANGLE - 30°
 BODY SIZE : CUT DIA - 65 x 65, OUTER - 71 x 71, HEIGHT - 37 (MM)
 BODY : ALUMINIUM | COLOR : NW-4K, WW-3K




LB 625 (22W) - LED LASER SPOT (MINI)

OSRAM LED | IP 20 | PF - 0.9 | CRI $\geq$ 90 | WARRANTY - 2 YEARS | BEAM ANGLE - 30°
 BODY SIZE : CUT DIA - 200 x 27.5, OUTER - 205 x 32, HEIGHT - 37 (MM)
 BODY : ALUMINIUM | COLOR : NW-4K, WW-3K




LASER SPOT





LASER SPOT



CS 381 (4W) - LED LASER SPOT

CREE LED | PHILIPS DRIVER | WARRANTY - 2 YEARS


IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 90

TOTAL LUMEN - 320 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 44 x 44, OUTER - 54 x 54,

HEIGHT - 43 (MM) BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



CS 382 (12W) - LED LASER SPOT

CREE LED | PHILIPS DRIVER | WARRANTY - 2 YEARS


IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 90

TOTAL LUMEN - 960 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 120 x 42, OUTER - 130 x 54,

HEIGHT - 47 (MM) BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



CS 383 (20W) - LED LASER SPOT

CREE LED | PHILIPS DRIVER | WARRANTY - 2 YEARS



IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 90

TOTAL LUMEN - 1600 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 200 x 49, OUTER - 200 x 54,

HEIGHT - 48 (MM) BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



CS 384 (16W) - LED LASER SPOT

CREE LED | PHILIPS DRIVER | WARRANTY - 2 YEARS


IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 90

TOTAL LUMEN - 1280 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 87 x 87, OUTER - 92 x 92,

HEIGHT - 50 (MM) BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



CS 385 (36W) - LED LASER SPOT

CREE LED | PHILIPS DRIVER | WARRANTY - 2 YEARS

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 90

TOTAL LUMEN - 2880 | BEAM ANGLE - 38°

BODY SIZE : CUT DIA - 120 x 120, OUTER - 130 x 130,

HEIGHT - 48 (MM) BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



SURFACE SPOT

[OUTDOOR]



WATERPROOF

**NEW** OD 983 (7W)

LED SURFACE SPOT (OUTDOOR)

IP 65 | WARRANTY - 2 YEARS

BODY SIZE : DIA - 60, HEIGHT - 65 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K

**NEW** OD 984 (12W)

LED SURFACE SPOT (OUTDOOR)

IP 65 | WARRANTY - 2 YEARS

BODY SIZE : DIA - 75, HEIGHT - 75 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K

**NEW** OD 985 (18W)

LED SURFACE SPOT (OUTDOOR)

IP 65 | WARRANTY - 2 YEARS

BODY SIZE : DIA - 90, HEIGHT - 90 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K



SURFACE SPOT



SL 561 (7W) - LED SURFACE SPOT

WARRANTY - 2 YEARS



BODY SIZE : DIA - 53, HEIGHT - 75 (MM)

BODY COLOR : WHITE / BLACK

CUP COLOR : CHAMPAGNE / ROSE GOLD

CHROME / BLACK / GOLD

COLOR : WH-6K, NW-4K, WW-3K



SL 562 (12W) - LED SURFACE SPOT

WARRANTY - 2 YEARS



BODY SIZE : DIA - 74, HEIGHT - 110 (MM)

BODY COLOR : WHITE / BLACK

CUP COLOR : CHAMPAGNE / ROSE GOLD

CHROME / BLACK / GOLD

COLOR : WH-6K, NW-4K, WW-3K



SL 575 (18W) - LED SURFACE SPOT

WARRANTY - 2 YEARS

BODY SIZE : DIA - 94, HEIGHT - 119 (MM)

BODY COLOR : WHITE / BLACK


CUP COLOR : CHAMPAGNE / ROSE GOLD

CHROME / BLACK / GOLD

COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT



SL 565 (7W)

LED SURFACE SPOT

CREE LED | IP 20 | PF - 0.5 | CRI ≥ 80



WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 560

BODY SIZE : DIA - 55.5, HEIGHT - 60 (MM)

BODY COLOR : WHITE / BLACK | FRAME COLOR : BLACK

COLOR : WH-6K, NW-4K, WW-3K



SL 564 (12W)

LED SURFACE SPOT

CREE LED | IP 20 | PF - 0.5 | CRI ≥ 80


WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 960

BODY SIZE : DIA - 68, HEIGHT - 68 (MM)

BODY COLOR : WHITE / BLACK | FRAME COLOR : BLACK


COLOR : WH-6K, NW-4K, WW-3K





Ledos
Lighting

SURFACE SPOT



SL 563 (18W)

LED SURFACE SPOT

CREE LED | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 1440

BODY SIZE : DIA - 90, HEIGHT - 91 (MM)


BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K





SURFACE SPOT

**SL 571 (16W) - LED SURFACE SPOT**CREE LED | WARRANTY - 2 YEARS | IP 20 | PF - 0.9 | CRI $\geq$ 85

BODY SIZE : DIA - 118, HEIGHT - 118 (MM) | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**SL 559 (12W) - LED SURFACE SPOT**

IP 20 | WARRANTY - 2 YEARS

BEAM ANGLE - 30° | TOTAL LUMEN - 1000

BODY SIZE : DIA - 73 x 73, HEIGHT - 90 (MM)

BODY : ALUMINIUM BODY

BODY COLOR : MATT WHITE / MATT BLACK

FRAME COLOR : SILVER / GOLDEN / WHITE / BLACK


COLOR : NW-4K, WW-3K





SURFACE SPOT

**SL 572 (6W)**


LED SURFACE SPOT
CREE LED | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 60°
TOTAL LUMEN - 480
BODY SIZE : DIA - 50, HEIGHT - 70 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K

**SL 573 (12W)**

LED SURFACE SPOT
CREE LED | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 60°
TOTAL LUMEN - 960
BODY SIZE : DIA - 69, HEIGHT - 75 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K

**SL 574 (18W)**

LED SURFACE SPOT
CREE LED | 80 L/W
WARRANTY - 2 YEARS
BEAM ANGLE - 60°
TOTAL LUMEN - 1440
BODY SIZE : DIA - 76, HEIGHT - 95 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / BLACK
COLOR : WH-6K, NW-4K, WW-3K



SURFACE DOWNLIGHT





SURFACE DOWNLIGHT



SP 749 (12W)

LED SURFACE DOWNLIGHT

BRIDGELUX LED

IP 20 | 100 L/W | PF - 0.9

TOTAL LUMEN - 1200 | WARRANTY - 2 YEARS

BODY SIZE : WIDTH - 110, HEIGHT - 48 (MM)

BODY : ALUMINIUM BODY

BODY COLOR : BLACK / WHITE

COLOR : WH-6K, NW-4K, WW-3K



SP 750 (18W)

LED SURFACE DOWNLIGHT

BRIDGELUX LED

IP 20 | 100 L/W | PF - 0.9

TOTAL LUMEN - 1800 | WARRANTY - 2 YEARS

BODY SIZE : WIDTH - 125, HEIGHT - 48 (MM)

BODY : ALUMINIUM BODY

BODY COLOR : BLACK / WHITE

COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT




SL 567 (7W) - LED SURFACE SPOT

CREE LED | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 560

BODY SIZE : DIA - 55 x 55, HEIGHT - 51 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K




SL 568 (2x7W) - LED SURFACE SPOT

CREE LED | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 1120

BODY SIZE : DIA - 110 x 55, HEIGHT - 56 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



SL 569 (12W)


LED SURFACE SPOT

CREE LED | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 36° | TOTAL LUMEN - 960

BODY SIZE : DIA - 70 x 70, HEIGHT - 69 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



SL 570 (2x14W)

LED SURFACE SPOT

CREE LED | 80 L/W | WARRANTY - 2 YEARS


BEAM ANGLE - 36° | TOTAL LUMEN - 2240

BODY SIZE : DIA - 140 x 70, HEIGHT - 70 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



SURFACE SPOT



SL 590 (7W)

LED SURFACE SPOT

CREE LED | IP 20

BEAM ANGLE - 36° | WARRANTY - 2 YEARS


BODY SIZE : BASE - 44, WIDTH - 70,

HEIGHT - 80 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE / SANDY BLACK

REFLECTOR COLOR : ROSE GOLD

COLOR : WH-6K, NW-4K, WW-3K



SL 591 (12W)

LED SURFACE SPOT

CREE LED | IP 20

BEAM ANGLE - 36° | WARRANTY - 2 YEARS

BODY SIZE : BASE - 54, WIDTH - 90,

HEIGHT - 103 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE / SANDY BLACK

REFLECTOR COLOR : ROSE GOLD

COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT



NEW

SL 592 (6W) - LED SURFACE SPOT


IP 20 | WARRANTY - 2 YEARS

BEAM ANGLE - 120°

BODY SIZE : DIA - 75, HEIGHT - 75 (MM)

BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER
GUN BLACK

BODY : ALUMINIUM | COLOR : NW-4K, WW-3K



NEW

SL 593 (15W) - LED SURFACE SPOT

IP 20 | WARRANTY - 2 YEARS

BEAM ANGLE - 120°

BODY SIZE : DIA - 110, HEIGHT - 75 (MM)

BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER
GUN BLACK


BODY : ALUMINIUM | COLOR : NW-4K, WW-3K





Ledos
Lighting

SURFACE SPOT



NEW

SL 685 (12W)

LED SURFACE SPOT

IP 20 | WARRANTY - 2 YEARS | BEAM ANGLE - 36°

BODY SIZE : DIA - 60, HEIGHT - 110 (MM) | BODY : ALUMINIUM

BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER / GUN BLACK

COLOR : NW-4K, WW-3K



SURFACE SPOT




TILTABLE



NEW

SL 646 (8W) - LED SURFACE SPOT
IP 20 | WARRANTY - 2 YEARS | BEAM ANGLE - 36°
BODY SIZE : DIA - 45, LENGTH - 110 (MM)
BASE SIZE : WIDTH - 40, HEIGHT - 10 (MM)
BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER
GUN BLACK | BODY : ALUMINIUM
COLOR : NW-4K, WW-3K



NEW


SL 647 (15W) - LED SURFACE SPOT
IP 20 | WARRANTY - 2 YEARS | BEAM ANGLE - 36°
BODY SIZE : DIA - 45, LENGTH - 160 (MM)
BASE SIZE : WIDTH - 60, HEIGHT - 10 (MM)
BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER
GUN BLACK | BODY : ALUMINIUM
COLOR : NW-4K, WW-3K





Ledos
Lighting

SURFACE SPOT



SL 548 (12W) - LED SPOT LIGHT


CREE LED | PF - 0.9 | CRI $\geq$ 85 | BEAM ANGLE - 38° | WARRANTY - 2 YEARS

BODY SIZE : DIA - 62, HEIGHT - 152 (MM)

BODY COLOR : BLACK / WHITE | COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT



SL 557 (5W) - LED SURFACE SPOT

CREE LED | IP 20 | PF - 0.8 | CRI $\geq$ 80

TOTAL LUMEN - 400



WARRANTY - 2 YEARS

BODY SIZE : DIA - 30, HEIGHT - 130 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 333 (15W) - LED SURFACE SPOT

TOYONIA LED | OSRAM LED

IP 20 | PF - 0.9 | CRI $\geq$ 80



WARRANTY - 2 YEARS | TOTAL LUMEN - 1254

CHANGEABLE BEAM ANGLE - 38°

BODY SIZE : DIA - 70, LENGTH - 180 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 346 (7W) - LED SURFACE SPOT

CREE LED | IP 20

WARRANTY - 2 YEARS


BEAM ANGLE - 27°

BODY SIZE : DIA - 30, LENGTH - 120 (MM)


BASE SIZE : WIDTH - 65, HEIGHT - 37 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT

**CS 314 (3W)**

LED SURFACE SPOT


IP 20 | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 32° | TOTAL LUMEN - 240

BODY SIZE : DIA - 25, LENGTH - 65, HEIGHT - 62 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K

**CS 316 (10W)**

LED SURFACE SPOT

IP 20 | 80 L/W | WARRANTY - 2 YEARS

BEAM ANGLE - 32° | TOTAL LUMEN - 800



BODY SIZE : DIA - 47, LENGTH - 110, HEIGHT - 88 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



SURFACE SPOT



SL 585 (2 x 1.5W)

LED LASER SURFACE SPOT

IP 20 | CREE LED | PHILIPS DRIVER


WARRANTY - 2 YEARS

BEAM ANGLE - 36°

BODY SIZE : LENGTH - 66 x 35,
HEIGHT - 55 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE
SANDY BLACK

COLOR : NW-4K, VW-3K



SL 586 (5 x 1.5W)

LED LASER SURFACE SPOT

IP 20 | CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

BODY SIZE : LENGTH - 138 x 35,
HEIGHT - 55 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE
SANDY BLACK

COLOR : NW-4K, VW-3K



SL 587 (4 x 1.5W)

LED LASER SURFACE SPOT

IP 20 | CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 36°


BODY SIZE : LENGTH - 65 x 69,
HEIGHT - 55 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE
SANDY BLACK

COLOR : NW-4K, VW-3K



SURFACE SPOT

**SL 588 (10 x 1.5W)**

LED SURFACE SPOT

IP 20 | CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

BODY SIZE : LENGTH - 137 x 69, HEIGHT - 55 (MM)

BODY : ALUMINIUM

BODY COLOR : SANDY WHITE

SANDY BLACK

COLOR : NW-4K, WW-3K

**SL 589 (12W)**

LED SURFACE SPOT

IP 20 | CREE LED | PHILIPS DRIVER

WARRANTY - 2 YEARS

BEAM ANGLE - 36°

BODY SIZE : DIA - 53, HEIGHT - 60 (MM)

BODY : ALUMINIUM

BODY COLOR : SANDY WHITE

SANDY BLACK

COLOR : NW-4K, WW-3K



SURFACE SPOT

**CS 387 (36W)**

LED LASER SURFACE SPOT

CREE LED | OSRAM DRIVER

WARRANTY - 2 YEARS

IP 20 | PF - 0.9 | 80 L/W | CRI ≥ 90

BEAM ANGLE - 38°

TOTAL LUMEN - 2880

BODY SIZE : CUT DIA - 120 x 120,

HEIGHT - 90 (MM)

BODY : ALUMINIUM

BODY COLOR : BLACK / WHITE

COLOR : NW-4K, WW-3K

**CS 386 (16W)**

LED LASER SURFACE SPOT

CREE LED | WARRANTY - 2 YEARS

IP 20 | PF - 0.9 | 80 L/W | CRI ≥ 90

BEAM ANGLE - 38°

TOTAL LUMEN - 1280

BODY SIZE : CUT DIA - 78 x 78,

HEIGHT - 80 (MM)

BODY : ALUMINIUM


BODY COLOR : BLACK / WHITE

COLOR : NW-4K, WW-3K





SURFACE SPOT



SL 530 (10W)

LED SURFACE LASER SPOT

PF - 0.9 | CRI $\geq$ 90+

WARRANTY - 2 YEARS

BEAM ANGLE - 30°

BODY SIZE : LENGTH - 137, WIDTH - 35,

HEIGHT - 70 (MM) | BODY : ALUMINIUM


BODY COLOR : WHITE BODY - BLACK REFLECTOR

BLACK BODY - BLACK REFLECTOR

COLOR : NW-4K, WW-3K



TRACK LIGHTS



CS 228 (12W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS



TOTAL LUMEN - 960

BODY SIZE : LENGTH - 123, DIA - 49,

HEIGHT - 135 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 229 (18W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS


TOTAL LUMEN - 1440

BODY SIZE : LENGTH - 151, DIA - 65,

HEIGHT - 150 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 230 (30W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80+

WARRANTY - 2 YEARS


TOTAL LUMEN - 2400

BODY SIZE : LENGTH - 189, DIA - 75,



HEIGHT - 175 (MM) | BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



TRACK SPOT



NEW



CS 189 (15W) - LED TRACK SPOTCREE LED | FULHAM DRIVER | IP 20 | CRI $\geq$ 80 | PF - 0.9

WARRANTY - 2 YEARS | BEAM ANGLE - 38°

BODY SIZE : DIA - 60, LENGTH - 135 (MM)

BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

COLOR : WH-6K, NW-4K, WW-3K



NEW


CS 190 (30W) - LED TRACK SPOTCREE LED | FULHAM DRIVER | IP 20 | CRI $\geq$ 80 | PF - 0.9

WARRANTY - 2 YEARS | BEAM ANGLE - 38°

BODY SIZE : DIA - 80, LENGTH - 150 (MM)


BODY COLOR : WHITE / BLACK | BODY : ALUMINIUM

COLOR : WH-6K, NW-4K, WW-3K




TRACK SPOT

TILTABLE



NEW



CS 225 (8W) - LED TRACK SPOT

IP 20 | WARRANTY - 2 YEARS | BEAM ANGLE - 36°

BODY SIZE : DIA - 45, LENGTH - 110 (MM)

BASE SIZE : WIDTH - 35, HEIGHT - 30 (MM)


BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER

GUN BLACK | BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



NEW



CS 226 (15W) - LED TRACK SPOT

IP 20 | WARRANTY - 2 YEARS | BEAM ANGLE - 36°

BODY SIZE : DIA - 45, LENGTH - 160 (MM)

BASE SIZE : WIDTH - 35, HEIGHT - 30 (MM)


BODY COLOR : ANTIQUE BRONZE / ANTIQUE COPPER

GUN BLACK | BODY : ALUMINIUM

COLOR : NW-4K, WW-3K



TRACK SPOT

**CS 288 (30W)**


LED TRACK SPOT (TILTABLE) - **THREE LINE TRACK**
 CREE LED | FULHAM DRIVER | IP 20 | PF - 0.9 | CRI $\geq$ 80+
WARRANTY - 2 YEARS | BEAM ANGLE - 36°
 BODY SIZE : 95 x 105, BASE SIZE - 40 x 72,
 HEIGHT - 122 (MM) | BODY : ALUMINIUM
 BODY COLOR : WHITE / BLACK
 COLOR : WH-6K, NW-4K, WW-3K



TRACK BASE - FOR TRIPPLE LINE

1 MTR (HEAVY) - BLACK / WHITE | 2 MTR (HEAVY) - BLACK / WHITE

TRACK LIGHTS



CS 321 (15W) - LED TRACK LIGHT

TOYONIA LED (JAPAN) | CREE LED

IP 20 | CRI $\geq$ 80 | PF - 0.9



TOTAL LUMEN - 1254 | WARRANTY - 2 YEARS

CHANGEABLE BEAM ANGLE - 38°

BODY SIZE : DIA - 70, LENGTH - 112, HEIGHT - 145 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 322 (30W) - LED TRACK LIGHT

TOYONIA LED (JAPAN) | CREE LED

IP 20 | CRI $\geq$ 80 | PF - 0.9


TOTAL LUMEN - 2582 | WARRANTY - 2 YEARS

CHANGEABLE BEAM ANGLE - 38°

BODY SIZE : DIA - 90, LENGTH - 166, HEIGHT - 240 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K





TRACK LIGHTS



Changable Beam Angle 12.5° to 45°



CS 338 (15W) - LED TRACK LIGHT

TOYONIA LED (JAPAN)

IP 20 | PF - 0.9 | CRI ≥ 80

TOTAL LUMEN - 1100 | WARRANTY - 2 YEARS


CHANGEABLE BEAM ANGLE - 12.5° TO 45°

BODY SIZE : DIA - 53,

LENGTH - 200, HEIGHT - 115 (MM)

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 339 (30W) - LED TRACK LIGHT


TOYONIA LED (JAPAN) | WARRANTY - 2 YEARS

IP 20 | PF - 0.9 | CRI ≥ 80 | TOTAL LUMEN - 2200

CHANGEABLE BEAM ANGLE - 15° TO 45°

BODY SIZE : DIA - 90, LENGTH - 185, HEIGHT - 155 (MM)

BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



TRACK BASE - FOR LED TRACK LIGHTS

1 MTR - BLACK / WHITE


1 MTR (HEAVY) - BLACK / WHITE

2 MTR - BLACK / WHITE

2 MTR (HEAVY) - BLACK / WHITE

T/L CONNECTOR

TRACK LIGHTS



CS 318 (15W)

LED TRACK LIGHT

CREE LED | WARRANTY - 2 YEARS

BEAM ANGLE - 35°

TOTAL LUMEN - 1275


BODY SIZE : DIA - 65,

LENGTH - 115 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 319 (30W)

LED TRACK LIGHT

CREE LED | WARRANTY - 2 YEARS

BEAM ANGLE - 35°

TOTAL LUMEN - 2500


BODY SIZE : DIA - 75,

LENGTH - 162 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 320 (50W)

LED TRACK LIGHT

CREE LED | WARRANTY - 2 YEARS

BEAM ANGLE - 35°

TOTAL LUMEN - 4000


BODY SIZE : DIA - 90,

LENGTH - 170 (MM)

BODY : ALUMINIUM




BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K





TRACK LIGHTS



CS 293 (15W) - LED TRACK LIGHT

CREE LED | IP 20 | 80 L/W

WARRANTY - 2 YEARS

BEAM ANGLE - 30°

TOTAL LUMEN - 1200

BODY SIZE : DIA - 50,

LENGTH - 137, BASE - 200 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WH-6K, NW-4K, WW-3K



CS 294 (30W) - LED TRACK LIGHT

CREE LED | IP 20 | 80 L/W

WARRANTY - 2 YEARS

BEAM ANGLE - 30°

TOTAL LUMEN - 2400

BODY SIZE : DIA - 52,

LENGTH - 175, BASE - 200 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE / BLACK

COLOR : WH-6K, NW-4K, WW-3K



CS 345 (7W)

LED TRACK LIGHT

CREE LED | IP 20

WARRANTY - 2 YEARS

BEAM ANGLE - 27°

BODY SIZE : DIA - 30,


LENGTH - 185 (MM)

BODY COLOR : WHITE / BLACK


COLOR : WH-6K, NW-4K, WW-3K



HANGING LIGHTS

**HL 654 (11W)**



LED HANGING LIGHT
IP 20 | WARRANTY - 2 YEARS
BODY SIZE : WIDTH - 117,
HEIGHT - 1200 (MM)
BODY COLOR : COFFEE
COLOR : WW-3K

**HL 546 (5W)**

LED HANGING LIGHT
IP 20 | WARRANTY - 2 YEARS
BODY SIZE : WIDTH - 70,
HEIGHT - 110 (MM)
BODY COLOR : WHITE / BLACK / GOLD
COLOR : WW-3K




HANGING LIGHT



HL 655 (42W) - LED HANGING LIGHT

IP 20 | WARRANTY - 2 YEARS | BODY SIZE : WIDTH - 1200 x 118, HEIGHT - 1200 (MM) | BODY COLOR : COFFEE | COLOR : WW-3K

HANGING LIGHTS




HL 566 (45W) - LED LASER HANGING LIGHT

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1145, WIDTH - 61, HEIGHT - 70 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



HL 648 (36W)

LED LASER HANGING LIGHT


IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1215, WIDTH - 26, HEIGHT - 75 (MM)

BODY COLOR : WHITE / BLACK | COLOR : NW-4K, WW-3K



HANGING LIGHTS





HL 609 (48W) - LED LASER HANGING

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1185, WIDTH - 50, HEIGHT - 75 (MM)

BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





HL 545 (40W)


LED LASER HANGING LIGHT

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1200, WIDTH - 40, HEIGHT - 57 (MM)


BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





HANGING LIGHTS

TUNABLE
WITH IN-BUILT SWITCH



NEW




HL 960 (48W) - LED HANGING LIGHT (TUNABLE)

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1185, WIDTH - 60, HEIGHT - 86 (MM)

BODY COLOR : WHITE / BLACK


COLOR : TUNABLE WITH IN-BUILT SWITCH



LT 418 (36W) - LED HANGING TUBE LIGHT


IP 20 | WARRANTY - 2 YEARS | BODY SIZE : 4 FEET (120 CM)

COLOR : WH-6K, NW-4K, WW-3K





HANGING LIGHTS




SL 549 (40W)

LED LASER HANGING LIGHT

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1124, WIDTH - 52, HEIGHT - 85 (MM)

BODY COLOR : BLACK | COLOR : NW-4K, WW-3K



SL 550 (40W)

LED LASER HANGING LIGHT


IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1124, WIDTH - 52, HEIGHT - 85 (MM)

BODY COLOR : BLACK | COLOR : NW-4K




CLUSTER LIGHTS




SL 661 (12W)

LED CLUSTER SURFACE
CRI $\geq 80+$ | WARRANTY - 2 YEARS
BODY SIZE : WIDTH - 400,
HEIGHT - 70 (MM)
BODY COLOR : BLACK
COLOR : WW-3K



SL 663 (24W)

LED CLUSTER SURFACE
CRI $\geq 80+$ | WARRANTY - 2 YEARS
BODY SIZE : WIDTH - 800,
HEIGHT - 70 (MM)
BODY COLOR : BLACK
COLOR : WW-3K



HL 664 (12W)

LED CLUSTER HANGING
CRI $\geq 80+$ | WARRANTY - 2 YEARS
BODY SIZE : WIDTH - 400,
HEIGHT - 70 (MM)
BODY COLOR : BLACK
COLOR : WW-3K

CLUSTER (TRIMLESS)

**CS 391 (12 x 2.5W)**

LED TRIMLESS CLUSTER

CREE LED | CRI ≥ 80

TOTAL LUMEN - 2400

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 350,

HEIGHT - 110 (MM)

BODY COLOR : BLACK

COLOR : NW-4K, WW-3K

**CS 392 (24 x 2.5W)**

LED TRIMLESS CLUSTER

CREE LED | CRI ≥ 80

TOTAL LUMEN - 4800

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 650,

HEIGHT - 110 (MM)

BODY COLOR : BLACK

COLOR : NW-4K, WW-3K

**CS 393 (36 x 2.5W)**

LED TRIMLESS CLUSTER

CREE LED | CRI ≥ 80

TOTAL LUMEN - 7200

WARRANTY - 2 YEARS

BODY SIZE : CUT DIA - 950,

HEIGHT - 110 (MM)

BODY COLOR : BLACK

COLOR : NW-4K, WW-3K




TUBE LIGHTS

**LT 323 (36W)** - LED TUBE LIGHT


IP 20 | WARRANTY - 2 YEARS

BODY SIZE: 4 FEET (114 CM) | COLOR: WH-6K, NW-4K, WW-3K

**LT 404 (26W)** - LED TUBE LIGHT


IP 20 | 100 L/W | WARRANTY - 2 YEARS

BODY SIZE: 2 FEET (58 CM) | BODY: ALUMINIUM | COLOR: WH-6K, NW-4K, WW-3K

**LT 405 (52W)** - LED TUBE LIGHT


IP 20 | 100 L/W | WARRANTY - 2 YEARS

BODY SIZE: 4 FEET (115 CM) | BODY: ALUMINIUM | COLOR: WH-6K, NW-4K, WW-3K

**LT 611 (20W)** - LED TUBE LIGHT

IP 20 | WARRANTY - 2 YEARS


BODY SIZE: 4 FEET (120 CM) | BODY: POLY CARBONATE | COLOR: WH-6K, NW-4K, WW-3K




TUBE LIGHTS





LT 603 (26W) - LED TUBE LIGHT
 IP 20 | WARRANTY - 2 YEARS
 BODY SIZE : 4 FEET (120 CM)
 BODY : ALUMINIUM | COLOR : WH-6K, NW-4K




LT 604 (22W)
 LED TUBE LIGHT (TUNABLE)
 IP 20 | COLOR CHANGEABLE | BODY : ALUMINIUM
 WARRANTY - 2 YEARS | BODY SIZE : 4 FEET (120 CM) | COLOR : WH TO NW TO WW



LT 416 (10W) - SMASH LED TUBE LIGHT
 IP 20 | WARRANTY - 2 YEARS
 BODY SIZE : 2 FEET (60 CM)
 BODY : ALUMINIUM | COLOR : WH-6K, NW-4K, WW-3K





TUBE LIGHTS

**LT 411 (18W) - LED TUBE LIGHT**

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : 2 FEET (60 CM) | BODY : ALUMINIUM



COLOR : WH-6K, NW-4K, WW-3K

**LT 412 (36W) - LED TUBE LIGHT**

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : 4 FEET (120 CM) | BODY : ALUMINIUM


COLOR : WH-6K, NW-4K, WW-3K

**LT 414 (20W) - LED TUBE LIGHT**

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 600, HEIGHT - 75 (MM)

COLOR : WH-6K

**LT 415 (40W) - LED TUBE LIGHT**


IP 20 | WARRANTY - 2 YEARS

BODY SIZE : LENGTH - 1200, HEIGHT - 75 (MM)

COLOR : WH-6K



MIRROR LIGHTS



55 CM


LT 605 (9W)

LED MIRROR LIGHT (TILTABLE)

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : 1 FEET (30 CM)

COLOR : WH-6K, WW-3K



30 CM

LT 606 (18W)

LED MIRROR LIGHT (TILTABLE)

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : 2 FEET (55 CM)


COLOR : WH-6K AND TUNABLE

MIRROR LIGHTS





MIRROR LIGHTS




WL 609 (12W) - LED MIRROR LIGHT

IP 20 | WARRANTY - 2 YEARS


BODY SIZE : LENGTH - 483, WIDTH - 95, HEIGHT - 30 (MM)

BODY COLOR : CHROME / BRONZE


COLOR : WH-6K, NW-4K, WW-3K



MIRROR LIGHTS




500

WL 511 (12W) - LED MIRROR LIGHT**WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 500 (MM)****BODY COLOR : WHITE / COFFEE / CHROME****COLOR : WH-6K, NW-4K, WW-3K**



600

WL 512 (14W) - LED MIRROR LIGHT**WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 600 (MM)****BODY COLOR : WHITE / COFFEE / CHROME****COLOR : WH-6K, NW-4K, WW-3K**

MIRROR LIGHTS



WL 513 (12W) - LED MIRROR LIGHT
 WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 525 (MM)
 BODY COLOR : WHITE / BRONZE / CHROME
 COLOR : WH-6K, NW-4K, WW-3K




WL 514 (14W) - LED MIRROR LIGHT
 WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 625 (MM)
 BODY COLOR : WHITE / BRONZE / CHROME
 COLOR : WH-6K, NW-4K, WW-3K



MIRROR LIGHTS





MIRROR LIGHTS



WL 501 (10W) - LED MIRROR LIGHT

WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 400 (MM)



BODY COLOR : WHITE / COFFEE | COLOR : WH-6K, NW-4K, WW-3K



WL 502 (12W) - LED MIRROR LIGHT

WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 600 (MM)


BODY COLOR : WHITE / COFFEE | COLOR : WH-6K, NW-4K, WW-3K



WL 503 (16W) - LED MIRROR LIGHT

WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 800 (MM)


BODY COLOR : WHITE / COFFEE | COLOR : WH-6K, NW-4K, WW-3K








WL 504 (20W) - LED MIRROR LIGHT

WARRANTY - 2 YEARS | BODY SIZE : LENGTH - 1000 (MM)

BODY COLOR : WHITE / COFFEE | COLOR : WH-6K, NW-4K, WW-3K



FLOOD LIGHTS



FLD 531 (50W)

LED FLOOD LIGHT
IP 66 | PF - 0.95 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 5500
BODY SIZE : DEPTH - 64,
WIDTH - 285,
HEIGHT - 275 (MM)
BODY : DIE CAST ALUMINIUM
COLOR : WH-6K, WW-3K



FLD 532 (100W)

LED FLOOD LIGHT
IP 66 | PF - 0.95 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 11,000
BODY SIZE : DEPTH - 68,
WIDTH - 292,
HEIGHT - 292 (MM)
BODY : DIE CAST ALUMINIUM
COLOR : WH-6K, WW-3K



FLD 533 (150W)

LED FLOOD LIGHT
IP 66 | PF - 0.95 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 16,500
BODY SIZE : DEPTH - 72,
WIDTH - 336,
HEIGHT - 318 (MM)
BODY : DIE CAST ALUMINIUM
COLOR : WH-6K, WW-3K






FLD 534 (200W)

LED FLOOD LIGHT
IP 66 | PF - 0.95 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 22,000
BODY SIZE : DEPTH - 90,
WIDTH - 333,
HEIGHT - 313 (MM)
BODY : DIE CAST ALUMINIUM
COLOR : WH-6K, WW-3K



FLOOD LIGHTS



FLD 471 (10W) - LED FLOOD LIGHT

PHILIPS LED CHIP

IP 65 | PF - 0.9 | 100 L/W | CRI $\geq$ 70

WARRANTY - 1 YEAR

BEAM ANGLE - 110°

TOTAL LUMEN - 1000

BODY SIZE : DEPTH - 50,

WIDTH - 110, HEIGHT - 130 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : BLACK

COLOR : WH-6K



FLD 472 (30W) - LED FLOOD LIGHT

PHILIPS LED CHIP

IP 65 | PF - 0.9 | 100 L/W | CRI $\geq$ 70

WARRANTY - 1 YEAR

BEAM ANGLE - 110°

TOTAL LUMEN - 3000

BODY SIZE : DEPTH - 60,

WIDTH - 170, HEIGHT - 198 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : BLACK

COLOR : WH-6K



FLD 477 (50W) - RGB

LED FLOOD LIGHT

IP 65 | PF - 0.9 | 70 L/W | CRI $\geq$ 70

WARRANTY - 1 YEAR

BEAM ANGLE - 110°

TOTAL LUMEN - 3500

BODY SIZE : DEPTH - 65,


WIDTH - 285, HEIGHT - 275 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : BLACK


COLOR : RGB WITH REMOTE

HIGH-BAY LIGHTS




UFO (100W)

LED HIGH-BAY LIGHT
5KV SURGE PROTECTION
IP 65 | PF - 0.9 | 110 L/W | CRI ≥ 80
WARRANTY - 2 YEARS
BEAM ANGLE - 110°
TOTAL LUMEN - 11,000
BODY SIZE : WIDTH - 250,
HEIGHT - 115 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K



UFO (150W)

LED HIGH-BAY LIGHT
5KV SURGE PROTECTION
IP 65 | PF - 0.9 | 110 L/W | CRI ≥ 80
WARRANTY - 2 YEARS
BEAM ANGLE - 110°
TOTAL LUMEN - 16,500
BODY SIZE : WIDTH - 300,
HEIGHT - 130 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K



UFO (200W)

LED HIGH-BAY LIGHT
5KV SURGE PROTECTION
IP 65 | PF - 0.9 | 110 L/W | CRI ≥ 80
WARRANTY - 2 YEARS
BEAM ANGLE - 110°
TOTAL LUMEN - 22,000
BODY SIZE : WIDTH - 350,
HEIGHT - 130 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K



BOX LANTERNS

**OD 681**





OUTDOOR BOX LANTERN
 IP 54 | E27 LAMP HOLDER
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 140,
 WIDTH - 135, HEIGHT - 260 (MM)
 BODY : ALUMINIUM / GLASS
 BODY COLOR : GREY
 COLOR : WW-3K

**OD 682**

OUTDOOR BOX LANTERN
 IP 54 | E27 LAMP HOLDER
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 240,
 WIDTH - 115, HEIGHT - 240 (MM)
 BODY : ALUMINIUM / GLASS
 BODY COLOR : GREY
 COLOR : WW-3K



SPIKE LIGHTS



NEW

OD 618 (10W)

LED SPIKE LIGHT
IP 65 | CRI ≥ 80
WARRANTY - 1 YEAR
BEAM ANGLE - 15°
BODY SIZE : FRONT - 70,
WIDTH - 105 (MM)
BODY : ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K

OD 350 (10W)

LED SPIKE LIGHT
IP 65 | CRI ≥ 80
WARRANTY - 1 YEAR
BEAM ANGLE - 38°
BODY SIZE : FRONT - 65 x 65,
WIDTH - 76,
HEIGHT - 160 (MM)
BODY : ALUMINIUM
BODY COLOR : GREY
COLOR : WW-3K


OD 359 (8W)

LED SPIKE LIGHT
IP 65 | CRI ≥ 80
WARRANTY - 1 YEAR
BEAM ANGLE - 15° / 45° / 90°
BODY SIZE : FRONT - 64 x 64,
WIDTH - 54,
HEIGHT - 160 (MM)
BODY : ALUMINIUM
BODY COLOR : GREY
COLOR : WW-3K

OD 437 (10W)

LED WALL LIGHT / SPIKE
IP 65 | PF - 0.9 | CRI ≥ 80
WARRANTY - 1 YEAR
TOTAL LUMEN - 800
BEAM ANGLE - 120°
BODY SIZE : HEIGHT - 95,
WIDTH - 95, DEPTH - 41,
HOLE SIZE - 6.5 (MM)
BODY : ALUMINIUM
BODY COLOR : BLACK
COLOR : WW-3K

BASE / SPIKE LIGHTS



OD 467 (3W)

LED BASE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°


TOTAL LUMEN - 288

BODY SIZE : 67 x 45,

HEIGHT - 65 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 468 (7W)

LED BASE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°

TOTAL LUMEN - 587

BODY SIZE : 100 x 65,

HEIGHT - 80 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 470 (10W)

LED BASE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°


TOTAL LUMEN - 830

BODY SIZE : 100 x 85,

HEIGHT - 100 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 467 (3W) - LED SPIKE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°


TOTAL LUMEN - 288

BODY SIZE : 67 x 45,

HEIGHT - 212 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 468 (7W) - LED SPIKE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°



TOTAL LUMEN - 587

BODY SIZE : 100 x 64,

HEIGHT - 239 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 470 (10W) - LED SPIKE LIGHT

CREE LED | IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BEAM ANGLE - 24°

TOTAL LUMEN - 830

BODY SIZE : 110 x 85,

HEIGHT - 280 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K

SPIKE LIGHTS



OD 633 (5W)

LED SPIKE LIGHT

IP 65 | CRI $\geq$ 80


WARRANTY - 1 YEAR | BEAM ANGLE - 36°

BODY SIZE : DIA - 52, LENGTH - 130,

HEIGHT - 277 (MM)

BODY : ALUMINIUM | BODY COLOR : BLACK

COLOR : WW-3K



OD 634 (10W)

LED SPIKE LIGHT

IP 65 | CRI $\geq$ 80

WARRANTY - 1 YEAR | BEAM ANGLE - 36°

BODY SIZE : DIA - 52, LENGTH - 142,

HEIGHT - 277 (MM)

BODY : ALUMINIUM | BODY COLOR : BLACK

COLOR : WW-3K



SPIKE LIGHTS



NEW

OD 980 (3W) - LED SPIKE LIGHT

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : DIA - 30,
LENGTH - 70, HEIGHT - 60 (MM)

BODY : ALUMINIUM

BODY COLOR : GUN BLACK

COLOR : WW-3K



NEW

OD 981 (6W) - LED SPIKE LIGHT

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : DIA - 30,
LENGTH - 85, HEIGHT - 70 (MM)

BODY : ALUMINIUM

BODY COLOR : GUN BLACK

COLOR : WW-3K



NEW

OD 982 (12W) - LED SPIKE LIGHT

IP 65 | WARRANTY - 1 YEAR


BODY SIZE : DIA - 48, LENGTH - 140,
HEIGHT - 70 (MM)

BODY : ALUMINIUM

BODY COLOR : GUN BLACK

COLOR : WW-3K

SPIKE LIGHTS



OD 486 (7W)

LED SPIKE LIGHT

IP 65 | CRI ≥ 80


WARRANTY - 1 YEAR

BODY SIZE : 82 x 50,

HEIGHT - 250 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



OD 487 (10W)

LED SPIKE LIGHT

IP 65 | CRI ≥ 80

WARRANTY - 1 YEAR

BODY SIZE : 85 x 62,


HEIGHT - 271 (MM)

BODY COLOR : SANDY BLACK

COLOR : WW-3K



SPIKE LIGHTS


NEW

OD 735 (7W)

LED SPIKE LIGHT

IP 65 | WARRANTY - 1 YEAR

 BODY SIZE : WIDTH - 69,
 HEIGHT - 82,

SPIKE HEIGHT - 155 (MM)

BODY : ALUMINIUM

BODY COLOR : BLACK

COLOR : WW-3K



OD 815 (6W)

LED SPIKE / WALL LIGHT

OSRAM LED | IP 65


WARRANTY - 1 YEAR

BODY SIZE : 80 x 70,

HEIGHT - 330 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 523 (6W) - 24V

LED SPIKE BOLLARD

NEED 24V POWER SUPPLY

BRIDGELUX LED | IP 54 | PF - 0.95

100 L/W | CRI ≥ 80

BEAM ANGLE - 180 °

BODY SIZE : WIDTH - 80,

HEIGHT - 270 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY


COLOR : WW-3K

WALL WASHER





WALL WASHER (24V)



Input Voltage : 24V



OD 888 (18W) - (0.5 MTR) - 24V - LED WALL WASHER

IP 65 | INPUT VOLTAGE - 24V | WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 35 x 35, HEIGHT - 60 (MM) | BODY LENGTH - 0.5 MTR | BODY : ALUMINIUM | BODY COLOR : GREY | COLOR : WW-3K



OD 889 (36W) - (1 MTR) - LED WALL WASHER

IP 65 | INPUT VOLTAGE - 24V | WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 35 x 35, HEIGHT - 60 (MM) | BODY LENGTH - 1 MTR | BODY : ALUMINIUM | BODY COLOR : GREY | COLOR : WW-3K



OUTDOOR



LED




Discover
your brighter side
▶▶

BOLLARDS



BOLLARDS



OD 484 (12W)

LED BOLLARD

IP 65 | WATERPROOF

BODY SIZE : WIDTH - 156,

HEIGHT - 192 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 505 (12W)

LED BOLLARD

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI $\geq$ 80

BEAM ANGLE - 180°

WARRANTY - 1 YEAR



BODY SIZE : WIDTH - 175,

HEIGHT - 210 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 506 (12W)

LED BOLLARD

BRIDGELUX LED

IP 54 | PF - 0.95 | 100 L/W

CRI $\geq$ 80 | BEAM ANGLE - 180°

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 175,

HEIGHT - 220 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K




BOLLARDS






BOLLARDS



OD 576 (12W)

LED BOLLARD
BRIDGELUX LED
IP 65 | WATERPROOF
BODY SIZE : WIDTH - 213,
HEIGHT - 197 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K




OD 577 (20W)

LED BOLLARD
BRIDGELUX LED | IP 65 | WATERPROOF
BODY SIZE : WIDTH - 211,
HEIGHT - 590 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K




BOLLARDS



OD 848 (5W)

LED BOLLARD
IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 115,
HEIGHT - 600 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K




OD 678

LED BOLLARD
E27 LAMP HOLDER
IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 83,
HEIGHT - 600 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K





BOLLARDS



OD 456 (5W)

LED BOLLARD

CREE LED


WARRANTY - 1 YEAR

BODY SIZE : FRONT - 150,

WIDTH - 110, HEIGHT - 600 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 429 (9W)

LED BOLLARD

CREE LED

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 100,



HEIGHT - 700 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



BOLLARDS



OD 595 (10W)

LED BOLLARD


WARRANTY - 1 YEAR

BODY SIZE : FRONT - 70,

WIDTH - 115, HEIGHT - 296 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 594 (10W)

LED BOLLARD


WARRANTY - 1 YEAR

BODY SIZE : FRONT - 70,

WIDTH - 115, HEIGHT - 596 (MM)


BODY COLOR : DARK GREY

COLOR : WW-3K





BOLLARDS



OD 607 (10W)


LED BOLLARD

WARRANTY - 1 YEAR

BODY SIZE : WIDTH (SIDE) - 54,
FRONT - 160, HEIGHT - 400 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 608 (10W) - LED BOLLARD

WARRANTY - 1 YEAR

BODY SIZE : WIDTH (SIDE) - 54,
FRONT - 160, HEIGHT - 600 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K





OUTDOOR



LED





Discover
your brighter side



BOLLARDS



BOLLARDS



OD 669 (7W)

LED BOLLARD

IP 65 | WATERPROOF

BODY SIZE : WIDTH - 98,

HEIGHT - 236 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 670 (7W)

LED BOLLARD


IP 65 | WATERPROOF

BODY SIZE : WIDTH - 98,


HEIGHT - 583 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K




BOLLARDS






BOLLARDS



OD 683 (7W)

LED BOLLARD
BRIDGELUX LED
IP 65 | WATERPROOF
BODY SIZE : WIDTH - 110,
HEIGHT - 299 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K



OD 684 (7W)

LED BOLLARD
BRIDGELUX LED
IP 65 | WATERPROOF
BODY SIZE : WIDTH - 110,
HEIGHT - 613 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K





OUTDOOR



LED


BOLLARDS

Discover
your brighter side
▶▶





BOLLARDS



OD 519 (12W)

LED BOLLARD

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI $\geq$ 80

BEAM ANGLE - 180°

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 150,

HEIGHT - 220 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 510 (20W)

LED BOLLARD

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI $\geq$ 80

BEAM ANGLE - 40°

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 200,

HEIGHT - 620 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K





OUTDOOR


LED

BOLLARDS

Discover
your brighter side
▶▶



BOLLARDS



OD 507 (10W)

LED BOLLARD

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI $\geq$ 80

BEAM ANGLE - 40°

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 90,

HEIGHT - 215 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 500 (10W)

LED BOLLARD

CREE LED | IP 54 | PF - 0.95

100 L/W | CRI $\geq$ 80

BEAM ANGLE - 40°

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 90,

HEIGHT - 500 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K






LED

Discover
your brighter side

BOLLARDS



OD 423 (12W) - LED BOLLARD

BRIDGELUX LED | WATERPROOF

IP 65 | PF - 0.95 | CRI $\geq$ 80

BODY SIZE : WIDTH - 74,

HEIGHT - 176 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 424 (20W)

LED BOLLARD

BRIDGELUX LED

WATERPROOF

IP 65 | PF - 0.95 | CRI $\geq$ 80


BODY SIZE : 2 FEET

WIDTH - 74, HEIGHT - 625 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 432 (50W)

LED BOLLARD

BRIDGELUX LED

WATERPROOF

IP 65 | PF - 0.95 | CRI $\geq$ 80

BODY SIZE : 4 FEET

WIDTH - 74,

HEIGHT - 1200 (MM)

BODY : DIE CAST ALUMINIUM


BODY COLOR : DARK GREY

COLOR : WW-3K





BOLLARDS



OD 436 (50W) - LED POLE BOLLARD

BRIDGELUX LED | WATERPROOF

IP 65 | PF - 0.95 | CRI $\geq$ 80

BODY SIZE : 8 FEET

WIDTH - 74, HEIGHT - 2400 (MM)

8 FEET POLE OF : $\varnothing$ DIA - 74 (MM)


BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



BOLLARDS




OD 480 (12W)


LED WALL LIGHT
BRIDGELUX LED
IP 65 | WATERPROOF
BODY SIZE : WIDTH - 160,
HEIGHT - 217 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K




BOLLARDS



OD 516 (12W) - LED BOLLARD
 BRIDGELUX LED | WARRANTY - 1 YEAR
 IP 54 | PF - 0.95 | 100 L/W
 CRI $\geq$ 80 | BEAM ANGLE - 180°
 BODY SIZE: WIDTH - 140,
 HEIGHT - 315 (MM)
 BODY : DIE CAST ALUMINIUM
 BODY COLOR : DARK GREY
 COLOR : WW-3K



OD 517 (20W)
 LED BOLLARD
 BRIDGELUX LED
 WARRANTY - 1 YEAR
 IP 54 | PF - 0.95
 100 L/W | CRI $\geq$ 80
 BEAM ANGLE - 180°
 BODY SIZE: WIDTH - 230,
 HEIGHT - 730 (MM)
 BODY : DIE CAST ALUMINIUM
 BODY COLOR : DARK GREY
 COLOR : WW-3K



OD 518 (20W)
 LED BOLLARD
 BRIDGELUX LED
 WARRANTY - 1 YEAR
 IP 54 | PF - 0.95
 100 L/W | CRI $\geq$ 80
 BEAM ANGLE - 180°
 BODY SIZE: WIDTH - 230,
 HEIGHT - 1930 (MM)
 BODY : DIE CAST ALUMINIUM
 BODY COLOR : DARK GREY
 COLOR : WW-3K





OUTDOOR




POLE BOLLARD

Discover
your brighter side
▶▶



POLE BOLLARD



OD 520 (50W) - LED POLE BOLLARD

BRIDGELUX LED | IP 54 | 100 L/W | PF - 0.95 | CRI $\geq$ 80

WARRANTY - 1 YEAR | BEAM ANGLE - 180°

BODY SIZE : 10 FEET POLE | Ø DIA - 75 (MM)


HEAD : WIDTH - 375, HEIGHT - 275 (MM)

POLE HEIGHT : 3000 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 578 (50W) - LED POLE BOLLARD

BRIDGELUX LED | WATERPROOF

IP 65 | PF - 0.95 | CRI $\geq$ 80

BODY SIZE : 10 FEET POLE | Ø DIA - 74 (MM)

HEAD : WIDTH - 350 | POLE HEIGHT : 3000 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : DARK GREY


COLOR : WW-3K



WALL LAMPS



WALL LAMPS



OD 671 - OUTDOOR WALL LAMP

IP 54 | E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 160,

WIDTH - 191, HEIGHT - 218 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY

OD 672 - OUTDOOR WALL LAMP

IP 54 | E27 LAMP HOLDER



WARRANTY - 1 YEAR

BODY SIZE : FRONT - 160,

WIDTH - 191, HEIGHT - 218 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY



OD 673 - OUTDOOR STAND LAMP

IP 54 | E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 160,

HEIGHT - 290 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY

OD 674

OUTDOOR HANGING LAMP

IP 54 | E27 LAMP HOLDER


WARRANTY - 1 YEAR

BODY SIZE : FRONT - 160,

HEIGHT - 787 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY





OUTDOOR


LED

Discover
your brighter side
▶▶

POLE LAMPS



POLE LAMPS

**OD 675 (2 HEAD)**

POLE LAMP

IP 54

E27 LAMP HOLDER


WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 550,

HEIGHT - 2000 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY

**OD 676 (3 HEAD)**

POLE LAMP

IP 54

E27 LAMP HOLDER


WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 550,

HEIGHT - 2000 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY

**OD 677**

POLE LAMP

IP 54

E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 160,

HEIGHT - 600 (MM)

BODY : ALUMINIUM / GLASS

BODY COLOR : DARK GREY





OUTDOOR

LED

Discover
your brighter side
▶▶

WALL LAMPS



WALL LAMPS

OD 851

OUTDOOR STAND LAMP
IP 65 | E27 LAMP HOLDER
WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 170, HEIGHT - 430 (MM)
BODY : DIE CAST ALUMINIUM
BODY COLOR : MATT BLACK

**OD 852**

OUTDOOR WALL LAMP
IP 65 | E27 LAMP HOLDER
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 170, WIDTH - 200, HEIGHT - 370 (MM)
BODY : DIE CAST ALUMINIUM
BODY COLOR : MATT BLACK

OD 853

OUTDOOR HANGING LAMP
IP 65 | E27 LAMP HOLDER
WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 170, HEIGHT - 370 (MM)
BODY : DIE CAST ALUMINIUM
BODY COLOR : MATT BLACK





OUTDOOR

LED

Discover
your brighter side
▶▶

POLE LAMPS



POLE LAMPS



OD 854 (2 HEAD)

POLE LAMP

IP 65

E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 630,

HEIGHT - 2160 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : MATT BLACK



OD 855 (3 HEAD)

POLE LAMP

IP 65

E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 550,

HEIGHT - 2160 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : MATT BLACK



OD 856

POLE LAMP

IP 65

E27 LAMP HOLDER

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 180,


HEIGHT - 1070 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : MATT BLACK



WALL LIGHTS



OD 347 (5W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 162, WIDTH - 55, HEIGHT - 60 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 




OD 348 (10W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 312, WIDTH - 55, HEIGHT - 60 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 




OD 619 (4W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 100, FRONT - 59, HEIGHT - 70 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 



OD 620 (3 x 3W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 200, WIDTH - 59, HEIGHT - 70 (MM)


BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 





WALL LIGHTS




OD 770 (8W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 159, FRONT - 99, HEIGHT - 49 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K




OD 784 (3W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 90, WIDTH - 35 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K




OD 659 (2 x 1W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 51, WIDTH - 45, HEIGHT - 160 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 660 (2 x 3W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR


BODY SIZE : FRONT - 58, WIDTH - 54, HEIGHT - 245 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



WALL LIGHTS




OD 616 (2 x 1W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 70, HEIGHT - 40 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 




OD 612 (1W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 35, WIDTH - 35, HEIGHT - 82 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 




OD 613 (2 x 1W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 35, WIDTH - 35, HEIGHT - 82 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 



OD 614 (1W)

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 35, WIDTH - 35, HEIGHT - 50 (MM)


BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 





WALL LIGHTS




OD 615 (2 x 1W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 35, WIDTH - 35, HEIGHT - 50 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 899 (5W)


IP 65 | WATERPROOF

WARRANTY - 1 YEAR | BEAM ANGLE - 36°

BODY SIZE : FRONT - 51, WIDTH - 61, HEIGHT - 73 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 900 (2 x 5W) - UP AND DOWN


IP 65 | WATERPROOF |

WARRANTY - 1 YEAR | BEAM ANGLE - 36°

BODY SIZE : FRONT - 51, WIDTH - 61, HEIGHT - 132 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 450 (3W) - LED WALL / FOOT LIGHT

BRIDGELUX LED | IP 65 | WATERPROOF

BEAM ANGLE - 60° | WARRANTY - 1 YEAR


BODY SIZE : FRONT - 63, WIDTH - 35, HEIGHT - 68 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K



WALL LIGHTS



OD 859 (3W)


BRIDGELUX LED | IP 54 | PF - 0.95 | 100 L/W | CRI ≥ 80

BEAM ANGLE : 180° | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 51, WIDTH - 34, HEIGHT - 62 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 



OD 438 (2 X 3W) - UP AND DOWN



BRIDGELUX LED | IP 65 | WATERPROOF

BEAM ANGLE : 60° | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 50, WIDTH - 34, HEIGHT - 67 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 




OD 537 (6W)

IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 68, WIDTH - 83, HEIGHT - 80 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 



OD 538 (6W)

IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 68, WIDTH - 83, HEIGHT - 80 (MM)


BODY : ALUMINIUM | BODY COLOR : WHITE / GREY

COLOR : WW-3K 






WALL LIGHTS




OD 539 (12W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 68, WIDTH - 80, HEIGHT - 160 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K




OD 540 (12W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 68, WIDTH - 80, HEIGHT - 160 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K



OD 524 (2 X 3W) - UP AND DOWN

BRIDGELUX LED | IP 65 | WATERPROOF
BEAM ANGLE - 60° | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 37, WIDTH - 45, HEIGHT - 91 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K



OD 850 (2 X 3W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 70, HEIGHT - 54 (MM)
BODY : ALUMINIUM | BODY COLOR : SANDY WH / GREY
COLOR : WW-3K



WALL LIGHTS



OD 492 (2 x 1W) - UP AND DOWN

CREE LED | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 70, WIDTH - 52, HEIGHT - 70 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K




OD 871 (4 x 1W)

CREE LED | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 68, WIDTH - 52, HEIGHT - 68 (MM)
BODY : ALUMINIUM | BODY COLOR : SANDY WH / GREY
COLOR : WW-3K



OD 490 (4 x 3W)

CREE LED | IP 54 | PF - 0.5 | CRI $\geq$ 70
WATERPROOF | WARRANTY - 1 YEAR
BEAM ANGLE - 85° | TOTAL LUMEN - 900
BODY SIZE : FRONT - 110, WIDTH - 95, HEIGHT - 105 (MM)
BODY : ALUMINIUM | BODY COLOR : SANDY WH / GREY
COLOR : WW-3K



OD 810 (4 x 3W)

CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 70, WIDTH - 50, HEIGHT - 70 (MM)
BODY : ALUMINIUM | BODY COLOR : SANDY WH / GREY
COLOR : WW-3K





WALL LIGHTS




OD 883 (4 x 3W)

CREE LED | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 75, WIDTH - 55, HEIGHT - 75 (MM)
BODY COLOR : SANDY WHITE / SANDY GREY
COLOR : WW-3K




OD 879 (1 x 3W)

CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 60, WIDTH - 60, HEIGHT - 70 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K



OD 880 (2 x 3W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 57, WIDTH - 60, HEIGHT - 109 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K




OD 496 (2 x 3W) - UP AND DOWN

CREE LED | IP 54 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 70, WIDTH - 85, HEIGHT - 138 (MM)
BODY : ALUMINIUM | BODY COLOR : WHITE / GREY
COLOR : WW-3K



WALL LIGHTS




OD 491 (2 x 3W) - UP AND DOWN

CREE LED | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 40,
WIDTH - 60, HEIGHT - 110 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / GREY
COLOR : WW-3K





OD 843 (2 x 3W) - UP AND DOWN

OSRAM LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 60,
WIDTH - 60, HEIGHT - 160 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / GREY
COLOR : WW-3K



OD 844 (2 x 3W) - UP AND DOWN

OSRAM LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 60,
WIDTH - 60, HEIGHT - 160 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / GREY
COLOR : WW-3K




OD 845 (2 x 3W) - UP AND DOWN

OSRAM LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 60,
WIDTH - 60, HEIGHT - 160 (MM)
BODY : ALUMINIUM
BODY COLOR : WHITE / GREY
COLOR : WW-3K






WALL LIGHTS



OD 868 (2 x 5.5W) - UP AND DOWN

CREE LED | IP 54 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 159, WIDTH - 44, HEIGHT - 65 (MM)



BODY COLOR : SANDY WHITE / GREY
COLOR : WW-3K



OD 869 (4 x 2W)

IP 54 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 99, WIDTH - 45, HEIGHT - 99 (MM)


BODY COLOR : SANDY WHITE / GREY
COLOR : WW-3K



OD 881 (2 x 1W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 70, WIDTH - 70, HEIGHT - 70 (MM)


BODY COLOR : WHITE / GREY
COLOR : WW-3K




OD 882 (4 x 1W)

IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 70, WIDTH - 70, HEIGHT - 70 (MM)

BODY COLOR : WHITE / GREY
COLOR : WW-3K



WALL LIGHTS




OD 846 (9W) - LED WALL LIGHT

CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 190, DEPTH - 45 (MM)

BODY : ALUMINIUM | BODY COLOR : SANDY WHITE / GREY

COLOR : WW-3K





OD 897 (12W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 80, WIDTH - 90, HEIGHT - 83 (MM)

BODY COLOR : WHITE / GREY

COLOR : WW-3K




OD 898 (12W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 90, WIDTH - 110, HEIGHT - 83 (MM)

BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 837 (12W) - UP AND DOWN

CREE LED | IP 65 | CRI ≥ 85+

WARRANTY - 1 YEAR | WATERPROOF

BODY SIZE : FRONT - 95, WIDTH - 110,

HEIGHT - 69 (MM) | BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 838 (12W) - UP AND DOWN

CREE LED | IP 65 | CRI ≥ 85+

WARRANTY - 1 YEAR | WATERPROOF

BODY SIZE : FRONT - 95, WIDTH - 110,


HEIGHT - 69 (MM) | BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



WALL LIGHTS




OD 788 (2 x 1W)

IP 65 | WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 105,
WIDTH - 59, HEIGHT - 58 (MM)
BODY : DIE CAST ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K



OD 827 (2W) - UP AND DOWN

IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 75,
WIDTH - 37, HEIGHT - 76 (MM)
BODY : ALUMINIUM | BODY COLOR : GREY
COLOR : WW-3K




OD 829 (6W) - UP AND DOWN

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 168,
WIDTH - 40, HEIGHT - 80 (MM)
BODY : ALUMINIUM | BODY COLOR : GREY
COLOR : WW-3K




OD 789 (3 x 1W)

IP 65 | WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 165,
WIDTH - 59, HEIGHT - 58 (MM)
BODY : DIE CAST ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K



OD 828 (4W) - UP AND DOWN


IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 110,
WIDTH - 35, HEIGHT - 77 (MM)
BODY : ALUMINIUM | BODY COLOR : GREY
COLOR : WW-3K



OD 830 (8W) - UP AND DOWN

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : LENGTH - 220,
WIDTH - 42, HEIGHT - 80 (MM)
BODY : ALUMINIUM | BODY COLOR : GREY
COLOR : WW-3K

WALL LIGHTS



OD 658 (10W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 60,
WIDTH - 40, HEIGHT - 135 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : GREY

COLOR : WW-3K



OD 535 (5W)

IP 65 | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 138,

WIDTH - 100, HEIGHT - 140 (MM)

BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 536 (5W)

IP 65 | WATERPROOF

WARRANTY - 1 YEAR


BODY SIZE : FRONT - 140,

WIDTH - 90, HEIGHT - 140 (MM)

BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 778 (20W) - UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 200,

WIDTH - 66, HEIGHT - 111 (MM)

BODY COLOR : ALUMINIUM FINISH

COLOR : WW-3K



OD 541 (8W)

IP 65 | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 140,

WIDTH - 140, HEIGHT - 350 (MM)

BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 542 (8W)

IP 65 | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 140,

WIDTH - 140, HEIGHT - 350 (MM)



BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K




WALL LIGHTS




OD 656 (4 x 1W)

IP 65 | WARRANTY - 1 YEAR
BODY SIZE: FRONT - 60,
WIDTH - 50, HEIGHT - 60 (MM)
BODY: DIE CAST ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K




OD 657 (6W)

IP 65 | WARRANTY - 1 YEAR
BODY SIZE: FRONT - 115,
WIDTH - 50 (MM)
BODY: DIE CAST ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K




OD 839 (6W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE: FRONT - 83, WIDTH - 45,
HEIGHT - 170 (MM) | BODY: ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K



OD 488 (7W)

CREE LED | IP 65
CRI ≥ 80 | WATERPROOF
LUMENS - 480
BEAM ANGLE - 23°
WARRANTY - 1 YEAR
BODY SIZE: FRONT - 63,
WIDTH - 93, HEIGHT - 104 (MM)
BODY: DIE CAST ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K



OD 489 (2 x 7W)



UP AND DOWN
CREE LED | IP 65
CRI ≥ 80 | WATERPROOF
LUMENS - 960
BEAM ANGLE - 23°
WARRANTY - 1 YEAR
BODY SIZE: FRONT - 63,
WIDTH - 93, HEIGHT - 225 (MM)
BODY: DIE CAST ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K



OD 840 (14W) - UP AND DOWN

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE: LENGTH - 169, WIDTH - 28,
HEIGHT - 90 (MM) | BODY: ALUMINIUM
BODY COLOR: DARK GREY
COLOR: WW-3K

WALL LIGHTS



OD 445 (8W)


UP AND DOWN

IP 65 | WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 100, HEIGHT - 135,

BASE SIZE : 108 x 108 (MM)

BODY : ALUMINIUM | BODY COLOR : GREY
COLOR : WW-3K



OD 767 (6W)

IP 65 | WARRANTY - 1 YEAR

BEAM ANGLE - 180°

BODY SIZE : FRONT - 58,

LENGTH - 75, HEIGHT - 58 (MM)


BODY COLOR : GREY / WHITE

COLOR : WW-3K







WALL LIGHTS




OD 543 [2 x 3W] - UP AND DOWN
 CREE LED | IP 65 | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : Ø WIDTH - 80,
 HEIGHT - 70 (MM) | BODY : ALUMINIUM
 BODY COLOR : SANDY WHITE
 COLOR : WW-3K





OD 686 [2 x 5W] - UP AND DOWN
 IP 65 | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 57,
 HEIGHT - 151 (MM)
 BODY COLOR : WHITE
 COLOR : WW-3K




OD 444 [2 x 10W] - UP AND DOWN
 CREE LED | IP 65 | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 105,
 WIDTH - 115, HEIGHT - 175 (MM)
 BODY COLOR : DARK GREY
 COLOR : WW-3K



OD 812 [2 x 5W] - UP AND DOWN
 OSRAM LED | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 90, WIDTH - 105,
 HEIGHT - 180 (MM) | BODY : ALUMINIUM
 BODY COLOR : DARK GREY
 COLOR : WW-3K





OD 686 [2 x 5W] - UP AND DOWN
 IP 65 | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 57,
 HEIGHT - 151 (MM)
 BODY COLOR : GREY
 COLOR : WW-3K



OD 441 [2 x 12W] - UP AND DOWN
 CREE LED | WATERPROOF
 WARRANTY - 1 YEAR
 BODY SIZE : FRONT - 110, WIDTH - 115,
 HEIGHT - 172 (MM) | BODY : ALUMINIUM
 BODY COLOR : GREY
 COLOR : WW-3K

WALL LIGHTS



OD 875 (2 X 3W) - UP AND DOWN


IP 60 | CRI ≥ 80 | WATERPROOF

WARRANTY - 1 YEAR | TOTAL LUMEN - 760

BODY SIZE : FRONT - 40, WIDTH - 60,
HEIGHT - 120 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY GREY

COLOR : WW-3K 



OD 876 (2 X 3W) - UP AND DOWN



IP 60 | CRI ≥ 80 | WATERPROOF

WARRANTY - 1 YEAR | TOTAL LUMEN - 760

BODY SIZE : FRONT - 40, WIDTH - 60,
HEIGHT - 120 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY GREY

COLOR : WW-3K 



OD 877 (2 X 3W) - UP AND DOWN

IP 60 | CRI ≥ 80 | WATERPROOF

WARRANTY - 1 YEAR | TOTAL LUMEN - 760

BODY SIZE : FRONT - 40, WIDTH - 60,
HEIGHT - 120 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY GREY

COLOR : WW-3K 



OD 847 (2 X 5W)

LED WALL LIGHT

CREE LED | IP 20

WARRANTY - 1 YEAR


BODY SIZE : FRONT - 120,

WIDTH - 48, HEIGHT - 185 (MM)

BODY : ALUMINIUM

BODY COLOR : WHITE

COLOR : WW-3K 



OD 421 (12W)

LED WALL LIGHT

BRIDGELUX LED

IP 65 | WATERPROOF

BODY SIZE : FRONT - 75,

WIDTH - 102, HEIGHT - 180 (MM)

BODY : ALUMINIUM

BODY COLOR : GREY

COLOR : WW-3K 



WALL LIGHTS



OD 572 (7W)

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI ≥ 80

BEAM ANGLE - 140 °

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 100,

HEIGHT - 55 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : WHITE / BLACK / GREY

COLOR : WW-3K



OD 573 (12W)

BRIDGELUX LED

IP 54 | PF - 0.95

100 L/W | CRI ≥ 80

BEAM ANGLE - 140 °

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 150,

HEIGHT - 60 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : WHITE / BLACK / GREY

COLOR : WW-3K



OD 574 (20W)

BRIDGELUX LED

IP 54 | PF - 0.95 |

100 L/W | CRI ≥ 80

BEAM ANGLE - 140 °

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 200,

HEIGHT - 60 (MM)

BODY : DIE CAST ALUMINIUM

BODY COLOR : WHITE / BLACK / GREY

COLOR : WW-3K



WL 651 (5W) - LED WALL LAMP


IP 20 | WARRANTY - 2 YEARS

BODY SIZE : FRONT - 70,

LENGTH - 130, HEIGHT - 80 (MM)

BODY COLOR : COFFEE

COLOR : WW-3K



WL 652 (9W) - LED WALL LAMP

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : FRONT - 315,

LENGTH - 130, HEIGHT - 80 (MM)

BODY COLOR : COFFEE

COLOR : WW-3K



WL 653 (14W) - LED WALL LAMP

IP 20 | WARRANTY - 2 YEARS

BODY SIZE : FRONT - 480,

LENGTH - 130, HEIGHT - 80 (MM)

BODY COLOR : COFFEE

COLOR : WW-3K

WALL LIGHTS



OD 508 (3W)

CREE LED | IP 65 | WATERPROOF


WARRANTY - 1 YEAR

BODY SIZE: FRONT - 59,
WIDTH - 80, HEIGHT - 35 (MM)

BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K 



OD 813 (3W)

OSRAM LED | WATERPROOF


WARRANTY - 1 YEAR

BODY SIZE: FRONT - 68,
WIDTH - 80, HEIGHT - 80 (MM)

BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K 



OD 434 (7W)


WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE: FRONT - 65,
WIDTH - 110, HEIGHT - 130 (MM)

BODY COLOR: GREY

COLOR: WW-3K 



OD 509 (2 x 3W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF


WARRANTY - 1 YEAR

BODY SIZE: FRONT - 59,
WIDTH - 80, HEIGHT - 35 (MM)

BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K 




OD 814 (2 x 3W) - UP AND DOWN

OSRAM LED | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE: FRONT - 68, WIDTH - 80,
HEIGHT - 150 (MM) | BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K 



OD 435 (2 x 7W) - UP AND DOWN

WATERPROOF | WARRANTY - 1 YEAR



BODY SIZE: FRONT - 65,
WIDTH - 110, HEIGHT - 160 (MM)

BODY COLOR: GREY

COLOR: WW-3K 




WALL LIGHTS




OD 446 (3W)

CREE LED | IP 44 | WATERPROOF
PF - 0.5 | CRI ≥ 70 | WARRANTY - 1 YEAR
BEAM ANGLE - 36° | TOTAL LUMEN - 240
BODY SIZE : FRONT - 80, WIDTH - 62,
HEIGHT - 75 (MM) | BODY : ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K





OD 874 (2 X 7W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 50,
WIDTH - 80, HEIGHT - 160 (MM)
BODY : ALUMINIUM | BODY COLOR : DARK GREY
COLOR : WW-3K




OD 472 (2 X 3W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 86, WIDTH - 60,
HEIGHT - 86 (MM)
BODY COLOR : WHITE
COLOR : WW-3K




OD 447 (2 X 3W) - UP AND DOWN

CREE LED | IP 44 | WATERPROOF
PF - 0.5 | CRI ≥ 70 | WARRANTY - 1 YEAR
BEAM ANGLE - 36° | TOTAL LUMEN - 480
BODY SIZE : FRONT - 80, WIDTH - 62,
HEIGHT - 140 (MM) | BODY : ALUMINIUM
BODY COLOR : DARK GREY | COLOR : WW-3K



OD 466 (6W) - UP AND DOWN

CREE LED | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 142, HEIGHT - 45 (MM)
BODY : ALUMINIUM | BODY COLOR : DARK GREY
COLOR : WW-3K



OD 864 (2 X 3W) - UP AND DOWN

CREE LED | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 90, WIDTH - 55,
HEIGHT - 160 (MM) | BODY : ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K

WALL LIGHTS



OD 497 (2 x 3W) - UP AND DOWN

CREE LED | IP 65 | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE: FRONT - 70,

WIDTH - 70, HEIGHT - 70 (MM)

BODY COLOR: SANDY WHITE / SANDY GREY

BODY: ALUMINIUM

COLOR: WW-3K



OD 460 (2 x 3W) - UP AND DOWN

CREE LED | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE: FRONT - 80,

WIDTH - 80, HEIGHT - 80 (MM)

BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K



OD 433 (2 x 3W) - UP AND DOWN

CREE LED | IP 54 | WATERPROOF

PF - 0.5 | CRI ≥ 70 | WARRANTY - 1 YEAR


BEAM ANGLE - 30° | TOTAL LUMEN - 480

BODY SIZE: FRONT - 90, WIDTH - 109,

HEIGHT - 90 (MM) | BODY: ALUMINIUM

BODY COLOR: DARK GREY

COLOR: WW-3K



OD 465 (2 x 3W)

CREE LED | WATERPROOF


WARRANTY - 1 YEAR

BODY SIZE: FRONT - 130,

WIDTH - 65 (MM)

BODY COLOR: DARK GREY

COLOR: WW-3K



OD 425 (2W)


WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE: FRONT - 118,

WIDTH - 53, HEIGHT - 120 (MM)

BODY COLOR: DARK GREY

COLOR: WW-3K



OD 459 (3W)

CREE LED | WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE: FRONT - 110,


HEIGHT - 100 (MM)

BODY COLOR: DARK GREY

COLOR: WW-3K





WALL LIGHTS




OD 455 (5W)

CREE LED | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 104,
WIDTH - 120, HEIGHT - 160 (MM)
BODY COLOR : DARK GREY
COLOR : WW-3K




OD 448 (4 x 3W)

CREE LED | WATERPROOF | WARRANTY - 1 YEAR
IP 44 | PF - 0.5 | CRI $\geq$ 70
BEAM ANGLE - 36° | TOTAL LUMEN - 900
BODY SIZE : FRONT - 100, WIDTH - 50,
HEIGHT - 100 (MM) | BODY : ALUMINIUM
BODY COLOR : DARK GREY
COLOR : WW-3K




OD 493 (3W)

WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : DEPTH - 64,
WIDTH - 280, HEIGHT - 480 (MM)
BODY : ALUMINIUM
BODY COLOR : BLACK
COLOR : WW-3K




OD 865 (12W)

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 160,
WIDTH - 45, HEIGHT - 198 (MM)
BODY COLOR : BLACK
COLOR : WW-3K



OD 887 (9W)


IP 65 | WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : FRONT - 115, WIDTH - 85,
HEIGHT - 230 (MM) | BODY COLOR : BLACK
COLOR : WW-3K



OD 679

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : FRONT - 83,
WIDTH - 110, HEIGHT - 175 (MM)
BODY COLOR : DARK GREY

WALL LIGHTS



OD 885 (5W)

WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 130,
WIDTH - 50, HEIGHT - 165 (MM)

COLOR : WW-3K



OD 861 (6W)

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 188,
LENGTH - 210, HEIGHT - 238 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K




OD 863 (6W)

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 180,
LENGTH - 230,
HEIGHT - 170 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 886 (2 x 5W)

WATERPROOF

WARRANTY - 1 YEAR

BODY SIZE : FRONT - 130,
WIDTH - 50, HEIGHT - 240 (MM)

COLOR : WW-3K




OD 862 (6W)

WARRANTY - 1 YEAR

BODY SIZE : WIDTH - 188, HEIGHT - 310 (MM)
BODY COLOR : DARK GREY | COLOR : WW-3K

218



OD 849 (5W)

IP 65 | WATERPROOF

WARRANTY - 1 YEAR


BODY SIZE : WIDTH - 108,
HEIGHT - 113 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K




WALL / GARDEN LIGHTS




OD 890

IP 65 | E27 LAMP HOLDER
WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 227 x 227,
HEIGHT - 255 (MM)
BODY COLOR : MATT BLACK
COLOR : WW-3K



OD 891

IP 65 | E27 LAMP HOLDER
WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 172 x 172,
HEIGHT - 210 (MM)
BODY COLOR : MATT BLACK
COLOR : WW-3K



OD 892

IP 65 | E27 LAMP HOLDER
WATERPROOF | WARRANTY - 1 YEAR
BODY SIZE : WIDTH - 170 x 170,
HEIGHT - 190 (MM)
BODY COLOR : MATT BLACK
COLOR : WW-3K



OD 858 (5W)

IP 65 | WATERPROOF
WARRANTY - 1 YEAR
BODY SIZE : DIA - 64, HEIGHT - 34 (MM)
BODY COLOR : BLACK
COLOR : WW-3K



OD 857 (6W)

OSRAM LED | IP 65 | PF - 0.9 | CRI ≥ 80
WARRANTY - 1 YEAR
BEAM ANGLE - 68° | TOTAL LUMEN - 360
BODY SIZE : DIA - 90, HEIGHT - 110 (MM) | BODY : ALUMINIUM
BODY COLOR : DARK GREY | COLOR : WW-3K

GROUND BURIALS





GROUND BURIALS



OD 807 (3W)

CREE LED

WARRANTY - 1 YEAR
BODY SIZE : OUTER - 64,
DEPTH - 70 (MM)
COLOR : WW-3K



OD 808 (6W)

CREE LED

WARRANTY - 1 YEAR
BODY SIZE : OUTER - 80,
DEPTH - 70 (MM)
COLOR : WW-3K



OD 809 (12W)

CREE LED

WARRANTY - 1 YEAR
BODY SIZE : OUTER - 100,
DEPTH - 80 (MM)
COLOR : WW-3K



OD 895 (1W) - 24V

DC - 24V | DRIVER EXTRA | WARRANTY - 1 YEAR
BODY SIZE : OUTER - 51.5, DEPTH - 47, WIDTH - 45 (MM)
COLOR : WW-3K



OD 817 (3W)

BRIDGELUX LED | WARRANTY - 1 YEAR

BODY SIZE : OUTER - 75,
DEPTH - 93 (MM)
COLOR : WW-3K




FOOT LIGHTS





FOOT LIGHTS



OD 695 (3W)


IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 60 x 63,

OUTER - 65 x 68, HEIGHT - 63 (MM)

BODY COLOR : WHITE / GREY

COLOR : WW-3K



OD 696 (3W)



IP 65 | WARRANTY - 1 YEAR

BODY SIZE : LENGTH - 39 x 123,

OUTER - 50 x 132, HEIGHT - 60 (MM)

BODY COLOR : WHITE / GREY

COLOR : WW-3K




OD 841 (3W)

WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 90, WIDTH - 50,

HEIGHT - 90 (MM) | BODY COLOR : WHITE / GREY

COLOR : WW-3K




OD 842 (6W)

WATERPROOF | WARRANTY - 1 YEAR


BODY SIZE : LENGTH - 190, WIDTH - 50,

HEIGHT - 90 (MM) | BODY COLOR : WHITE / GREY

COLOR : WW-3K



FOOT LIGHTS



OD 790 (3W)

WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : CUT DIA - 180 x 32,
OUTER - 185 x 40, DEPTH - 45 (MM)

BODY COLOR : GREY

COLOR : WW-3K



OD 430 (2W)

IP 44 | PF - 0.5 | CRI ≥ 70

WATERPROOF | BEAM ANGLE - 120°

TOTAL LUMEN - 160

BODY SIZE : LENGTH - 92, WIDTH - 42,
HEIGHT - 70 (MM) | BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 431 (4W)

IP 44 | PF - 0.5 | CRI ≥ 70


WATERPROOF

BEAM ANGLE - 120° | TOTAL LUMEN - 160

BODY SIZE : LENGTH - 150, WIDTH - 40,
HEIGHT - 70 (MM) | BODY : ALUMINIUM

BODY COLOR : DARK GREY

COLOR : WW-3K



OD 443 (5W)

IP 65 | WATERPROOF

BODY SIZE : FRONT - 79,
DEPTH - 43 (MM)

BODY COLOR : DARK GREY

COLOR : WW-3K





OD 893 (1.5W)

IP 65 | WATERPROOF

BODY SIZE : FRONT - 104,
WIDTH - 25 (MM)

BODY COLOR : BLACK

COLOR : WW-3K



OD 894 (1.5W)



IP 65 | WATERPROOF

BODY SIZE : FRONT - 90,
WIDTH - 25 (MM)

BODY COLOR : BLACK

COLOR : WW-3K


FOOT LIGHTS

**OD 439 (2W)**

WARRANTY - 1 YEAR

BODY SIZE : CUT DIA - 44 x 102,
OUTER - 50 x 110, HEIGHT - 53 (MM)


COLOR : WW-3K

**OD 440 (3W)**

WARRANTY - 1 YEAR

BODY SIZE : CUT DIA - 63,
OUTER - 70, DEPTH - 70 (MM)

COLOR : WW-3K

**OD 499 (1 x 3W)**

RECESSED MOUNTED WITH MOUNTING BOX


CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 60, CUT DIA - 55,

DEPTH - 60 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE / SANDY GREY

COLOR : WW-3K

**OD 498 (1 x 6W)**

SURFACE MOUNTED

CREE LED | IP 65 | WATERPROOF | WARRANTY - 1 YEAR

BODY SIZE : FRONT - 90, WIDTH - 55,

HEIGHT - 90 (MM) | BODY : ALUMINIUM

BODY COLOR : SANDY WHITE / SANDY GREY

COLOR : WW-3K

ROPE LIGHT



WATERPROOF

RL 01 (220V) - (IP 65)

LED ROPE LIGHT - 220V

IP 65 | WATERPROOF | INPUT VOLTAGE - 220V | 10 WATT / MTR | WARRANTY - 2 YEARS
50 MTRS / ROLL | CUT EVERY 1 MTR | SIZE - THICKNESS - 6.5, WIDTH - 11.5 (MM)
COLOR : WH-6K, NW-4K, WW-3K, PINK, RED, GREEN, BLUE, AMBER, TRI COLOR

LED ROPE LIGHT - ACCESSORIES

A/C POWER PLUG
4 AMP

A/C POWER PLUG
8 AMP (2KV)

A/C POWER PLUG
8 AMP (4KV)

MIDDLE CONNECTOR

STRIP LIGHTS

SUPER STRONG - HEAVY DUTY

2835 - 12V (IP 33)

LS 18 - 2835 H
60 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 8 MM 20Z DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 40 - 2835
120 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 120 LED / MTR | 14 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 8 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 41 - 2835
168 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 168 LED / MTR | 17 WATT / MTR | 26 LUMEN / CHIP
PCB - 10 MM 30Z | WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 50 - 2835
180 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 180 LED / MTR | 18 WATT / MTR | 26 LUMEN / CHIP
PCB - 10 MM 30Z | WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K

LS 37 - 2835
240 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 240 LED / MTR | 20 WATT / MTR | WARRANTY - 2 YEARS
PCB - 10 MM 20Z | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 08 - 5050
ICE BLUE
60 LED - 12V
IP 33



**SUPER STRONG
HEAVY DUTY**

IP 33 | NON WATERPROOF | 60 LED / MTR | 5 MTR / ROLL | PCB - 10 MM 30Z
WARRANTY - 1 YEAR | COLOR : ICE BLUE

STRIP LIGHTS

SUPER STRONG - HEAVY DUTY

2835 - 24V (IP 33)

LS 36 - 2835 H
60 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | NON WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 8 MM 20Z | COLOR: WH-6K, NW-4K, WW-3K

LS 20 - 2835
120 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | NON WATERPROOF | 120 LED / MTR | 14 WATT / MTR | WARRANTY - 2 YEARS
PCB - 8 MM | COLOR: WH-6K, NW-4K, WW-3K, WW-2.7K

LS 29 - 2835
168 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | NON WATERPROOF | 168 LED / MTR | 17 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 10 MM 30Z | COLOR: WH-6K, NW-4K, WW-3K, WW-2.7K

LS 25 - 2835
192 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | NON WATERPROOF | 192 LED / MTR | 18 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 10 MM 30Z | COLOR: WH-6K, NW-4K, WW-3K

LS 30 - 2835
240 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | NON WATERPROOF | 240 LED / MTR | 20 WATT / MTR | 26 LUMEN / CHIP
WARRANTY - 2 YEARS | PCB - 10 MM 30Z | COLOR: WH-6K, NW-4K, WW-3K, WW-2.7K

LS 48 - 2835
480 LED - 24V
IP 33



SUPER STRONG
HEAVY DUTY

IP 33 | WATERPROOF | 480 LED / MTR | 12 WATT / MTR | 5 MTR / ROLL | CUT EVERY 50 MM
WIDTH - 10 MM | WARRANTY - 2 YEARS | COLOR: WW-3K

STRIP LIGHTS

SUPER STRONG - HEAVY DUTY

2835 - 24V (IP 33)

LS 45 - 2835

120 LED - 24V

IP 33



**SUPER STRONG
HEAVY DUTY**

IC STRIP

20 MTR / ROLL

IP 33 | NON WATERPROOF | 120 LED / MTR | 15 WATT / MTR
IC STRIP | WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K


2835 - 12V (IP 33)

(XPRESS SERIES)

LS 17 - 2835

60 LED - 12V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 60 LED / MTR | 5 WATT / MTR | 80 LUM / WATT | 400 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, AMBER, RED, GREEN, BLUE, PINK

LS 46 - 2835

120 LED - 12V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | 100 LUM / WATT
1200 LUM / MTR | 26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 52 - 2835

168 LED - 12V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 168 LED / MTR | 15 WATT / MTR | 26 LUMEN / CHIP
SUPER STRONG - HEAVY DUTY | PCB - 8 MM 20Z | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 55 - 2835

180 LED - 12V

IP 33



XPRESS

IP 33 | NON WATERPROOF | 180 LED / MTR | PCB - 10 MM
WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK

LS 56 - 2835

240 LED - 12V

IP 33



XPRESS

IP 33 | NON WATERPROOF | 240 LED / MTR | PCB - 10 MM
WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK



OUTDOOR

LED

Discover
your brighter side

STRIP LIGHTS

2835 - 24V (IP 33)

(XPRESS SERIES)

LS 67 - 2835

60 LED - 24V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 80 LUM / WATT | 400 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR: WH-6K, NW-4K, WW-3K, AMBER, RED, GREEN, BLUE, PINK

LS 76 - 2835

120 LED - 24V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | 100 LUM / WATT | 1200 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR: WH-6K, NW-4K, WW-3K, WW-2.7K

LS 86 - 2835

240 LED - 24V

IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 240 LED / MTR | 18 WATT / MTR | PCB - 10 MM
COLOR: WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK

5 MM - 2835 (12V / 24V) (IP 33)

LS 21 - 2835

120 LED - 12V

IP 33



5 MM

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | WARRANTY - 2 YEARS
PCB - 5 MM | COLOR: WH-6K, NW-4K, WW-3K

LS 61 - 2835

120 LED - 24V

IP 33



5 MM

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | WARRANTY - 2 YEARS
PCB - 5 MM | COLOR: WH-6K, NW-4K, WW-3K

LS 24 - 2835

168 LED - 12V

IP 33



5 MM

IP 33 | NON WATERPROOF | 168 LED / MTR | 16 WATT / MTR | WARRANTY - 2 YEARS
26 LUMEN / CHIP | PCB - 5 MM | COLOR: WH-6K, NW-4K, WW-3K

STRIP LIGHTS

TUNABLE AND DIMMABLE - 2835 (12V / 24V) (IP 33)

LS 44 - 2835**120 LED - 12V**

IP 33

TUNABLE AND
DIMMABLE

IP 33 | NON WATERPROOF | 120 LED / MTR | 15 WATT / MTR | TUNABLE AND DIMMABLE
PCB - 8 MM | WARRANTY - 2 YEARS | COLOR : WH TO NW TO WW (COLOR CHANGEABLE)

LS 49 - 2835**168 LED - 12V**

IP 33

TUNABLE AND
DIMMABLE

IP 33 | NON WATERPROOF | 168 LED / MTR | 17 WATT / MTR | TUNABLE AND DIMMABLE
PCB - 8 MM | WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K

LS 74 - 2835**120 LED - 24V**

IP 33

TUNABLE AND
DIMMABLE

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | TUNABLE AND DIMMABLE
WARRANTY - 2 YEARS | COLOR : WH TO NW TO WW (COLOR CHANGEABLE)

LS 69 - 2835**192 LED - 24V**

IP 33

TUNABLE AND
DIMMABLE

IP 33 | NON WATERPROOF | 192 LED / MTR | 16 WATT / MTR | TUNABLE AND DIMMABLE
PCB - 8 MM | WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K

2835 - 12V / 24V (IP 65)

LS 19 - 2835 H**60 LED - 12V**

IP 65



IP 65 | WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 26 LUMEN / CHIP | WARRANTY - 1 YEAR
PCB - 8 MM | WIDTH - 10 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 59 - 2835 H**60 LED - 24V**

IP 65



IP 65 | WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 26 LUMEN / CHIP | WARRANTY - 1 YEAR
PCB - 8 MM | WIDTH - 10 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K



OUTDOOR

LED

Discover
your brighter side
▶▶

STRIP LIGHTS

2835 - 12V / 24V (IP 65)

LS 22 - 2835

120 LED - 12V

IP 65

IP 65 | WATERPROOF | 120 LED / MTR | 14 WATT / MTR | WARRANTY - 1 YEAR
PCB - 8 MM | WIDTH - 10 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 23 - 2835

120 LED - 24V

IP 65

IP 65 | WATERPROOF | 120 LED / MTR | 14 WATT / MTR | WARRANTY - 1 YEAR
PCB - 8 MM | WIDTH - 10 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 73 (R)

NEW

2835 - 168 LED

12V / 24V (IP 65)

IP 65 | WATERPROOF | 168 LED / MTR | 14 WATT / MTR | WARRANTY - 1 YEAR
PCB - 8 MM | WIDTH - 10 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 38 - AC 5050

60 LED - AC

IP 65




AC 20 MTR / ROLL

IP 65 | WATERPROOF | 60 LED / MTR | VOLTAGE - 220V | 20 MTR / ROLL | CUT EVERY 1 MTR
WIDTH - 15 MM | WARRANTY - 1 YEAR | COLOR : WW-3K

LS 12 - 5050

60 LED - 12V

IP 65

IP 65 | WATERPROOF | 60 LED / MTR | 9 WATT / MTR | 500 LUM / WATT | 5 MTR / ROLL
CUT EVERY HALF MTR | WIDTH - 13 MM | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE

LS 13 - 5050

60 LED - 24V

IP 65



10 MTR / ROLL

IP 65 | WATERPROOF | 60 LED / MTR | 9 WATT / MTR | 500 LUM / WATT
10 MTR / ROLL | CUT EVERY HALF MTR | WIDTH - 13 MM | COLOR : WW-3K, WW-2.7K

STRIP LIGHTS

RGB LED - 2835 - 12V (IP 33)

LS 09 - 5050
60 LED - 12V
 IP 33



RGB

IP 33 | NON WATERPROOF | 60 LED / MTR | 14 WATT / MTR | WARRANTY - 2 YEARS
 PCB - 10 MM | COLOR: RGB

LS 32 - 3535
60 LED - 12V
 IP 33



RGB

IP 33 | NON WATERPROOF | 60 LED / MTR | 10 WATT / MTR | WARRANTY - 2 YEARS
 PCB - 10 MM 30Z | COLOR: RGB

LS 33 - 3535
120 LED - 12V
 IP 33



RGB

IP 33 | NON WATERPROOF | 120 LED / MTR | 16 WATT / MTR | WARRANTY - 2 YEARS
 PCB - 10 MM 30Z | COLOR: RGB

LS 51 - 2835
120 LED - 12V
 IP 33



RGB

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | WARRANTY - 2 YEARS
 PCB - 10 MM 30Z | COLOR: RGB

2835 - 12V / 24V (IP 68)

LS 34 - 2835
120 LED - 12V
 IP 68



IP 68 | WATERPROOF | 120 LED / MTR | 14 WATT / MTR | WARRANTY - 1 YEAR
 COLOR: WW-3K

LS 43 - 5050
60 LED - 24V
 IP 68



20 MTR / ROLL

IP 68 | WATERPROOF | 60 LED / MTR | 10 WATT / MTR | 70 LUM / MTR
 WARRANTY - 1 YEAR | PCB - 20Z DOUBLE | COLOR: RED, GREEN, BLUE, RGB (COLOR CHANGING)



OUTDOOR

LED

NEON FLEX

Discover
your brighter side
▶▶

LS 39 - RGB NEON FLEX - 24V

IP 65



RGB

10 MTR / ROLL

IP 65 | WATERPROOF | (5050) LED / MTR | 9 WATT / MTR | 40 LUM / WATT | 350 LUM / MTR
10 MTR / ROLL | CUT EVERY 1 FT | WIDTH - 9 MM | WARRANTY - 1 YEAR | COLOR: RGB

LS 28 - OUTDOOR NEON FLEX - 24V


IP 65



OUTDOOR

10 MTR / ROLL




IP 65 | WATERPROOF | 108 LED / MTR (2835) | 9 WATT / MTR | 40 LUM / WATT | 350 LUM / MTR
CUT EVERY 1 FT | WIDTH - 9 MM | WARRANTY - 1 YEAR | COLOR: NW-4K, WW-3K, RED, GREEN, BLUE-



SILICONE NEON FLEX

Installation

- ① Plan the mounting layout.
- ② Fix the mount by screw.
- ③ Put the strip light into mount.



LS 63 SILICONE NEON FLEX



SIZE : 8 x 15 (MM)

STANDARD LENGTH : 2.5 MTR WITH SINGLE CONNECTOR

5 MTR. WITH BOTH SIDE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 65 | WATERPROOF | 14 WATT / MTR | 50 MTR / ROLL

2 CLIPS PER MTR | CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



LS 63 (CH)
FLEXIBLE CHANNEL



LS 65 SILICONE NEON FLEX



SIZE : 6 x 13 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

10 MTR. WITH BOTH SIDE CONNECTOR

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 65 | WATERPROOF | 14 WATT / MTR | 50 MTR / ROLL

2 CLIPS PER MTR | CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



LS 65 (CH)
FLEXIBLE CHANNEL



LS 67 SILICONE NEON FLEX



SIZE : 6 x 12 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

10 MTR. WITH BOTH SIDE CONNECTOR

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 65 | WATERPROOF | 14 WATT / MTR | 50 MTR / ROLL

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



LS 67 (CH)
FLEXIBLE CHANNEL



Discover
your brighter side
▶▶

SILICONE NEON FLEX





SIDE BENDABLE



SILICONE NEON FLEX

SIDE BENDABLE



SN 501 S

SIDE BENDABLE



SIZE : 4 x 12 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM



IP 65 | 12 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 501 S (CH)
FLEXIBLE CHANNEL



SN 502 S

SIDE BENDABLE



SIZE : 6 x 12 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM



IP 65 | 12 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 502 S (CH)
FLEXIBLE CHANNEL



SN 503 S

SIDE BENDABLE



SIZE : 6 x 12 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 12 WATT / MTR | SINGLE LINE



CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE





SN 503 S (CH)
FLEXIBLE CHANNEL



SILICONE NEON FLEX


SN 504 S
SIDE BENDABLE


SIZE : 10 x 18 (MM)
STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR
COMPLETE WITH 12V - 2835 (168 LED) - 10 MM
IP 65 | 16 WATT / MTR | SINGLE LINE
CUSTOMIZABLE LENGTH
COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 504 S (CH)
FLEXIBLE CHANNEL

SN 505 S
SIDE BENDABLE

SIZE : 12 x 20 (MM)
STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR
COMPLETE WITH 12V - 2835 (168 LED) - 10 MM
IP 65 | 12 WATT / MTR | SINGLE LINE
CUSTOMIZABLE LENGTH
COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 505 S (CH)
FLEXIBLE CHANNEL

SN 506 S
SIDE BENDABLE

SIZE : 16x 16 (MM)
STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR
COMPLETE WITH 12V - 2835 (168 LED) - 10 MM
IP 65 | 16 WATT / MTR | SINGLE LINE
CUSTOMIZABLE LENGTH
COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 506 S (CH)
FLEXIBLE CHANNEL

SN 507 S
SIDE BENDABLE

SIZE : 20 x 20 (MM)
STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR
COMPLETE WITH 12V - 2835 (168 LED) - 10 MM
IP 65 | 16 WATT / MTR | SINGLE LINE
CUSTOMIZABLE LENGTH
COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 507 S (CH)
FLEXIBLE CHANNEL



OUTDOOR

LED

Discover
your brighter side



SILICONE NEON FLEX

TOP BENDABLE







OUTDOOR

LED

Discover
your brighter side

SILICONE NEON FLEX



SN 508 T

TOP BENDABLE



SIZE : 10 x 10 (MM)


STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM



IP 65 | 12 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 508 T (CH)
FLEXIBLE CHANNEL



SN 509 T

TOP BENDABLE



SIZE : 12 x 12 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM


IP 65 | 12 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 509 T (CH)
FLEXIBLE CHANNEL



SN 510 T

TOP BENDABLE



SIZE : 16 x 16 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (168 LED) - 10 MM


IP 65 | 16 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 510 T (CH)
FLEXIBLE CHANNEL



SN 511 T

TOP BENDABLE



SIZE : 20 x 10 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 12 WATT / MTR | DOUBLE LINE


CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 511 T (CH)
FLEXIBLE CHANNEL

SILICONE NEON FLEX



SN 512 T

TOP BENDABLE



SIZE : 30 x 14 (MM)


STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 12 WATT / MTR | DOUBLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 512 T (CH)
FLEXIBLE CHANNEL

SN 513 T

TOP BENDABLE



SIZE : 50 x 20 (MM)



STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 12 WATT / MTR | DOUBLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 513 T (CH)
FLEXIBLE CHANNEL

SN 514 T

TOP BENDABLE



SIZE : 15 x 10 (MM)



STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (168 LED) - 10 MM

IP 65 | 16 WATT / MTR | SINGLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE

SN 514 T (CH)
FLEXIBLE CHANNEL

SN 515 T

TOP BENDABLE



SIZE : 20 x 10 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 12 WATT / MTR | DOUBLE LINE

CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K / RED / GREEN / BLUE



SN 515 T (CH)
FLEXIBLE CHANNEL

SILICONE NEON FLEX



SILICONE NEON FLEX

ROUND BENDABLE



SN 516 R

ROUND BENDABLE



SIZE : Ø 26 (MM)

STANDARD LENGTH : 5 MTR WITH SINGLE CONNECTOR

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | DOUBLE LINE | CUSTOMIZABLE LENGTH

COLOR : WH-6K / NW-4K / WW-3K

RED / GREEN / BLUE



SN 516 R (CLIP)



SN 516 R (CH)
SIDE HOLDER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP B 901 (H)

SURFACE MOUNTING



ALUMINIUM PROFILE (BLACK)

SIZE : 7 x 17 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED)


IP 33 | 5 WATT / FT | SINGLE LINE | WITHOUT DRIVER

BODY COLOR : BLACK | DIFFUSER COLOR : BLACK



ALP B 902 (H)

RECESSED MOUNTING



ALUMINIUM PROFILE (BLACK)

SIZE : 7 x 24 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED)

IP 33 | 5 WATT / FT | SINGLE LINE | WITHOUT DRIVER


BODY COLOR : BLACK | DIFFUSER COLOR : BLACK

ALUMINIUM PROFILES



ALP 901

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 6.85 x 17.3 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED) - 10 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 901 (L)

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 6.85 x 17.6 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED) - 10 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 902

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 24.5 x 6.87 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED)


IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 902 (L)

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 25 x 7 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V / 24V - 2835 (168 LED)

IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP 903

SURFACE MOUNTING




ALUMINIUM PROFILE

SIZE : 17.4 x 14.5 (MM)


STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER

ALP 966

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 14 x 14 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER

ALUMINIUM PROFILES



ALP 904

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 23.8 x 19.7 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 926

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 24.9 x 14.4 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 935

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 36 x 28 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 9 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 964

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 11.7 x 37.4 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE


WITHOUT DRIVER



LED


Discover
your brighter side

ALUMINIUM PROFILES



ALP 965

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 13 x 66 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 14 WATT / FT | TRIPLE LINE

WITHOUT DRIVER

ALP 923

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 9.7 x 23.3 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE

WITHOUT DRIVER

ALP 924

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 10 x 30 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE

WITHOUT DRIVER




ALUMINIUM PROFILES



ALP 905

CORNER / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 19.2 x 19.2 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 922

CORNER / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 15.8 x 15.8 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (192 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP 906

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 35 x 44.2 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER



ALP 942

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 33 x 35 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER




ALUMINIUM PROFILES



ALP 908

WALL / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 17.6 x 48.6 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 9 WATT / FT | DOUBLE LINE

WITHOUT DRIVER



ALP 909

WALL / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 17.4 x 41 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 13.5 WATT / FT | TRIPLE LINE

WITHOUT DRIVER



LED

Discover
your brighter side
▶▶

ALUMINIUM PROFILES






ALUMINIUM PROFILES



ALP 910

STEPS MOUNTING



ALUMINIUM PROFILE



SIZE : 21.4 x 59.4 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER





LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES

GROUND
BURIALS

ALP 912

GROUND BURIAL



ALUMINIUM PROFILE

SIZE : 27.1 x 11 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 10 MM

IP 65 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER

ALP 920

GROUND BURIAL



ALUMINIUM PROFILE

SIZE : 26 x 26 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED)

IP 65 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER


ALUMINIUM PROFILES

INGROUND BURIALS



ALP 948

INGROUND BURIAL



ALUMINIUM PROFILE

SIZE : 15 x 20 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM


IP 65 | 3 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 956

INGROUND BURIAL



ALUMINIUM PROFILE

SIZE : 30.5 x 30 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 65 | 3 WATT / FT | SINGLE LINE

WITHOUT DRIVER



LED


Discover
your brighter side

ALUMINIUM PROFILES



ALP 914

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 69.6 x 32 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

**IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER**




ALUMINIUM PROFILES



ALP 916

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 55 x 32 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 9 WATT / FT | DOUBLE LINE

WITHOUT DRIVER



ALP 917

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 89.4 x 35.6 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 13.5 WATT / FT | TRIPLE LINE

WITHOUT DRIVER



ALP 918

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 75 x 35 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 13.5 WATT / FT | TRIPLE LINE

WITHOUT DRIVER



ALP 927

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 110 x 39.3 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 13.5 WATT / FT | TRIPLE LINE

WITHOUT DRIVER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP 919

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 44.8 x 64.8 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER



ALP 936

HANGING PROFILE



ALUMINIUM PROFILE

SIZE : 41.7 x 18.4 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER




ALUMINIUM PROFILES



ALP 921

HANGER ROD FOR CABINET



ALUMINIUM PROFILE

SIZE : 15 x 28 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER





LED


Discover
your brighter side

ALUMINIUM PROFILES



ALP 915

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 12.9 x 10 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 33 | 3 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 930

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 14 x 12.9 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM

IP 33 | 3 WATT / FT | SINGLE LINE


WITHOUT DRIVER

ALUMINIUM PROFILES



ALP 931

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 11 x 6.45 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 932

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 14 x 6.45 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 65 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 933

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 9 x 7.5 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 65 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 934

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 12 x 9 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM

IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP 907

WALL / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 18 x 40.8 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 939

FOR LED STRIP (IP 65)



ALUMINIUM PROFILE

SIZE : 16.4 x 9.9 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 5050 - (60 LED)


IP 65 | 5 WATT / FT | SINGLE LINE

CUT ON HALF MTR | WITHOUT DRIVER



ALP 940

FOR NEON FLEX



ALUMINIUM PROFILE

SIZE : 12.5 x 17.8 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - NEON FLEX (IP 65)

IP 65 | 5 WATT / FT | WITHOUT DRIVER



ALP 952

FLEXIBLE SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 5 x 18 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH - 2835 (192 LED) - 8 MM

5 WATT / FT | PC DIFFUSER



HANGING LIGHT

UP AND DOWN LIGHTER



Accessories



End Cap



Suspension Rope




PC Diffusion

Application



Up and Down Lighting




ALP 951

UP AND DOWN LIGHTER

ALUMINIUM PROFILE

SIZE : 74 x 46.8 (MM)

STANDARD LENGTH : 2.4 MTRS
COMPLETE WITH IN-BUILT DRIVER
PC DIFFUSER






LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILES



ALP 962

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 13 x 55 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 963

RECESSED MOUNTING



ALUMINIUM PROFILE


SIZE : 14 x 61.5 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 5 WATT / FT | DOUBLE LINE

WITHOUT DRIVER



ALP 944

TRIMLESS RECESSED
MOUNTING

ALUMINIUM PROFILE

SIZE : 35 x 90 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | SINGLE LINE

WITHOUT DRIVER




ALUMINIUM PROFILES



ALP 971

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 11 x 16 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 972

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 12 x 23 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


IP 33 | 5 WATT / FT | SINGLE LINE

WITHOUT DRIVER



ALP 928

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 65 x 20 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM


10 WATT / FT | DOUBLE LINE

WITHOUT DRIVER



ALP 929

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 50 x 20 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

10 WATT / FT | DOUBLE LINE

WITHOUT DRIVER



LED

Discover
your brighter side
▶▶

ALUMINIUM PROFILES



NEW

ALP 975

RECESSED TRIMLESS
MOUNTING



ALUMINIUM PROFILE

SIZE : 55 (12.9 x 15.2) MM

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

5 WATT / FT | SINGLE LINE

WITHOUT DRIVER




Ledos
Lighting

LINEAR RECESSED LIGHT



ALP 970

LINEAR RECESSED LIGHT



SIZE : 32 x 45 (MM)

WARRANTY : 2 YEARS

CUSTOMIZABLE LENGTH (WITH DIFFERENT COMBINATIONS)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK

REFLECTOR COLOR : CHROME / BLACK | COLOR : WH-6K, NW-4K, WW-3K





LED

Discover
your brighter side

HANGING / SURFACE


UP AND DOWN LIGHTER



NEW

ALP 958 - 48W

HANGING / SURFACE - UP AND DOWN LIGHTER



ALUMINIUM PROFILE

SIZE : 50 x 70 MM

STANDARD LENGTH : 2.4 MTRS


COMPLETE WITH 24V - 2835 (120 LED)

IP 20 | 10 WATT / FT

DOUBLE LINE | WITHOUT DRIVER

CUSTOMIZABLE LENGTH


BODY COLOR : BLACK / WHITE / ALUMINIUM



270



ALUMINIUM PROFILES



ALP 943

WALL MOUNTING
SKIRTING
PROFILE




ALUMINIUM PROFILE

SIZE : 13.8 x 60 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER



ALP 937

MINI CORNER / SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 8 x 8 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM

IP 33 | 3 WATT / FT | SINGLE LINE
WITHOUT DRIVER



LED


Discover
your brighter side
▶▶

ALUMINIUM PROFILE



ALP 945

WALL / CURTAIN
GRAZER



ALUMINIUM PROFILE

SIZE : 17 x 18.9 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE

WITHOUT DRIVER

THE INSERT SETTING ADJUSTMENT ENABLES
30° / 45° / 60° AND 90° DEGREE BEAM ANGLES.



ALUMINIUM PROFILES



ALP 946

CABINET LIGHT



ALUMINIUM PROFILE

SIZE : 13.2 x 8.1 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 5 MM

IP 33 | 5 WATT / FT | SINGLE LINE
WITHOUT DRIVER



ALP 941

RECESSED / CABINET
MOUNTING



ALUMINIUM PROFILE

SIZE : 8.7 x 23.7 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 12V - 2835 (120 LED) - 5 MM

IP 33 | 3 WATT / FT | SINGLE LINE
WITHOUT DRIVER



ALP 957

RECESSED / CABINET
MOUNTING



ALUMINIUM PROFILE

SIZE : 8.6 x 20 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 5 MM


IP 33 | 3 WATT / FT | DOUBLE LINE
WITHOUT DRIVER



LED

Discover
your brighter side

ALUMINIUM PROFILE



ALP 954

SURFACE MOUNTED WALL WASHER



ALUMINIUM PROFILE

SIZE : 36 x 60 MM

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER





ALUMINIUM PROFILES



ALP 955

WALL RAILING / STAIRS


ALUMINIUM PROFILE

SIZE : 75 x 98 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE
WITHOUT DRIVER



275




Discover
your brighter side
▶▶

ALUMINIUM PROFILE



ALP 953

SURFACE MOUNTED
WALL WASHER



ALUMINIUM PROFILE

SIZE : 36.7 x 49.5 (MM)




STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER



ALUMINIUM PROFILES



ALP 938

RECESSED MOUNTING (TRIMLESS)

ALUMINIUM PROFILE

SIZE : 57.5 x 86 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 12V - 2835 (120 LED) - 8 MM

IP 33 | 10 WATT / FT | DOUBLE LINE

WITHOUT DRIVER






LED



Discover
your brighter side
▶▶

HANGING / SURFACE PROFILE



ALP 911

HANGING / SURFACE PROFILE



ALUMINIUM PROFILE

SIZE : 70 x 50 (MM)

STANDARD LENGTH : 2.4 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 9 WATT / FT | DOUBLE LINE

4 FT - COMPLETE WITH DRIVER

8 FT - COMPLETE WITH DRIVER

TUNABLE WITH REMOTE | CUSTOMIZABLE + DIMMABLE

DRIVER CAN BE IN-BUILT IN BODY




HANGING PROFILE



ALP 961

HANGING PROFILE



ALUMINIUM PROFILE

SIZE : 70 x 35 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (168 LED) - 10 MM

DOUBLE LINE | 4 FT - COMPLETE WITH DRIVER



LED

Discover
your brighter side
▶▶

POWER SUPPLY



12V SERIES

PS 502 (12V - 2 AMP)

LED POWER SUPPLY

SIZE : 86 x 35 x 26 (MM)

PS 503 (12V - 3 AMP)

LED POWER SUPPLY

SIZE : 109 x 38 x 30 (MM)

PS 504 (12V - 4 AMP)

LED POWER SUPPLY

SIZE : 114 x 40 x 30 (MM)

PS 505 (12V - 5 AMP)

LED POWER SUPPLY

SIZE : 129 x 40 x 30 (MM)

PS 506 (12V - 6 AMP)

LED POWER SUPPLY

SIZE : 160 x 41 x 28 (MM)

PS 507 (12V - 8 AMP)

LED POWER SUPPLY

SIZE : 170 x 40 x 30 (MM)

PS 508 (12V - 10 AMP)

LED POWER SUPPLY

SIZE : 219 x 51 x 28 (MM)

PS 542 (12V - 13 AMP)

LED POWER SUPPLY

SIZE : 216 x 52 x 32 (MM)

PS 543 (12V - 16 AMP)

LED POWER SUPPLY

SIZE : 212 x 62 x 32 (MM)

PS 544 (12V - 20 AMP)

LED POWER SUPPLY

SIZE : 212 x 62 x 32 (MM)

PS 545 (12V - 25 AMP)

LED POWER SUPPLY

SIZE : 252 x 62 x 32 (MM)

PS 546 (12V - 33 AMP)

LED POWER SUPPLY

SIZE : 282 x 62 x 32 (MM)



24V SERIES

PS 511 (24V - 1 AMP)

LED POWER SUPPLY

SIZE : 77 x 48 x 20 (MM)

PS 512 (24V - 1 AMP)

LED POWER SUPPLY

SIZE : 97 x 36 x 27 (MM)

PS 513 (24V - 2 AMP)

LED POWER SUPPLY

SIZE : 110 x 37 x 25 (MM)

PS 514 (24V - 3 AMP)

LED POWER SUPPLY

SIZE : 160 x 40 x 30 (MM)

PS 517 (24V - 5 AMP)

LED POWER SUPPLY

SIZE : 218 x 51 x 28 (MM)

PS 518 (24V - 6.5 AMP)

LED POWER SUPPLY

SIZE : 218 x 51 x 28 (MM)

PS 547 (24V - 8 AMP)

LED POWER SUPPLY

SIZE : 182 x 62 x 32 (MM)

PS 548 (24V - 10 AMP)

LED POWER SUPPLY

SIZE : 212 x 62 x 32 (MM)

POWER SUPPLY

ECO SERIES

WARRANTY - 1 YEAR



12V SERIES

PS 550 (12V - 3 AMP)

LED POWER SUPPLY

SIZE : 90 x 48 x 22 (MM)

PS 551 (12V - 4 AMP)

LED POWER SUPPLY

SIZE : 115 x 42 x 22 (MM)

PS 552 (12V - 5 AMP)

LED POWER SUPPLY

SIZE : 138 x 48 x 22 (MM)

PS 553 (12V - 6 AMP)

LED POWER SUPPLY

SIZE : 138 x 48 x 22 (MM)

PS 554 (12V - 8 AMP)

LED POWER SUPPLY

SIZE : 178 x 48 x 22 (MM)

PS 555 (12V - 10 AMP)

LED POWER SUPPLY

SIZE : 178 x 48 x 22 (MM)

PS 556 (12V - 20 AMP)

LED POWER SUPPLY

SIZE : 205 x 48 x 22 (MM)

24V SERIES

PS 557 (24V - 2 AMP)

LED POWER SUPPLY

SIZE : 115 x 48 x 22 (MM)

PS 558 (24V - 3 AMP)

LED POWER SUPPLY

SIZE : 138 x 48 x 22 (MM)

PS 559 (24V - 5 AMP)

LED POWER SUPPLY

SIZE : 178 x 48 x 22 (MM)

PS 560 (24V - 10 AMP)

LED POWER SUPPLY

SIZE : 205 x 48 x 22 (MM)



LED

Discover
your brighter side
▶▶

POWER SUPPLY / ACCESSORIES

TRIAC DIMMABLE



12V SERIES

PS 531 (12V) - 100 W

LED POWER SUPPLY

SIZE : 152 x 49 x 31 (MM)

PS 532 (12V) - 150 W

LED POWER SUPPLY

SIZE : 152 x 49 x 31 (MM)

24V SERIES

PS 533 (24V) - 100 W

LED POWER SUPPLY

SIZE : 200 x 47 x 31 (MM)

PS 534 (24V) - 150 W

LED POWER SUPPLY

SIZE : 200 x 47 x 31 (MM)

RGB CONTROLLERS

**RC 509 (144 W)**

LED RGB CONTROLLER

SIZE : 100 / 130 x 65 x 35 (MM)

**RA 511**

LED RGB AMPLIFIER

SIZE : 100 / 130 x 64 x 25 (MM)

**RA 512 (144 W)**

LED TOUCH SCREEN - RGB CONTROLLER

SIZE : 85 x 45 x 25 (MM)

**RC 515**

LED TUNABLE AND DIMMABLE - REMOTE



NEW

WATERPROOF CONNECTOR



NEW

SC 362 (12V / 24V) - DC 60W

IR DOOR TRIGGER SENSOR

CABLE LENGTH : 1500 (MM)

**RC 488 (12V / 24V) - 15 AMP**

LED TRACK DIMMABLE

CONSTANT VOLTAGE CONTROLLER

SIZE : 100 x 34 x 25 (MM)

**RC 489 (12V / 24V)**

LED TUNABLE AND DIMMABLE - CONTROLLER

SIZE : 120 x 43 x 27 (MM)

**HEAT SINK TAPE**

FOR LED STRIP LIGHTS

TAPE WIDTH : 10 (MM) - L | TAPE WIDTH : 10 (MM) - H

POWER SUPPLY / ACCESSORIES

BLUETOOTH SERIES



NEW

BT - WR 59 (WALL REMOTE)

BODY COLOR : BLACK

 SIZE : LENGTH - 86, WIDTH - 90,
 HEIGHT - 15 (MM)



NEW

BT - PS 519 (12V / 24V) - 60W

 SMART CV BLUETOOTH - CONTROLLER
 TUNABLE AND DIMMABLE


NEW

BT - PS 520 (12V / 24V) - 120W

 SMART CV BLUETOOTH - CONTROLLER
 TUNABLE AND DIMMABLE


NEW

BT - RC 516

BLUETOOTH - REMOTE CONTROL



NEW

BT - URC 51

 UNIVERSAL REMOTE CONTROL
 IR BLASTER (5V - 1 AMP)

 SIZE : LENGTH - 65, WIDTH - 65,
 HEIGHT - 21 (MM)


NEW

BT SSW - 57

SMART SCENE SWITCH

BODY COLOR : BLACK

 SIZE : LENGTH - 86, WIDTH - 86.5,
 HEIGHT - 15.3 (MM)


NEW

BT - 53

GATE WAY - (5V - 1 AMP)

 SIZE : LENGTH - 62, WIDTH - 61.8,
 HEIGHT - 15.3 (MM)


NEW

BT - 55

SMART SWITCH (10 AMP)


 SIZE : LENGTH - 65, WIDTH - 23,
 HEIGHT - 40 (MM)



XPRESS
SERIES

DEEP PANELS

POLY CARBONATE SERIES



SP 703 (10W) - LED DEEP PANEL

IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS



BODY SIZE : CUT DIA - 110,

OUTER - 118, HEIGHT - 50 (MM)

BODY : POLY CARBONATE

BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 704 (20W) - LED DEEP PANEL

IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS


BODY SIZE : CUT DIA - 144,

OUTER - 152, HEIGHT - 55 (MM)



BODY : POLY CARBONATE

BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



DOWNLIGHTS



SP 723 (6W)

LED DOWNLIGHT



IP 20 | CRI ≥ 80 + | 80 L/W

WARRANTY - 2 YEARS | TOTAL LUMEN - 480

BODY SIZE : CUT DIA - 75, OUTER - 90, HEIGHT - 40 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 724 (12W)

LED DOWNLIGHT



IP 20 | CRI ≥ 80 + | 80 L/W

WARRANTY - 2 YEARS | TOTAL LUMEN - 960

BODY SIZE : CUT DIA - 100, OUTER - 120, HEIGHT - 40 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 725 (18W)

LED DOWNLIGHT



IP 20 | CRI ≥ 80 + | 80 L/W

WARRANTY - 2 YEARS | TOTAL LUMEN - 1440

BODY SIZE : CUT DIA - 125, OUTER - 140, HEIGHT - 40 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 726 (24W)

LED DOWNLIGHT


IP 20 | CRI ≥ 80 + | 80 L/W

WARRANTY - 2 YEARS | TOTAL LUMEN - 1920



BODY SIZE : CUT DIA - 155, OUTER - 170, HEIGHT - 40 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SLIM PANELS



SP 727 (4W)

LED SLIM PANEL



IP 20 | CRI $\geq 80 +$

WARRANTY - 2 YEARS | BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 77, OUTER - 85, HEIGHT - 21 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 728 (8W)

LED SLIM PANEL



IP 20 | CRI $\geq 80 +$

WARRANTY - 2 YEARS | BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 102, OUTER - 120, HEIGHT - 21 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 729 (15W)

LED SLIM PANEL



IP 20 | CRI $\geq 80 +$

WARRANTY - 2 YEARS | BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 153, OUTER - 169, HEIGHT - 22 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 730 (22W)

LED SLIM PANEL


IP 20 | CRI $\geq 80 +$

WARRANTY - 2 YEARS | BEAM ANGLE - 120°

BODY SIZE : CUT DIA - 203, OUTER - 222, HEIGHT - 22 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SURFACE PANELS




SP 687 (8W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

BEAM ANGLE - 120° | TOTAL LUMEN - 560

BODY SIZE : DIA - 106, HEIGHT - 26 (MM) | BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K




SP 688 (15W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

BEAM ANGLE - 120° | TOTAL LUMEN - 1200

BODY SIZE : DIA - 154, HEIGHT - 26 (MM) | BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K




SP 689 (22W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS



BEAM ANGLE - 120° | TOTAL LUMEN - 1600

BODY SIZE : DIA - 203, HEIGHT - 26 (MM) | BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K




SURFACE PANELS




SP 690 (8W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS
BEAM ANGLE - 120° | TOTAL LUMEN - 560 | BODY SIZE : DIA - 106 x 106, HEIGHT - 26 (MM)
BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY
COLOR : WH-6K, NW-4K, WW-3K




SP 691 (15W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS
BEAM ANGLE - 120° | TOTAL LUMEN - 1200 | BODY SIZE : DIA - 154 x 154, HEIGHT - 26 (MM)
BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY
COLOR : WH-6K, NW-4K, WW-3K




SP 692 (22W) - LED SURFACE PANEL

IP 20 | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS
BEAM ANGLE - 120° | TOTAL LUMEN - 1600 | BODY SIZE : DIA - 203 x 203, HEIGHT - 26 (MM)
BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE BODY
COLOR : WH-6K, NW-4K, WW-3K





BACKLIT PANELS

POLY CARBONATE SERIES




SP 101 (4W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 320 | BEAM ANGLE - 120 °
BODY SIZE : CUT DIA - 65, OUTER - 85, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 102 (8W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 680 | BEAM ANGLE - 120 °
BODY SIZE : CUT DIA - 90, OUTER - 110, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K




SP 103 (15W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 1350 | BEAM ANGLE - 120 °
BODY SIZE : CUT DIA - 145, OUTER - 165, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 104 (22W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 1980 | BEAM ANGLE - 120 °
BODY SIZE : CUT DIA - 200, OUTER - 220, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





BACKLIT PANELS

POLY CARBONATE SERIES





SP 105 (4W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 320 | BEAM ANGLE - 120°
BODY SIZE : CUT DIA - 65 x 65, OUTER - 85 x 85, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K




SP 106 (8W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 680 | BEAM ANGLE - 120°
BODY SIZE : CUT DIA - 90 x 90, OUTER - 110 x 110, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K



SP 107 (15W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 1350 | BEAM ANGLE - 120°
BODY SIZE : CUT DIA - 145 x 145, OUTER - 165 x 165, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K



SP 108 (22W) - LED BACKLIT PANEL

IP 20 | 80 L/W | PF - 0.5 | CRI $\geq$ 80 | WARRANTY - 2 YEARS | TOTAL LUMEN - 1980 | BEAM ANGLE - 120°
BODY SIZE : CUT DIA - 180 x 180, OUTER - 200 x 200, HEIGHT - 35 (MM) | BODY : POLY CARBONATE
BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K



LED

FULL DIFFUSER SURFACE LED

POLY CARBONATE SERIES



SP 109 (6W)

FULL DIFFUSER SURFACE LED

IP 20 | 90 L/W | PF - 0.5 | CRI $\geq$ 80

WARRANTY - 2 YEARS


TOTAL LUMEN - 540 | BEAM ANGLE - 180°

BODY SIZE : WIDTH - 86, HEIGHT - 40 (MM)

BODY : POLY CARBONATE

BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



SP 110 (15W)

FULL DIFFUSER SURFACE LED

IP 20 | 90 L/W | PF - 0.5 | CRI $\geq$ 80

WARRANTY - 2 YEARS


TOTAL LUMEN - 1425 | BEAM ANGLE - 180°

BODY SIZE : WIDTH - 130, HEIGHT - 42 (MM)

BODY : POLY CARBONATE


BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K



LED

SURFACE STRIKER



SP 709 (5W) - LED SURFACE STRIKER


IP 20 | 70 L/W | PF - 0.9 | CRI $\geq$ 80+

WARRANTY - 2 YEARS | TOTAL LUMEN - 390

BODY SIZE : DIA - 62, HEIGHT - 18 (MM)


BODY : POLY CARBONATE | BODY COLOR : WHITE BODY

COLOR : WH-6K, NW-4K, WW-3K





CONCEAL



SP 710 (6W) - LED CONCEAL

CRI ≥ 80 | WARRANTY - 2 YEARS


BODY SIZE : CUT DIA - 81,

OUTER - 109, HEIGHT - 40 (MM)

BODY : POLY CARBONATE

BODY COLOR : WHITE BODY


COLOR : WH-6K, NW-4K, WW-3K



POLY CARBONATE SERIES



BULKHEAD LIGHT



SP 786 (10W)

LED BULKHEAD LIGHT

IP 65 | 90 L/W | PF - 0.9

CRI ≥ 80 | BEAM ANGLE - 120°

WARRANTY - 2 YEARS | TOTAL LUMEN - 900

BODY SIZE : FRONT - 70, WIDTH - 48, HEIGHT - 170 (MM)

BODY : POLY CARBONATE | BODY COLOR : WHITE BODY


COLOR : WH-6K, WW-3K



POLY CARBONATE SERIES





DOWNLIGHTS



NEW

SP 180 (6W) - LED DOWNLIGHT



IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS | BEAM ANGLE - 120°
 BODY SIZE : CUT DIA - 75, OUTER - 90, HEIGHT - 46 (MM) | BODY COLOR : WHITE BODY
 COLOR : WH-6K, NW-4K, WW-3K, (CCT WITH SWITCH)



NEW

SP 181 (10W) - LED DOWNLIGHT



IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS | BEAM ANGLE - 120°
 BODY SIZE : CUT DIA - 95, OUTER - 110, HEIGHT - 46 (MM) | BODY COLOR : WHITE BODY
 COLOR : WH-6K, NW-4K, WW-3K, (CCT WITH SWITCH)



NEW

SP 182 (15W) - LED DOWNLIGHT


IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS | BEAM ANGLE - 120°
 BODY SIZE : CUT DIA - 120, OUTER - 138, HEIGHT - 50 (MM) | BODY COLOR : WHITE BODY
 COLOR : WH-6K, NW-4K, WW-3K



NEW

SP 183 (20W) - LED DOWNLIGHT


IP 20 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS | BEAM ANGLE - 120°
 BODY SIZE : CUT DIA - 160, OUTER - 168, HEIGHT - 52 (MM) | BODY COLOR : WHITE BODY
 COLOR : WH-6K, NW-4K, WW-3K





LED

DEEP SPOT LIGHTS





CS 214 (7W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

WARRANTY - 2 YEARS | TOTAL LUMEN - 560 | BEAM ANGLE - 40°

BODY SIZE : CUT DIA - 54, OUTER - 64, HEIGHT - 55 (MM)

BODY : ALUMINIUM | BODY COLOR : BLACK | COLOR : WH-6K, NW-4K, WW-3K





CS 215 (12W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +

WARRANTY - 2 YEARS | TOTAL LUMEN - 960 | BEAM ANGLE - 40°

BODY SIZE : CUT DIA - 76, OUTER - 84, HEIGHT - 75 (MM)

BODY : ALUMINIUM | BODY COLOR : BLACK | COLOR : WH-6K, NW-4K, WW-3K



CS 216 (18W) - LED DEEP SPOT


IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 +


WARRANTY - 2 YEARS | TOTAL LUMEN - 1440

BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 90,

OUTER - 100, HEIGHT - 94 (MM) | BODY : ALUMINIUM

BODY COLOR : BLACK | COLOR : WH-6K, NW-4K, WW-3K







SPOT LIGHTS





SP 737 (3W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 240 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 52, OUTER - 64, HEIGHT - 30 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 738 (7W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 560 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 73, OUTER - 84, HEIGHT - 55 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 739 (12W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 960 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 74, OUTER - 85, HEIGHT - 70 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 740 (18W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 1440 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 96, OUTER - 107, HEIGHT - 63 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 768 (30W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 2400 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 110, OUTER - 128, HEIGHT - 95 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K





SP 769 (50W) - LED SPOT LIGHT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 4000 | BEAM ANGLE - 60° | BODY SIZE : CUT DIA - 140, OUTER - 170, HEIGHT - 115 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE BODY | COLOR : WH-6K, NW-4K, WW-3K



LED

DEEP SPOT





CS 211 (7W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 560 | BEAM ANGLE - 38° | BODY SIZE : CUT DIA - 38, OUTER - 44, HEIGHT - 53 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





CS 212 (12W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 960 | BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 58, OUTER - 64, HEIGHT - 78 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



CS 213 (18W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80 + | WARRANTY - 2 YEARS


TOTAL LUMEN - 1440 | BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 65, OUTER - 74, HEIGHT - 102 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



LED

DEEP SPOT





CS 301 (7W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

TOTAL LUMEN - 560 | BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 49, OUTER - 59, HEIGHT - 67 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





CS 302 (12W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS

TOTAL LUMEN - 960 | BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 71, OUTER - 79, HEIGHT - 77 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K




CS 303 (18W) - LED DEEP SPOT

IP 20 | 80 L/W | PF - 0.9 | CRI $\geq$ 80+ | WARRANTY - 2 YEARS


TOTAL LUMEN - 1440 | BEAM ANGLE - 40° | BODY SIZE : CUT DIA - 83, OUTER - 91, HEIGHT - 98 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



LED

TRACK LIGHTS





NEW

CS 184 (10W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 800 | BEAM ANGLE - 36° | BODY SIZE : DIA - 46, LENGTH - 119 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





NEW

CS 185 (20W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 1600 | BEAM ANGLE - 36° | BODY SIZE : DIA - 60, LENGTH - 144 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



NEW

CS 186 (30W) - LED TRACK LIGHT

IP 20 | 80 L/W | CRI $\geq$ 80 + | WARRANTY - 2 YEARS

TOTAL LUMEN - 2400 | BEAM ANGLE - 36° | BODY SIZE : DIA - 70, LENGTH - 155 (MM)


BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K





LED

SURFACE SPOT





NEW

CS 187 (10W) - LED SURFACE SPOT

IP 20 | 80 L/W | CRI $\geq 80+$ | WARRANTY - 2 YEARS

TOTAL LUMEN - 800 | BEAM ANGLE - 36° | BODY SIZE : DIA - 46, LENGTH - 119 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K




NEW

CS 188 (20W) - LED SURFACE SPOT

IP 20 | 80 L/W | CRI $\geq 80+$ | WARRANTY - 2 YEARS

TOTAL LUMEN - 1600 | BEAM ANGLE - 36° | BODY SIZE : DIA - 60, LENGTH - 144 (MM)

BODY : ALUMINIUM | BODY COLOR : WHITE / BLACK | COLOR : WH-6K, NW-4K, WW-3K



LED STREET LIGHTS



STL 579 (24W)
LED STREET LIGHT
IP 66 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 2640
BODY SIZE : WIDTH - 103 x 46,
HEIGHT - 300 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K



STL 580 (36W)
LED STREET LIGHT
IP 66 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 3960
BODY SIZE : WIDTH - 124 x 46,
HEIGHT - 340 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K




STL 581 (50W)
LED STREET LIGHT
IP 66 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 5500
BODY SIZE : WIDTH - 145 x 50,
HEIGHT - 391 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K



STL 582 (100W)
LED STREET LIGHT
IP 66 | 110 L/W
WARRANTY - 2 YEARS
TOTAL LUMEN - 2640
BODY SIZE : WIDTH - 170 x 56,
HEIGHT - 450 (MM)
BODY COLOR : BLACK
COLOR : WH-6K, WW-3K

LED HIGH-BAY LIGHTS



UFO 598 (100W)

LED HIGH-BAY LIGHT

IP 66 | 110 L/W | PF - 0.9 | CRI $\geq$ 80

5-6 KV SURGE PROTECTION

WARRANTY - 2 YEARS

TOTAL LUMEN - 11,000


BEAM ANGLE - 90°

BODY SIZE : WIDTH - 115,

HEIGHT - 80 (MM)

BODY COLOR : BLACK

COLOR : WH-6K



UFO 599 (150W)

LED HIGH-BAY LIGHT

IP 66 | 110 L/W | PF - 0.9 | CRI $\geq$ 80

5-6 KV SURGE PROTECTION

WARRANTY - 2 YEARS

TOTAL LUMEN - 16,500


BEAM ANGLE - 90°

BODY SIZE : WIDTH - 330,

HEIGHT - 80 (MM)

BODY COLOR : BLACK

COLOR : WH-6K



UFO 600 (200W)

LED HIGH-BAY LIGHT

IP 66 | 110 L/W | PF - 0.9 | CRI $\geq$ 80

5-6 KV SURGE PROTECTION

WARRANTY - 2 YEARS

TOTAL LUMEN - 22,000

BEAM ANGLE - 90°

BODY SIZE : WIDTH - 370,

HEIGHT - 80 (MM)


BODY COLOR : BLACK

COLOR : WH-6K



LED

FLOOD LIGHTS



FLD 583 (50W) - LED FLOOD LIGHT

IP 66 | 100 L/W | PF - 0.95 | CRI $\geq$ 80


WARRANTY - 1 YEAR | TOTAL LUMEN - 5000

BEAM ANGLE - 120° | BODY SIZE: FRONT - 184,

WIDTH - 42, HEIGHT - 180 (MM)

BODY : DIE CAST ALUMINIUM | BODY COLOR : BLACK

COLOR : WH-6K, WW-3K



FLD 584 (100W) - LED FLOOD LIGHT

IP 66 | 100 L/W | PF - 0.95 | CRI $\geq$ 80

WARRANTY - 1 YEAR | TOTAL LUMEN - 10,000

BEAM ANGLE - 120° | BODY SIZE: FRONT - 225,

WIDTH - 50, HEIGHT - 220 (MM)


BODY : DIE CAST ALUMINIUM | BODY COLOR : BLACK

COLOR : WH-6K, WW-3K




LED

WALL LIGHTS



OD 819 (3W) - LED WALL LIGHT

IP 65 | WATERPROOF | CRI $\geq$ 80
WARRANTY - 2 YEARS
TOTAL LUMEN - 180 | BEAM ANGLE - 120°
BODY SIZE : FRONT - 75 x 79, WIDTH - 60,
HEIGHT - 75 (MM) | BODY : ALUMINIUM
BODY COLOR : BLACK | COLOR : WW-3K




OD 820 (2 x 3W) - LED WALL LIGHT

IP 65 | WATERPROOF | CRI $\geq$ 80
WARRANTY - 2 YEARS
TOTAL LUMEN - 360 | BEAM ANGLE - 120°
BODY SIZE : FRONT - 79, WIDTH - 60,
HEIGHT - 138 (MM) | BODY : ALUMINIUM
BODY COLOR : BLACK | COLOR : WW-3K



LED

FOOT LIGHT



OD 884 (3W) - LED FOOT LIGHT


IP 20 | 100 L/W | PF - 0.5 | CRI $\geq$ 80
WARRANTY - 2 YEARS | TOTAL LUMEN - 300 | BEAM ANGLE - 45°
BODY SIZE : CUT DIA - 75 x 72, OUTER - 84 x 84, WIDTH - 38 (MM)
BODY : DIE CAST ALUMINIUM | BODY COLOR : WHITE / BLACK
COLOR : WW-3K

LED

STRIP LIGHTS

2835 - 12V (IP 33)

LS 17 - 2835
60 LED - 12V
IP 33



XPRESS
WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 60 LED / MTR | 5 WATT / MTR | 80 LUM / WATT | 400 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, AMBER, RED, GREEN, BLUE, PINK

LS 46 - 2835
120 LED - 12V
IP 33



XPRESS
WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | 100 LUM / WATT
1200 LUM / MTR | 26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 52 - 2835
168 LED - 12V
IP 33



XPRESS
WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 168 LED / MTR | 15 WATT / MTR | 26 LUMEN / CHIP
SUPER STRONG - HEAVY DUTY | PCB - 8 MM 20Z | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 55 - 2835
180 LED - 12V
IP 33



XPRESS

IP 33 | NON WATERPROOF | 180 LED / MTR | PCB - 10 MM
WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK

LS 56 - 2835
240 LED - 12V
IP 33



XPRESS

IP 33 | NON WATERPROOF | 240 LED / MTR | PCB - 10 MM
WARRANTY - 2 YEARS | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK



STRIP LIGHTS

2835 - 24V (IP 33)

(XPRESS SERIES)

LS 67 - 2835
60 LED - 24V
IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 60 LED / MTR | 6 WATT / MTR | 80 LUM / WATT | 400 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, AMBER, RED, GREEN, BLUE, PINK

LS 76 - 2835
120 LED - 24V
IP 33



XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 120 LED / MTR | 10 WATT / MTR | 100 LUM / WATT | 1200 LUM / MTR
26 LUMEN / CHIP | PCB - 8 MM DOUBLE | COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K

LS 86 - 2835
240 LED - 24V
IP 33





XPRESS

WARRANTY - 2 YEARS

IP 33 | NON WATERPROOF | 240 LED / MTR | 18 WATT / MTR | PCB - 10 MM
COLOR : WH-6K, NW-4K, WW-3K, WW-2.7K, RED, GREEN, BLUE, PINK




ALUMINIUM PROFILES



E ALP 901

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 6.85 x 17.3 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER



E ALP 902

RECESSED MOUNTING



ALUMINIUM PROFILE

SIZE : 6.87 x 24.5 (MM)

STANDARD LENGTH : 2 MTRS


COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER



E ALP 903

SURFACE MOUNTING



ALUMINIUM PROFILE

SIZE : 14.5 x 17.4 (MM)

STANDARD LENGTH : 2 MTRS

COMPLETE WITH 24V - 2835 (120 LED) - 8 MM

IP 33 | 4.5 WATT / FT | SINGLE LINE
WITHOUT DRIVER

LED

POWER SUPPLY

PS 535

LED POWER SUPPLY

12V - 5 Amp

SIZE : 150 x 52 x 21 (MM)



PS 536

LED POWER SUPPLY

12V - 10 Amp

SIZE : 225 x 52 x 21 (MM)



PS 538

LED POWER SUPPLY

12V - 16.5 Amp

SIZE : 282 x 52 x 21 (MM)



PS 539

LED POWER SUPPLY

12V - 25 Amp

SIZE : 309 x 52 x 21 (MM)



PS 540

LED POWER SUPPLY

12V - 2 Amp

SIZE : 170 x 17 (MM)



PS 541

LED POWER SUPPLY

12V - 3 Amp

SIZE : 260 x 17 (MM)





LEDOS LIGHTING

+91 9982 811 999

Corp. Off. : Khasara No. 2581 - 2584, Near Prem Sagar Park,
Near Shubh Villa, Narayan Vihar, Bhankrota, Jaipur - 302026

info@ledos.in www.ledos.in