

Addristic Adm Collection

CATALOGUE FEB 2022






## HOW TO FIND THE

## PERFECT FAN

## IF MY ROOM SIZE IS...



## WHAT IF MY ROOM HAS A HIGH CEILING?

If your ceiling height is 10Ft or more you may require:

Extension rod (You are in luck as almost all Luft fans come with an optional extension rod)

Fan should be installed at least 12" from the ceiling with at least 7.5Ft from the blades to the floor.





#### INTRODUCTION

LUFT was created with an inherent intent to 'Break the Stereotype', when it comes to home décor. We believe it takes wisdom to explore the way and courage to make a Change.

LUFT has grown to become a leader in the Fans, Coatings and Motor industry.

As a company, we pride ourselves on the quality and workmanship of each and every product we produce & distribute. With people and distribution network operating on two continents, LUFT is leading the way in product design, along with three level of quality control over a broad range of price points.

LUFT offers the following products to enhance the 'Class Quotient' of your home,

## LUFT Fans • LUFT Motors

#### **LUFT Fans:**

LUFT believes that the fifth wall is as important as the other four walls of the house, to create an aesthetically pleasing home. We bring you the largest range of exquisite designer fans in India, which breaks the monotony and raises the décor of your home to the next level.

Our special emphasis on robust product quality, ensures that the sheer beauty of LUFT Fans, never fade. Our collection includes genuine, high quality and competitively priced Exquisite Fans from topmost international players. What sets us apart is our 'Service Excellence', which is an integral part of our value system, making your LUFT experience, hassle free. To ensure your peace of mind, all LUFT fans come with a two-year warranty.

The prime focus of LUFT is introducing fans from across the globe, that circulate air using the latest technology for efficiency, convenience and premium design, along with seamless control. Our fans cover all requirements for homes, including decorative styles to slim designs, traditional designs to modern master pieces, that blend effortlessly into any interior. We have options for homes of any size, options of ceiling, floor fans & wall mounted to tower fans.

Our national network has helped our fans find presence in some of the most luxurious places, from resorts and palaces, to the intimate and personal spaces in homes and commercial establishments around INDIA.

#### **LUFT Motors:**

Normal is boring. Thus, to break the cliché and make a statement, subtle yet powerful, LUFT offers ultra-efficient and ultra-quiet motorized systems for all kind of curtains and blinds. LUFT motors come in various specifications to suit any commercial or domestic needs.

The product line consists of:

Motorised Curtain Tracks Roller Blind Motors Remote Control Handsets

All our motors can be controlled either with remote control or can also be integrated with any home automation solution. Quality being of utmost significance, LUFT motors come with 5 years warranty.

#### **OUR VISION**

To be the leading National and International provider of innovative, technologically advanced and energy efficient products that enhance our customer's environments.

#### **OUR MISSION**

To light our customer's lives with exciting products that are environment friendly and fashionable, delivered with expertise and unparalleled service.

#### **OUR VALUES**

- Be a shining example. Do everything to the best of your ability with enthusiasm and energy and inspire others
- Be Caring
- Be Responsible
- Be Ethical
- Be Respectful
- Be Innovative
- · Be Successful

#### **OUR BRANDS**







Fanaway is a revolutionary Australian design that has taken the world by storm. With one flick of the switch, Fanaway transforms from a sleek sophisticated, pendant light into an energy efficient ceiling fan. The secret lies in Fanaway's unique retractable blade technology. Turning the fan on creates a centrifugal force which deploys the distinctive blades to circulate air within a room. Switch it off, and the fan blades automatically retract and conceal, creating a clutter-free overhead environment.

#### **Awards**

- · Home Beautiful Product of the Year Awards 2008, Finalist
- Best Homewares & Kitchen Product or Range, Finalist Home/Lifestyle, The Gift Awards 2008
- Most innovative Product or Service, Finalist Conscience & Creativity, The Gift Awards 2008
- · Best Homewares & Kitchen Product or Range, Finalist-Australian Designed and/or Manufactured,
- The Gift Awards 2008





Lucci air is well known for it's great quality, with a heavy focus on technology and product development. The Lucci brand offers the latest on-trend designs, sourced from around the globe, to suit every style of home. The range offers great value with options for every budget.





The Bayside fan range has been developed to be simple in design with a focus on energy efficiency. Constructed from high quality materials, Bayside fans are suitable for both indoor and outdoor applications.





LUFT has grown to become a leader in the Fans, Coatings and Motor industry.

As a company, we pride ourselves on the quality and workmanship of each and every product we produce & distribute. With people and distribution network operating on two continents, LUFT is leading the way in product design, along with three level of quality control over a broad range of price points.





## Ceiling Fan Installation Service

# Our New Installation Service Price Is Only ₹1000/- For Your First Fan And Just ₹500/- Each For Any Additional Fans That You Need To Install\*

#### **FAN INSTALLATION pricing includes:**

- Travel distance of 20km from the store where the fan is purchased. Locations beyond 20km will only be accepted by negotiation on travel time & distance.
- The site should be ready as per our requirement with the concrete/wooden/false/gypsum ceiling capable of taking minimum weight of 45kgs.
- Maximum 3m ceiling height.
- Any works outside this scope will be discussed & charged extra.

#### **TERMS & CONDITIONS**

#### **OUR RESPONSIBILITIES**

- Normal manufacturer's product warranty will be applicable.
- Installation will be performed by a qualified licensed electrician and may be an employee of Luft fans or an independent trained contractor as solely determined by us.
- The nominated contractor will contact you to book the installation date and time that is suitable to you but must be during normal weekday hours.
- Installation bookings may be made outside of normal business hours or weekends by mutual agreement, however, may incur a surcharge.
- If you have a complaint after installation you must provide evidence of that complaint and/or allow Luft fans or its preferred contractor access to your site.

#### YOUR RESPONSIBILITIES

- You must have the fan/s at home with you in readiness for the installation.
- You must ensure that the product and installation service is suitable for your purpose and site. We are not liable if they are unsuitable.
- Any information you provide will be relied upon by us. You will be liable for any additional costs incurred if your representations are incorrect.
- · You must ensure that the site is accessible and safe for the installer to attend and install the product.
- You must give us all relevant information about the site beforehand. You must provide the installer with access to the necessary areas and amenities as required.
- You confirm that you are the home owner or that you have authority from the home owner for the works to be undertaken. You must be at home during the installation.
- Your ceiling must be prepared and ready for installation as per our guidelines. Preparing the ceiling for installation is not under our scope.
- The fixed price installation offer is for installation of fans only and does not include the cost of any fans.

#### NOT INCLUDED

- There may be circumstances where your new fan can't be installed as the ceiling would not be ready as per our requirement, In these situations, additional items may be required to complete the installation. Any additional works or items require the approval of the customer prior to commencement. Pricing and payment for any additional works should be negotiated directly between the customer and installer.
- At the completion of the installation, there may be some pre-existing issues that are visible such as drill holes, ceiling scratches and scuff marks. The repair of such issues does not fall under our scope.
- Any specialist equipment or tools required for installation, e.g. scaffolding or scissor lift, will be provided by the client and is not in our scope.





## Step by Step Ceiling Fan Installation Guide

## Installation Safety Rules

- Shut the power off at the circuit breaker box before beginning.
- △ Verify there are no obstructions at the installation site.
- Use only clamps / rods & hooks which come with the fan.
- A Read the manufacturer's instructions for additional caution, safety, and warning information.

## Recommended Tools for Installing a Ceiling Fan


- 1. Crescent Wrench
- 2. Cordless Drill with Long Bit
- 3. Voltage Tester
- 4. Wire Cutters/Strippers
- 5. Pliers

- 6. Screwdrivers
- 7. Electrician's Tape
- 8. Ladder
- 9. Dusk Mask
- 10. Safety Glasses

## Where to hang a Ceiling Fan

Choosing an installation site is as important as selecting the ceiling fan itself. The right location ensures your safety as well as the fan's performance and efficiency. When selecting an installation site, consider the following details:

Always install a ceiling fan in the center of Useable area & not in center of the room.




CENTER OF THE ROOM

- Ceiling fans provide optimal airflow when hung at least 7.5 to 9 feet above the floor.
- Ceiling fan blades must hang at least 10 to 12 inches below the ceiling.
- Ceiling fan blades must be at least 24 inches away from wall, doors, cabinets, and posts.
- Confirm the location on the ceiling and the surrounding area is not cracked or damaged.






## INSTALLATION PROCEDURE ON FALSE / GYPSUM CEILING




- Fix a wooden box between concrete ceiling and the false (gypsum) ceiling, secure the box on the concrete ceiling with screws.
- ♠ Install the false ceiling just touching the base of the wooden box.
- Fix the fan on the false ceiling with screws. The screws will fix securely on the wooden box, hence taking the entire weight of the fan.
- Kindly note our controller will sit in the fan cup on the top, hence pre installed rods cannot be used to fix these fans. Designer fans can be fixed only on rods provided by the manufacturer.

## INSTALLATION PROCEDURE ON WOODEN CEILING



- Our fans can be directly installed on a false wooden ceiling
- A wooden ceiling of minimum 12mm plywood is required to install our fans directly, make sure the wooden ceiling is strong enough to take the weight of the fan

## INSTALLATION PROCEDURE ON CONCRETE CEILING



- Our Fans can be directly installed on a concrete ceiling.
- ♦ Our fans can be fixed only on the rods & mounting kit provided along with the fan.
- Pre installed rods cannot be used to install designer fans including our fans.







# DO NOT CONNECT THE FANS WITH REGULATOR / AUTOMATION DIMMER WORKS ONLY WITH INCLUDED REMOTE CONTROLLER

## **WOBBLE**

- Always use the **rods**, **hooks**, **clamps** which came along with the fan, installing the fan on other hooks/rods/clamps might cause wobbling or noise.
- Ceiling fans tend to move during operation due to fact that they are not rigidly mounted. If they were, they could generate excessive ceiling vibration and stress on their mountings.
- Movement of a couple of centimetres is quite acceptable and does not suggest that the fan will fall down.
  - $\star$  wobbling of fans. Bump in the noise of the fan is not covered under warranty

## BASIC INSTALLATION INSTRUCTIONS

- 1. Make sure the ceiling, where the fan is to be installed is capable of taking atleast 45kgs load, also make sure the ceiling is even and straight. **Uneven ceiling is one of the causes for fan wobbling & noise.**
- 2. Kindly verify all the components are in place before assembling the fan.
- 3. Any designer fan including Our fans cannot be fitted on pre-installed rods.
- 4. Always use the rods, hooks, clamps which came along with the fan, installing the fan on other hooks/rods/clamps might cause wobbling or noise. In case of a ball type hook and clamp, make sure the ball sits securely in the grove of the clamp.
- 5. Never connect a remote and a regulator together for the same fan.
- 6. Never connect the fan to automation dimmer, **power on-off is possible through automation, speed control is not possible.** However few of the AC Motor fans can be speed controlled through automation. Please consult with us for such models.
- 7. Always use the remote and controller provided along with the fan, if other controller and remote is used, it might burn the motor.
- 8. Make sure the fan is rotating in the right direction. When you look from below the blades must rotate anti-clockwise. (blades must rotate from right to left).
- 9. For optimum air delivery, make sure the fan is atleast 7.5 to 9 feet above the ground and the blades are atleast 10 to 12 inches below the ceiling. Also make sure the fan blade is atleast 24 inches away from the closest wall.
- 10. To avoid any noise make sure all the screws and nuts are secured properly, no loose wires or components are left, no screws or nuts are left behind in motor housing or in light kit.


For any technical assistance Please call (Mon-Sat 11:00 Am to 6:00 Pm) +91 9844582500 | 9844572500

Kindly mention the correct fan model name while seeking assistance






## Why Is The Ceiling Fan Is Not Giving Enough Air?



- 1. Check if the ceiling fan is rotating in the right direction. It should always rotate from RIGHT to LEFT. (Anti-Clockwise)
- 2. The size of the ceiling fan is not appropriate to the room size, the fan might be too small for the space. Most of the light dealers ask "how big is the room?" before recommending lights to their clients. Similarly, please ask the size of the room before recommending a Fan.
- 3. The Fan is not installed at the appropriate height. Its either installed too high or too low.
- 4. The Fan is installed too close to wardrobes, cabinet or other walls.
- 5. The Fan is installed far away from the service area.
- 6. You haven't checked the Airfeel Meter 💀 \_\_\_\_\_ before recommending the fan.

## Understanding The Airfeel Mentioned In Our Catalogues



No OF BARS	WHAT IT INDICATES
9-10	VERY GOOD / EXCELLENT AIRFLOW
7-8	GOOD AIRFLOW
5-6	MEDIUM AIRFLOW
3-4	LOW AIRFLOW
1-2	TO BE USED AS DESIGNER ELEMENT



As per our perception we have tried to give you a fair idea of the airflow of each of our fans.

Kindly note the Airflow perception of each individual is different, hence giving a Live demo of the fan to the client is Recommended.





### WARRANTY TERMS

#### WARRANTY IS VOID IF THE CEILING FAN IS NOT INSTALLED BY A TRAINED PERSON.

THERE IS NO ONSITE WARRANTY, THE FAN HAS TO BE SENT TO THE COMPANY FOR SERVICING, KINDLY PRODUCE THE PURCHASE DETAILS TO CLAIM WARRANTY.

### The Following is NOT covered by warranty.

- Damage from lighting or power surges, damage due to incorrect installation, Damage from over power delivery, water damage, damage arising due to improper power connection, and If installed or used outdoors.
- If used with automation dimmer or remote and regulator simultaneously.
- If Ceiling fans not installed by a licensed electrician.
- Ceiling fan used incorrectly, accidentally damaged, modified in any way or not serviced in accordance with the maintenance instructions.
- Burned motors / motor winding, fused bulbs, CFL tubes LED bulbs, remote and controllers are not covered under warranty. Batteries are not covered under warranty.
- Broken glass, broken blades or any other broken components or any other physical damage is not covered under warranty.
- Shipping cost incurred for sending the faulty fan and the replacement of new fan is not covered under warranty.
- Cost incurred in removal & reinstallation of the fan should be borne by the client.
- Cost incurred in renting of special equipments like ladder, scaffolding, scissors, lift etc., are not covered under warranty.
- · Wobbling of fans, bump in the noise of the fan is not covered under warranty.
- Luft is liable to repair or service the faulty part. In rare case where the faulty part cannot
  be repaired the company will be liable only to replace the faulty component with a new
  one & is not obliged to refund the amount or replace the entire fan with a new one.

ANY COMPLAINTS REGARDING MISSING COMPONENTS, MISSING PARTS, PHYSICAL DAMGES, SCRATCHES, AND ANY OTHER CLARIFICATION WILL BE ENTERTAINED ONLY WITHIN 2 DAYS OF RECEIVING THE FAN, AFTER 2 DAYS COMPANY IS NOT RESPONSIBLE FOR THE SAME.





## INDEX

ACCURA DC FAN	108	I-RETRO TRIPOD FAN	148
ACCURA HUGGER	110	JETSTREAM	12
AEROFORCE	124	LAGOON	64
AIRMOVER	56	LINE 52" FAN	88
ARIA	66	LINK FAN	133
ARIA PLUS	158	LOUISVILLE	18
ATLANTA	16	LUSSO DC 52" FAN	94
ATLANTIC FANDELIER	73	MONZA II HUGGER	96
BALI 52" DC FAN	30	MOONAH	106
BERLINETTA 2 BLADE FAN	142	NEWPORT	42
BREEZE FLOOR	152	NAUTICA	86
BREEZE PEDESTAL	146	NORDIC LED	46
BREEZE TABLE	154	OSTUNI	92
BREEZE TRIPOD	144	PEREGRINE	84
BREEZE WALL	156	QUEST II	38
CADILLAC DC FAN	134	RADAR 52" / 42"	70
CADILLAC HUGGER	136	RASER 52" / 46"	76
CADILLAC MINI 40"	138	RASER HUGGER 52" / 46"	78
CADILLAC MINI HUGGER	140	RESORT	74
CALYPSO	95	RIVIERA	82
CAROLINA	32	SCUDERIA	120
CAROLINA XL	34	SCUDERIA HUGGER	122
CAROLINA WALL MOUNT	36	SENSATION	40
CITRON II DC FAN	112	SHELBY ANTIQUE	132
CITRON II HUGGER	114	SHOALHAVEN	41
CLASSIC	26	STELLA DC FAN	80
CLIMATE DC	19	SWANK II DC FAN	126
CLIMATE III	20	SWANK HUGGER	128
DAYTONA II	98	SYCAMORE	125
DAYTONA II HUGGER	100	TAHITIAN	48
ENIGMA	69	TAKEKO	44
EQUINOX CEILING FAN	130	TESTAROSSA II	116
EVO 1	28	TESTAROSSA II HUGGER	118
EVO 3	37	TYPE A	60
EVORA	22	UNIONE	90
FIJIAN II	62	VICEROY	58
FRASER	68	WHITEHAVEN	14
HAVANA	50	XTREME 108" FAN	104
HAVANA WALL FAN TYPE 1	52	YANK ANTIQUE FANDELIER	72
HAVANA WALL FAN TYPE 2	54	COMPACT AIR PURIFIER	160
HEXAIR II	102	VOLUME AIR PURIFIER	163
IMASU JET FAN	150	MAXI AIR PURIFIER	164
INDUSTRI	24	ACCESSORIES	166









JETSTREAM	√BAYSIDE
JEIJIKEAM	` Australia

FAN SIZE	FAN MATERIAL	MOTOR
58"	ABS	AC
AIRFLOW	APPROX HEIGHT	
238m³/Min	14"	















# WHITEHAVEN LUCCIair

FAN SIZE	FAN MATERIAL	MOTOR
56"	ABS	DC
AIRFLOW	APPROX HEIGHT	
200m³/Min	14"	













Matt Black With **Black Blades** 








FAN SIZE	FAN MATERIAL	MOTOR
56"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
267m³/Min	15"	

















## **Reversible Blades** Without LED





**Reversible Blades** With LED



FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/Plywood	DC
AIRFLOW	APPROX HEIGHT	
AIRFLOW	APPROX HEIGHT	



















When Closed



**Bottom View** 





FAN SIZE	FAN MATERIAL	MOTOR
36"	Metal/PC	AC
AIRFLOW	APPROX HEIGHT	
120m³/Min	14"	

















When Closed








FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/PC	AC
AIDELOW/	ADDDOV LIEICUT	
AIRFLOW	APPROX HEIGHT	













Black







**Bottom View** 



When Closed





FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/PC	AC
AIRFLOW	APPROX HEIGHT	
AIRI LOW	ALLIGHT	



















White LED









		1
$\square$ V	$\mathbf{C}$	

FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/Acrylic	AC
AIRFLOW	APPROX HEIGHT	
186m³/Min	15"	



















# BAU 52" DC FAN

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
160m³/Min	16"	

























FAN SIZE	FAN MATERIAL	MOTOR
56"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	





















FAN SIZE	FAN MATERIAL	MOTOR
70"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
283m³/Min	15"	























Oak / White



FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/Plywood	AC
AIRFLOW	APPROX HEIGHT	
195m³/Min	13"	




















Antique Black With Aged Wood/Black Blades

With Reversible Blades & LED Light









with LED



Lu	r	r i		100
LU	<b>և</b>	ЬI	a	Ш
Α	u s 1	ra	lia	1

FAN SIZE	FAN MATERIAL	MOTOR
54"	ABS/Plywood	DC
AIRFLOW	APPROX HEIGHT	
210m³/Min	14"	



















FAN SIZE	FAN MATERIAL	MOTOR
65"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
275m³/Min	13"	

















NORDIC LED	LUCCIair Australia
------------	-----------------------

FAN SIZE	FAN MATERIAL	MOTOR
56"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
201m³/Min	13"	

















**Bottom View** 



FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
189m³/Min	16"	























FAN SIZE	FAN MATERIAL	MOTOR
15"	Steel/ABS AC	
AIRFLOW	APPROX HEIGHT	
86m³/Min	20"	



















White With Oak Blades

#### **HAVANA** LUCCIair Australia WALL FAN TYPE 1

FAN SIZE	FAN MATERIAL	MOTOR
15"	Steel/ABS	AC
AIRFLOW	APPROX HEIGHT	



















## LUCClair

#### HAVANA

### WALL FAN TYPE 2

FAN SIZE	FAN MATERIAL	MOTOR
15"	Steel/ABS	AC
AIRFLOW	APPROX HEIGHT	

















White





Wood with Black



Lu	C	c i	air
			lia

FAN SIZE	FAN MATERIAL	MOTOR
56"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
260m³/Min	13"	





















FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	•
215m³/Min	13"	

















#### Light Kit



Fans are Light adaptable, Light Kits are sold separately

# TYPE A LUCCIair

FAN SIZE	FAN MATERIAL	MOTOR
60"	Metal/ABS DC	
AIRFLOW	APPROX HEIGHT	
281m³/Min	13"	





















FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
200m³/Min	15"	



















FAN SIZE	FAN MATERIAL	MOTOR
52"	ABS	AC
AIRFLOW	APPROX HEIGHT	
160m³/Min	15"	

















Aria CTC Black





Aria CTC White



FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
170m³/Min	12"	



























Brushed Chrome/Teak 52"/42"

## RADAR 52"/42" LUCCIair

FAN SIZE	FAN MATE	RIAL	MOTOR
52" / 42"	ABS/Plyw	ood	DC
AIRFLOW		APPR	OX HEIGHT

























FAN SIZE	FAN MATERIAL	MOTOR
80"	Metal/Aluminum	DC
AIRFLOW	APPROX HEIGHT	
195m³/Min	18"	











#### Matte White

LED Kit Available

#### RASER FAN 52"/46"

FAN SIZE	FAN MATERIAL	MOTOR
52"/46"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
AIRFLOW	APPROX HEIGHT	













LED Kit Available

#### RASER HUGGER 52"/46"

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
190m³/Min	9"	





















Antique Brass Wood Hugger 52" / 36"

## STELLA DC FAN

FAN SIZE	FAN MATERIAL	MOTOR
52" / 36"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
250m³/Min	16"	
































































FAN SIZE	FAN MATERIAL	MOTOR
52"	ABS/ABS	DC
AIRFLOW	APPROX HEIGHT	
212m³/Min	12"	•



















# LINE 52" FAN LUCCIAIR Australia

FAN SIZE	FAN MATERIAL	MOTOR
52"	ABS/ABS	DC
AIRFLOW	APPROX HEIGHT	





































FAN SIZE	FAN MATERIAL	MOTOR
56"	ABS/ABS	DC
AIRFLOW	APPROX HEIGHT	
200m³/Min	14"	





















**Brushed Chrome** Natural Wood



LED Kit Available

#### MONZA II HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
190m³/Min	9"	•













LED Kit Available

#### DAYTONA II

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
250m³/Min	16"	











Remote Control Included









LED Kit Available

#### DAYTONA II HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
250m³/Min	9"	

















Antique Brass Wood Finish without LED



Antique Brass Wood Finish **Hugger without LED** 



#### HEXAIR II CEILING FAN

FAN SIZE	FAN MATERIAL	MOTOR
66"	Metal/Acrylic	DC
AIRFLOW	APPROX HEIGHT	
230m³/Min	18"	

















# **HVLS** Fan High Volume Low Speed

#### XTREME 108" FAN

FAN SIZE	FAN MATERIAL	MOTOR
108"	Metal/Aluminum	DC
AIRFLOW	APPROX HEIGHT	
320m³/Min	21"	



















White





FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
220m³/Min	12"	













Black with Ash Grey



Antique Brass Wood



Matte White



Sand Gold



Matte Black

### ACCURA DC FAN

FAN SIZE	FAN MATERIAL	MOTOR
54"	Metal/ABS	DC
AIDEL OVA	A DDD OV LIEIGUT	
AIRFLOW	APPROX HEIGHT	



















Black with Ash Grey





Matte White

# ACCURA HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
54"	Metal/ABS	DC
AIRFLOW	APPROX HEIGH	Т
270m³/Min	9"	













**LED Kit** Available

FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
195m³/Min	13"	













**LED Kit** Available

FAN SIZE	FAN MATERIAL	MOTOR
48"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
195m³/Min	9"	















LED Kit Available

# TESTAROSSA II

FAN SIZE	FAN MATERIAL	MOTOR
60"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
AIRILOW	APPROX HEIGHT	













LED Kit Available

### TESTAROSSA II HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
60"	Metal/Wood	DC
AIRFLOW	APPROX HEIGHT	
220m³/Min	9"	

















Matte White

# **SCUDERIA**

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
280m³/Min	14"	











# All Colors available in Hugger Model









Shadow Chrome - White



AEROFORCE

FAN SIZE FAN MATERIAL MOTOR 52" Metal/Polymer

AC

APPROX HEIGHT **AIRFLOW** 

230m³/Min

12"

Airfeel 🚱







Black with Teak



Matte White



**LED Kit** Available



Black with Wood

# SWANK II DC FAN

FAN SIZE	FAN MATERIAL	MOTOR
36"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
147m³/Min	15"	











**Brushed Chrome Teak** 



Antique Brass Wood



Black with Teak



Black with ORB



Matte White



**LED Kit** Available

## **SWANK II HUGGER**

FAN SIZE	FAN MATERIAL	MOTOR
36"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	•
147m³/Min	9"	

















Matte Black (LED)



Matte White (LED)

### **EQUINOX CEILING FAN**

FAN SIZE	FAN MATERIAL	MOTOR
60"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
260m³/Min	18"	
















Wood Finish

# CADILLAC DC FAN


FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
230m³/Min	13"	











# CADILLAC HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
180m³/Min	9"	

All Colors available in Hugger Model Airfeel

















Wood Finish



# CADILLAC MINI 40"

FAN SIZE	FAN MATERIAL	MOTOR
40"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
230m³/Min	12"	



















### CADILLAC MINI HUGGER

FAN SIZE	FAN MATERIAL	MOTOR
40"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
180m³/Min	9"	


All Colors available in Hugger Model Airfeel











#### Matte Black with LED

## BERLINETTA 2 BLADE FAN

FAN SIZE	FAN MATERIAL	MOTOR
52"	Metal/ABS	DC
AIRFLOW	APPROX HEIGHT	
220m³/Min	18"	















# **BREEZE TRIPOD**

FAN SIZE	FAN MATERIAL	MOTOR
16"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
64m³/Min	62"/57"	











Remote Control Not Included







Black



**Brushed Chrome** 



## **BREEZE PEDESTAL**

FAN SIZE	FAN MATERIAL	MOTOR
16"	ABS	DC
AIRFLOW	APPROX HEIGHT	











## i-Retro Tripod Fan 16" Brushed Nickel with Walnut Legs

















## i-Retro TRIPOD FAN

**MIMASU**®

FAN SIZE	FAN MATERIAL	MOTOR
12/16"	Metal/Wood	AC
RPM	APPROX HEIGHT	
1400/1300	48/54"	











## Classic Ver.



## Aroma Ver.





#### **Features:**

Blade size 6" Fan height 13"

Double protection with thermal fuse & current use

Complied to 750,000 cycles of oscillating

3-speed selection for desired airflow

Adjustable tilting angle & oscillating









ORB



Black



## **BREEZE FLOOR**

FAN SIZE	FAN MATERIAL	MOTOR
16"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
64m³/Min	18"	















ORB



Black



## **BREEZE TABLE**

FAN SIZE	FAN MATERIAL	MOTOR
8"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
16m³/Min		














ORB









Black



## **BREEZE WALL**

FAN SIZE	FAN MATERIAL	MOTOR
16"	Metal/ABS	AC
AIRFLOW	APPROX HEIGHT	
64m³/Min	NA	













White Recessed Non LED





#### **SPECIFICATIONS**

Voltage & Frequency **220V-240V 50Hz** 

Motor Power (Watts) 90

Air flow rate (CFM) 3300

**RPM** 1120

Sweep 380mm

Noise dB(A) **52** 

Dimensions 603Lx603Wx219Hmm

## ARIA PLUS 18"

FAN SIZE	FAN MATERIAL	MOTOR
600x600 mm	ABS	AC
AIRFLOW	APPROX HEIGHT	
80m³/Min		









## **COMPACT AIR PURIFIER H13**

















#### **SPECS**

**Size** 195 X 195 X 402mm

Colour White with black detail

Modes High/Medium/Low

Rated voltage 220-240V $\sim$ , 50/60Hz

Rated wattage 35W

Max. Airflow/CADR 90m3/h

Coverage Area ≤ 11m2

Filter type Replaceable H13 HEPA ALL IN ONE

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light N/A

Child Lock N/A

Insulation class Class II

Plug & Play Yes

IP rating IP20

Certification CE by Waltek





## **VOLUME AIR PURIFIER H13**





#### **SPECS**

Size 195 X 195 X 388mm

Colour White with black detail

Modes High/Medium/Sleep

Rated voltage 100-240V~, 50/60Hz

Rated wattage 23W

Max. Airflow/CADR 130m3/h

**Coverage Area** ≤ 16m2

Filter type Replaceable H13 HEPA ALL IN ONE

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light N/A

Child Lock N/A

Insulation class Class II (Power adaptor included)

Plug & Play Yes


IP rating IP20

Certification CE by Waltek









## **MAXI AIR PURIFIER H13**

















#### **SPECS**

**Size** 270 X 303 X 497mm

Colour White with black detail

Modes High/Medium/Sleep

Rated voltage 220-240V~, 50/60Hz

Rated wattage 50W

Max. Airflow/CADR 400m3/h

Coverage Area ≤ 50m2

Filter type Replaceable Replaceable H13 HEPA ALL IN ONE

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light Yes

Child Lock Yes

Insulation class Class II

Plug & Play Yes

IP rating IP20

**Certification** CE by Waltek



#### LUCCI CONNECT WIFI REMOTE CONTROL







#### **SPECS**

Dimensions 42mm X 12mm X 110mm

Speeds 3 Speed (Summer/Winter)

Only compatible with AC Motor fans

Lucci Connect allows you to control your fan like never before. This Smart Fan Remote will allow you to control your fan with the remote and from your phone.

Set up and control is simple with the easy to use Lucci Connect app. Combine with a smart home hub to enable voice control access and immerse yourself in the ultimate smart home experience.



# LUCCI SLIMUNE REMOTE CONTROL For AC Motor Fans





## For DC Motor Fans







Extension Downrods

# Wall Clamp for Ceiling Fans (To install any ceiling fan on wall)







Swank (Wall Fitted)



SCAN QR CODE TO DOWNLOAD E-CATALOGUE

All products are manufactured in China for Luft International
92 Latitude Promenade
Truganina, Victoria-3029
Australia

**Authorised Distributor** 

www.luftinternational.com.au