

**Control of an expertise of experimentation of an expertise of experimentation of the end of the brand has been developed an expertise in manufacturing cost effective led luminaries for commercial and domestic applications . We provide high end LED technology solutions for all respective aspects which are easy to install, provide quality illumination and economical in terms of power consumption. We emphasize on aesthetics integrated with competitive pricing which merge with latest interior & exterior architectural designs. With its wide range of indoor and outdoor products it gives a solution for all the lighting needs under single roof .we are an ISO 9001:2015 certified company for following internationally accepted Quality Management System.** 

Company's Motive

To provide:

- \* 100% service with on time delivery
- \* After sales services, competitive prices and aesthetic product with high value performance to merge with present era

## **Company's Vision and Mission**

To Vision:

- \* To lead the market along with a social responsibility
- \* To provide a wide range of economical products in term of performance and pricing
- \* To be the solution provider to all leading companies and institutions in terms of smart lighting choice

To Mission:

- \* To be an indigenous company with reputation in business ethics
- \* To be the best in the market with respect to services and customer satisfaction
- \* To inspire customers to visually enhance natural environment through the use of energy efficient lightings

## **INDEX**

≻	Modular E27/Led Gatelight	: 1-7	,
≻	Modular E27/Led Bollard	: 8-2	23
≻	Wooden Series E27/Led Garden Bollard	: 24-	-26
≻	Stainless Series E27/Led Garden Bollard	: 27-	-28
≻	Luminaire - de - Motif	: 29-	-35
>	Square Series	: 36-	-42
>	Round Series	: 43-	-45
>	Out Door Wall art	: 0-4	6
>	Under water Light	: 0-4	7
>	Floodlight & Street Light High Bay	: 0-4	8



**L**et

DISON



1

JustLed INVENTING BEYOND LIMITS



f 🧶 🛩





JustLed INVENTING BEYOND LIMITS



DISON

2







/ / / / / / /














Follow us on



































































Cuminaire-de-motif





**JustLed** INVENTING BEYOND LIMITS

> 300mm , 400mm , 550mm , 675mm, (880mm, 1300mm)

> > f

@ 💅

IS

(880mm, 1300mm)

300mm , 400mm , 550mm , 675mm,

DISON

DALL

-


4

ED DRIVE

мw

30









JustLed





$\left( \right)$	Model No	X	JLCLDMS-20	$\bigcirc$
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	$\Big)$
$\left( \right)$	Wattage	X	7w	$\Big)$
$\left( \right)$	Dimension	X	150mm Square	$\Big)$
(	300mm , 400m	m , 50	50mm , 675mm,	)
	(880m	ım, 13	DOmm	









$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMS-22	
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	
$\left( \right)$	Wattage	$\mathcal{X}$	7w 📃	
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	
( 300mm , 400mm , 550mm , 675mm, )				
(880mm, 1300mm)				




PHILIPS

мw

DALL

......





ISO

0

9



$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMS-24	)
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	)
$\left( \right)$	Wattage	$\mathcal{X}$	7w	)
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	)
(	300mm , 400m	ım , 51	50mm , 675mm,	)
(880mm, 1300mm)				

f 🧶 🛩







JustLed



-		-		
$\left( \right)$	Material	X	Anti-Rust	
$\left( \right)$	Wattage	X	7w	
$\left( \right)$	Dimension	X	150mm Square	$\Big)$
(	300mm , 400mm	, 55	iOmm , 675mm, )	
(880mm, 1300mm)				










$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMS-28	
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	
$\left( \right)$	Wattage	$\mathcal{X}$	7w	
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	
( 300mm , 400mm , 550mm , 675mm, )				
(880mm, 1300mm)				



МW







$\left( \right)$	Model No	X	JLCLDMS-30	
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	
$\left( \right)$	Wattage	$\mathcal{X}$	7w 🔪	
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	
(	300mm , 400m	ım , 51	50mm , 675mm, )	
(880mm, 1300mm)				

f 🧶 🏏






34

















f 🤗 🏏













(	Model No	$\mathcal{X}$	JLCLDMR-02		
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust		
$\left( \right)$	Wattage	$\mathcal{X}$	7w 📃		
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square		
(	300mm , 400m	ım , 51	iOmm , 675mm, )		
	(880mm, 1300mm)				











Lat.

DISON





37



(300mm , 400mm , 550mm , 675mm, (880mm, 1300mm )

f 🧶 🛩









150mm Square Dimension 300mm , 400mm , 550mm , 675mm, (880mm, 1300mm)









$\left( \right)$	Model No	Х	JLCLDMR-10	)
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	)
$\left( \right)$	Wattage	$\mathcal{X}$	7w	)
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	)
(	300mm , 400n	ım , 55	iOmm , 675mm, )	
	(880n	nm, 13(	JOmm)	





4

мw

DALL

-

DISON





38













**JustLed** INVENTING BEYOND LIMITS







(	Model No	X	JLCLDMR-14	)
$\left( \right)$	Material	X	Anti-Rust	$\Big)$
$\left( \right)$	Wattage	$\mathcal{X}$	7w	$\Big)$
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	$\Big)$
(	300mm , 400m	ım , 55	iOmm , 675mm,	)
	(880m	ım, 130	30mm )	-



(	Model No	X	JLCLDMR-16	)
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	)
$\left( \right)$	Wattage	$\mathcal{X}$	7w	)
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	)
(	300mm , 400m	ım , 58	50mm , 675mm, )	
	(880n	ım, 131	DOmm)	



$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMR-18	)	
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	)	
$\left( \right)$	Wattage	$\mathcal{X}$	7w	)	
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	)	
(	300mm , 400m	ım , 58	50mm , 675mm,	)	
	(880mm, 1300mm)				

f 🧶 🏏



PHILIPS

(rec

DISON

МW

























US JUSTLED

 
 Material
 Anti-Rust

 Wattage
 7w

 Dimension
 140mm Dia

 300mm , 400mm , 550mm , 675mm, (880mm, 1300mm)







$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMR-20
$\left( \right)$	Material	X	Anti-Rust
$\left( \right)$	Wattage	$\mathcal{X}$	7w 🔵
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square
(	300mm , 400m	ım , 58	50mm , 675mm, )
	(880n	ım, 131	DOmm



$\bigcirc$	Model No	$\mathcal{X}$	JLCLDMR-22	
$\left( \right)$	Material	X	Anti-Rust	
$\left( \right)$	Wattage	$\mathcal{X}$	7w 🔪	
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	
(	300mm , 400m	ım , 58	50mm , 675mm, )	
(880mm, 1300mm)				



$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMR-24	)		
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust	)		
$\left( \right)$	Wattage	$\mathcal{X}$	7w	)		
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square	)		
(	300mm , 400m	ım , 51	50mm , 675mm, )			
	(880mm, 1300mm)					

f 🧶 🛩



PHILIPS

DALL

(rec

DISON

МW







40









Dimension 140mm Dia 300mm , 400mm , 550mm , 675mm, (880mm , 1300mm )





(	Model No	$\mathcal{X}$	JLCLDMR-26	$\Big)$
(	Material	X	Anti-Rust	$\Big)$
(	Wattage	$\mathcal{X}$	7w	$\Big)$
(	Dimension	$\mathcal{X}$	150mm Square	$\Big)$
(	300mm , 400m	ım , 58	iOmm , 675mm,	)
	(880n	ım, 131	30mm)	









$\left( \right)$	Model No	X	JLCLDMR-28		
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust		
$\left( \right)$	Wattage	$\mathcal{X}$	7w 🔪		
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square		
(	300mm , 400m	ım , 51	50mm , 675mm, )		
	(880mm, 1300mm)				



DALI

(rec

DISON

PHILIPS

МW





41

**150** 🛞

9



$\left( \right)$	Model No	$\mathcal{X}$	JLCLDMR-30
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust
$\left( \right)$	Wattage	$\mathcal{X}$	7w
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square
(	300mm , 400m	ım , 58	50mm , 675mm, )
	(880n	1m, 13	DOmm

f 🧶 🛩







**JustLed** 




C	MODEL NO	人	JLCLDMK-32	Σ
$\left( \right)$	Material	X	Anti-Rust	$\Big)$
$\left( \right)$	Wattage	X	7w	$\Big)$
$\left( \right)$	Dimension	X	150mm Square	$\Big)$
(	300mm , 400mr	n , 55	iOmm , 675mm,	)
		n, 13(	30mm )	









(	Model No	X	JLCLDMR-34
$\left( \right)$	Material	$\mathcal{X}$	Anti-Rust
$\left( \right)$	Wattage	$\mathcal{X}$	7w 🔪
$\left( \right)$	Dimension	$\mathcal{X}$	150mm Square
(	300mm , 400m	ım , 58	50mm , 675mm, )
	(880n	ım, 131	DOmm

f 🧶 🏏














.





U







	IVENTING BEYOND LIMITS
CONCEALED SWIMMING POLE LIGHT JLC - UWC - 01	
	WattageLed ColourDimension3wW/w,C/w,RGB85mm Dia x 56mm6wW/w,C/w,RGB110mm Dia x 46mm12wW/w,C/w,RGB140mm Dia x 50mm18wW/w,C/w,RGB110mm Dia x 46mm36wW/w,C/w,RGB140mm Dia x 50mm
SURFACE S.S SWIMMING POLE LIGHT JLC - UW S- 01	
	WattageLed ColourDimension3wW/w,C/w,RGB22mm Dia x 25mm6wW/w,C/w,RGB100mm Dia x 25mm12wW/w,C/w,RGB125mm Dia x 25mm18wW/w,C/w,RGB150mm Dia x 25mm
SURFACE S.S ACEL SWIMMING POLE LIGHT JLC - UWTS - 01	
	WattageLed ColourDimension3wW/w,C/w,RGB75mm Dia x 22mm6wW/w,C/w,RGB100mm Dia x 25mm12wW/w,C/w,RGB125mm Dia x 40mm18wW/w,C/w,RGB150mm Dia x 40mm
SURFACE ABS WITH BLUE RING SWIMMING POLE LIGHT JLC - UWABS - 01	
Contraction of the state	Wattage       Led Colour       Dimension         12w       W/w,C/w,RGB       275mm Dia x 35mm         18w       W/w,C/w,RGB       275mm Dia x 40mm         36w       W/w,C/w,RGB       275mm Dia x 40mm
FOUNTAIN SPOT LIGHT JLC - FTSL - 01	
	WattageLed ColourDimension3wW/w,C/w,RGB85mm Dia x 56mm6wW/w,C/w,RGB110mm Dia x 46mm12wW/w,C/w,RGB140mm Dia x 50mm18wW/w,C/w,RGB110mm Dia x 46mm36wW/w,C/w,RGB140mm Dia x 50mm
FOUNTAIN LIGHTS JLC FTSL - 02	
	Wattage       Led Colour       Dimension         3w       W/w,C/w,RGB       100mm Dia x 32mm         6w       W/w,C/w,RGB       125mm Dia x 32mm         12w       W/w,C/w,RGB       150mm Dia x 50mm         18w       W/w,C/w,RGB       125mm Dia x 46mm




DISON



46

💮 👰 🎯 🙆 💷 🗹



MW 







Product Code : JLCFLD:	Wattage       Dimension (m mm)         30w       184mm x 152mm x 45mm         50w       228mm x 192mm x 45mm         100w       285mm x 238mm x 55mm         150w       345mm x 285mm x 70mm         200w       425mm x 322mm x 80mm
Product Code : JLCFLD4	Flood - Light - 400 Wattage Dimension (mmm) 250w 670m x 320mm x 195mm 300w 670m x 320mm x 195mm 350w 670m x 320mm x 195mm 400w 670m x 320mm x 195mm
Product Code : JLCSLSY01 Street -eco Wattage Dimension (in mm) Collar 24w 120 x 275 x 55 32mm 36w 120 x 275 x 55 32mm 50w 120 x 275 x 55 32mm	Product Code : JLCSLCNY02 Street - Sweet Wattage Dimension (in mm) Collar 24w 50 x 360 x 45 32mm 36w 50 x 410 x 45 32mm 50w 50 x 485 x 45 32mm
Wattage         Dimension (in mm)         Collar           24w         275 x 95 x 40         32mm           36w         315 x 120 x 35         32mm           50w         315 x 120 x 35         32mm           75w         355 x 135 x 60         32mm           100w         385 x 148 x 35         32mm	Wattage         Dimension (in mm)         Collar)           50w         520 x 190 x 55         38mm)           75w         520 x 190 x 55         38mm)           100w         520 x 190 x 55         38mm)
Wattage         Dimension (in mm)         Collar           60-80w         641x241x114mm         60mm           100-12w         738 x         288 x         116         60mm           200-240         922 x         360 x         144         76mm         Image: Collar for the second s	Product Code : JLC-HBY-01           Industrial Highby           Wattage         Dimension (in mm)           50w         250 Ø x 140           50w         250 Ø x 140           100w         300 Ø x 155           150w         350 Ø x 155           150w         350 Ø x 155           200w         425 Ø x 130           250w         425 Ø x 130           300w         425 Ø x 130





Note

TERMS AND CONDITIONS :-1.The Prices Quoted are Nett. 2.All local taxes are as applicable 3.Taxes are at 18 % Gst 3.Prices are Subject to Change without prior notice. 4.This Cancels all our previous priclist. 5.The above Prices are Ex-Godown Basis 6.Packing and Forwarding Charges extra. 7.Goods once sold cannot be returned or Exchanged. 8.Stocks are subject to availability. 9.Final products may vary from images shown.

10.Disputes , if Any, subject to bangalore jurisdiction.



Custom Designs Can be Made Against order





## Any Customized Concept Can be Developed

Since we Constantly Follow a Vision of Improvising Our Products For a Better Performance According to Which Price May Change Without Prior Notice



RK'S JUSTLED COMPANY

Bangalore South - 560039 Customer care :- 08026756360 , Email :- Justled500@gmail.com www.justledco.in