


RAYZ®

The Creative Side of Lighting

FIXTURE
BACKLITE PANEL
BURIAL LIGHT
BOLLARD BULKHEAD
FLOOD LIGHT STREET LIGHT
GARDEN LIGHT WALL LIGHT
CEILING SURFACE
FOOTLIGHT SURFACE & CONCEAL

Complete Solution for


INDOOR & OUTDOOR

LED LIGHTS

CATALOGUE

INDEX

1 RAYZ MAGNETIC LIGHT (RML) 3-7



2 RAYZ INDOOR FIXTURE (RIF) 6-23



3 RAYZ OREO/ORION BACKLITE PANEL (ROP) 24



4 RAYZ INDOOR WALL LIGHT (RIWL) 25



5 RAYZ OUTDOOR WALL LIGHT (ROWL) 26-37




6 RAYZ OUTDOOR GARDEN LIGHT (ROGL) 38-41



7 RAYZ OUTDOOR CEILNG SURFACE & CONCEAL (ROCS & ROCC) 42-44



8 RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC) 45-50




9 RAYZ OUTDOOR BURIAL LIGHT (ROBL) 51-53




10 RAYZ OUTDOOR BOLLARD (ROB) 54-64



11 RAYZ OUTDOOR BULKHEAD (ROBH) 65



12 RAYZ OUTDOOR FLOOD LIGHT (ROFL) 66



13 RAYZ OUTDOOR Wall Washer (ROWW) 67

ABOUT US

RAYZ LIGHTING plays a vital role in the way people experience & understand architecture. RAYZ LIGHTING is the medium that allows people to see and appreciate the beauty in the buildings around us.

"LIGHTING IS AN INTEGRAL PART OF ARCHITECTURE" & RAYZ LIGHTING can bring an emotional value to architecture – it helps create an experience for those who occupy the space. RAYZ LIGHT draws attention to textures, colors, and forms of a space, helping architecture achieve its true purpose. Vision is the single most important sense through which we enjoy architecture, & RAYZ LIGHTING enhances the way we perceive architecture even more.

Integrity and trust is at the core of everything we do and is critical in driving business performance. We are committed to doing the right thing and working with honesty, fairness, openness and co-operation.


RAYZ MAGNETIC LIGHT (RML)



RAYZ MAGNETIC LIGHT (RML)

RML-0103 VESTA






WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 3°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0107 VESTA






WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0110 VESTA






WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0207 VIX






WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0308 VALOR






WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black



RAYZ MAGNETIC LIGHT (RML)




RML-0316 VALOR



WATTAGE: 16w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0316L VALOR




WATTAGE: 16w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 120°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0412 VIVA




WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 50°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0418 VIVA



WATTAGE: 18w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 50°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RML-0510 VENUS



WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 50°
MATERIAL: Alu Die Casting
BODY COLOR: Black

RAYZ MAGNETIC LIGHT (RML)




RML-0610 VITONE

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black



RML-0707 AIRPOD

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black



RML-0620 VITONE

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black





RML-0714 AIRPOD


WATTAGE: 2*7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/CCT
BEAM ANGLE: 38°
MATERIAL: Alu Die Casting
BODY COLOR: Black




RAYZ MAGNETIC LIGHT (RML)








RMA-01 SURFACE TRACK
AVAILABLE IN 1M/2M/3M



RMA-02 TRIMLESS TRACK
AVAILABLE IN 1M/2M/3M



RMA-01 L
SURFACE "L" JOINT




RMA-01 W
SURFACE WALL JOINT



RMA-01 E
SURFACE END CAP



RMA-02 L
TRIMLESS TRACK"L" JOINT 90°



RMA-02 W
TRIMLESS TRACK WALL CONNECTOR



RMA-01 B
BOTTOM CONNECTION PLATE



RMA-02 S
TRACK SIDE CONNECTION PLATE



RMA-05
LIVE END
(35/100/200 CM INPUT CABLE)



RMA-05 TC
LIVE END TRACK CONNECTOR



48V MEANWELL SMPS
75W / 100W / 150W / 200W



RMA-03
SUSPENSION SET (2M)



GATEWAY



SMART REMOTE CONTROL
4 CHANNEL / 12 CHANNEL

RAYZ INDOOR FIXTURE (RIF)





RIF-26901 PIKA




RIF-27001 PIKA




RIF-24703 SHALLOW



RIF-24703 SQ SHALLOW



RIF-3403 FLATO




RIF-3403 SQ FLATO




PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-26901	1w	Nichia	3K/4K/6K	Ø16*20(H)mm	12mm	50°	138lm	Alu Die Casting	White
RIF-27001	1w	Nichia	3K/4K/6K	Ø16*25(H)mm	12mm	50°	138lm	Alu Die Casting	White
RIF-24703	3w	Cree	3K/4K/6K	Ø45*39(H)mm	38mm	30°	300lm	Alu Die Casting	White
RIF-24703 SQ	3w	Cree	3K/4K/6K	50*50*37(H)mm	38mm	30°	300lm	Alu Die Casting	White
RIF-3403	3w	Epistar	3K/4K/6K	Ø43*22(H)mm	30mm	30°	275lm	Alu Die Casting	White
RIF-3403 SQ	3w	Epistar	3K/4K/6K	45*45*22(H)mm	30mm	30°	275lm	Alu Die Casting	White

RIF-24903 PIN SPOT




RIF-24903 SQ PIN SPOT



RIF-24405 FLAT SPOT



RIF-24405 SQ FLAT SPOT



PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-24903	3w	Cree	3K/4K/6K	Ø40*35(H)mm	34mm	24°	330lm	Alu Die Casting	White
RIF-24903 SQ	3w	Cree	3K/4K/6K	40*40*35(H)mm	34mm	24°	330lm	Alu Die Casting	White
RIF-24405	5w	Cree	2.7K/3K/4K/5K/6K	Ø53*35(H)mm	43mm	24°	550lm	Alu Die Casting	White
RIF-24405 SQ	5w	Cree	2.7K/3K/4K/5K/6K	53*53*38(H)mm	43mm	24°	550lm	Alu Die Casting	White

RAYZ INDOOR FIXTURE (RIF)





RIF-23207 KOBRA

WATTAGE: 7w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*65(H)mm

CUT-OUT: 53mm

BEAM ANGLE: 38°

LUMENS: 770lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23209 KOBRA

WATTAGE: 9w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø82*83(H)mm

CUT-OUT: 70mm

BEAM ANGLE: 38°

LUMENS: 990lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23214 KOBRA

WATTAGE: 14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø100*107(H)mm

CUT-OUT: 84mm

BEAM ANGLE: 38°

LUMENS: 1540lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23220 KOBRA

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø130*119(H)mm

CUT-OUT: 109mm

BEAM ANGLE: 38°

LUMENS: 2200lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23230 KOBRA

WATTAGE: 30w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø160*129(H)MM


CUT-OUT: 136mm

BEAM ANGLE: 38°

LUMENS: 3150lm

MATERIAL: Alu Die Casting

BODY COLOR: White





RAYZ INDOOR FIXTURE (RIF)





RIF-4803 CURVY

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø47*33(H)mm

CUT-OUT: 30mm

BEAM ANGLE: 60°

LUMENS: 300lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-4803 SQ CURVY

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: 47*33(H)mm

CUT-OUT: 30mm

BEAM ANGLE: 60°

LUMENS: 300lm

MATERIAL: Alu Die Casting

BODY COLOR: White







RIF-4807 CURVY

WATTAGE: 7w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø75*57(H)mm

CUT-OUT: 65mm

BEAM ANGLE: 25°

LUMENS: 840lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RIF-4812 CURVY

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*74(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RIF-4815 CURVY

WATTAGE: 15w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*80(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1800lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RIF-4820 CURVY

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø95*81(H)mm

CUT-OUT: 83mm

BEAM ANGLE: 38°

LUMENS: 2400lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RIF-4824 CURVY

WATTAGE: 24w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø110*96(H)mm

CUT-OUT: 110mm


BEAM ANGLE: 45°

LUMENS: 2880lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)





RIF-23712 SQ VALUE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: 80*80*85(H)mm

CUT-OUT: 75*75mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23724 SQ VALUE

WATTAGE: 24w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: 185*95*80(H)mm

CUT-OUT: 170*82mm

BEAM ANGLE: 40°

LUMENS: 2880lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23712 TR VALUE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø73*73(H)mm

CUT-OUT: 66mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23712 DP VALUE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø90*95(H)mm

CUT-OUT: 80mm

BEAM ANGLE: 38°


LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)





RIF-23707 VALUE

WATTAGE: 7w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø75*65(H)mm

CUT-OUT: 66mm

BEAM ANGLE: 24°

LUMENS: 840lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23712 VALUE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*74(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23715 VALUE

WATTAGE: 15w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*88(H)mm


CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1800lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23720 VALUE

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø95*92(H)mm


CUT-OUT: 80mm

BEAM ANGLE: 38°

LUMENS: 2400lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23724 VALUE

WATTAGE: 24w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø120*96(H)mm

CUT-OUT: 110mm

BEAM ANGLE: 45°


LUMENS: 2880lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)





RIF-27112 FLATRON

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø70*48(H)mm


CUT-OUT: 60mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-27115 FLATRON

WATTAGE: 15w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø70*58(H)mm

CUT-OUT: 60mm

BEAM ANGLE: 38°

LUMENS: 1800lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-27120 FLATRON

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø75*60(H)mm

CUT-OUT: 65mm

BEAM ANGLE: 38°

LUMENS: 2400lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-27124 FLATRON

WATTAGE: 24w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø105*70(H)mm

CUT-OUT: 90mm

BEAM ANGLE: 45°

LUMENS: 2880lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)





RIF-21806 DELTA

WATTAGE: 6w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø72*56(H)mm

CUT-OUT: 61mm

BEAM ANGLE: 38°

LUMENS: 720lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



RIF-21812 DELTA

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø85*78(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



RIF-22310 MODI MOVABLE

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø80*86(H)mm

CUT-OUT: 70mm

BEAM ANGLE: 38°

LUMENS: 1020lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23912 GROOVE SPOT

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø108*71(H)mm

CUT-OUT: 95mm

BEAM ANGLE: 40°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-23920 GROOVE SPOT

WATTAGE: 20w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø145*78(H)mm

CUT-OUT: 129mm

BEAM ANGLE: 60°

LUMENS: 2200m

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)





RIF-5403A AVANT GARDE

WATTAGE: 3w

LED: Epistar

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø45*58(H)mm


CUT-OUT: 37mm

BEAM ANGLE: 24°

LUMENS: 330lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



RIF-5405 AVANT GARDE

WATTAGE: 5w

LED: Cree

COLOR TEMP: 2.7/3K/4K/5K/6K

DIMENSION: Ø45*60(H)mm

CUT-OUT: 35mm

BEAM ANGLE: 24°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5410 AVANT GARDE

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*87(H)mm

CUT-OUT: 52mm

BEAM ANGLE: 38°

LUMENS: 1200lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5412 AVANT GARDE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø60*87(H)mm

CUT-OUT: 52mm

BEAM ANGLE: 38°

LUMENS: 1440lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper



RIF-5418 AVANT GARDE

WATTAGE: 18w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø75*100(H)mm

CUT-OUT: 65mm

BEAM ANGLE: 38°


LUMENS: 2160lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black/Copper

RAYZ INDOOR FIXTURE (RIF)





RIF-27309 PINE

WATTAGE: 9w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø45*90(H)mm

CUT-OUT: 40mm

BEAM ANGLE: 38°

LUMENS: 990lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-27412 DAZZLE

WATTAGE: 12w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø85*60(H)mm

CUT-OUT: 75mm

BEAM ANGLE: 38°

LUMENS: 1320lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black



RIF-27418 DAZZLE

WATTAGE: 18w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø102*70(H)mm

CUT-OUT: 90mm


BEAM ANGLE: 38°

LUMENS: 1980lm

MATERIAL: Alu Die Casting

BODY COLOR: White/Black

RAYZ INDOOR FIXTURE (RIF)





RIF-26103 MAGIC



RIF-26109 MAGIC



RIF-26112 MAGIC



RIF-26115 MAGIC



RIF-26127 MAGIC




RIF-26130 MAGIC



PRODUCT CODE	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL	BODY COLOR
RIF-26103	3w	Cree	3K/4K/5K/6K	51*51*56(H)mm	43*43mm	38°	360lm	Alu Die Casting	White
RIF-26109	9w	Cree	3K/4K/5K/6K	127*51*56(H)mm	120*43MM	38°	1080lm	Alu Die Casting	White
RIF-26112	12w	Cree	3K/4K/5K/6K	90*90*56(H)mm	82*82MM	38°	1440lm	Alu Die Casting	White
RIF-26115	15w	Cree	3K/4K/5K/6K	203*51*56(H)mm	196*43MM	38°	1800lm	Alu Die Casting	White
RIF-26127	27w	Cree	3K/4K/5K/6K	128*128*56(H)mm	120*120mm	38°	3240lm	Alu Die Casting	White
RIF-26130	30w	Cree	3K/4K/5K/6K	393*51*56(H)MM	386*43mm	38°	3600lm	Alu Die Casting	White

RAYZ INDOOR FIXTURE (RIF)





RIF-25502 LAZER BLADE



WATTAGE: 2w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 44*44*40(H)mm
CUT-OUT: 34*34mm
BEAM ANGLE: 30°
LUMENS: 240lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25504 LAZER BLADE




WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 74*44*40(H)mm
CUT-OUT: 65*35mm
BEAM ANGLE: 30°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25510 LAZER BLADE




WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 146*44*40(H)mm
CUT-OUT: 137*35mm
BEAM ANGLE: 30°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25520 LAZER BLADE




WATTAGE: 20w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 281*44*40(H)mm
CUT-OUT: 271*35mm
BEAM ANGLE: 30°
LUMENS: 2400lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25530 LAZER BLADE



WATTAGE: **30w**
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 415*44*40(H)mm
CUT-OUT: 400*34mm
BEAM ANGLE: 30°
LUMENS: 3600lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RIF-25510 LAZER BLADE WALLWASHER



WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 146*44*40(H)mm
CUT-OUT: 137-*35mm
BEAM ANGLE: 30°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)











RIF-22210 BAMBOO

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø70*95(H)mm

CUT-OUT: 60mm

BEAM ANGLE: 24°

LUMENS: 1100lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-22214 BAMBOO

WATTAGE: 14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø100*95(H)mm


CUT-OUT: 90mm

BEAM ANGLE: 38°

LUMENS: 1540lm

MATERIAL: Alu Die Casting

BODY COLOR: White



RIF-22228 TWIN BAMBOO

WATTAGE: 2*14w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø185*100*95(H)mm

CUT-OUT: 169*89mm

BEAM ANGLE: 38°

LUMENS: 3080lm

MATERIAL: Alu Die Casting

BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)







RIF-27205 OMEGA

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø65*95(H)mm

CUT-OUT: 50mm

BEAM ANGLE: 24°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: White/BK



RIF-27205 C OMEGA

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø55*10(H)mm

CUT-OUT: 40mm

BEAM ANGLE: 24°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: White/BK



RIF-27205 SF OMEGA

WATTAGE: 5w

LED: Cree/Bridgelux

COLOR TEMP: 2.7K/3K/4K/5K/6K

DIMENSION: Ø50*33(H)mm

BEAM ANGLE: 24°

LUMENS: 550lm

MATERIAL: Alu Die Casting

BODY COLOR: White/BK

RAYZ INDOOR FIXTURE (RIF)

RIF-24110 INNER RING



WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø55*20(H)mm
CUT-OUT: 44mm
BEAM ANGLE: 38°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RIF-25825 STREAK



WATTAGE: 25w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø137*115(H)mm
CUT-OUT: 124mm
BEAM ANGLE: 40°
LUMENS: 2750lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-25835 STREAK



WATTAGE: 35w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø163*136(H)MM
CUT-OUT: 149mm
BEAM ANGLE: 40°
LUMENS: 3850lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-22012 OREO BEND



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*71(H)MM
CUT-OUT: 78mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: White




RIF-21912 OREO BEND




WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø85*95(H)mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: White

RAYZ INDOOR FIXTURE (RIF)



RIF-26706 SPOT CIRCLE



WATTAGE: 6w
LED: Cree
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø50*48(H)mm
CUT-OUT: 38mm
BEAM ANGLE: 20°
LUMENS: 450lm
MATERIAL: Alu Die Casting
BODY COLOR: White








RIF-19310 BK+GOLD SURFACE

WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 100*100*130(H)mm
BEAM ANGLE: 38°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Bk+Gold



RIF-19608 DEEP CYLINDER

WATTAGE: 8w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*107(H)mm
BEAM ANGLE: 38°
LUMENS: 880lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RIF-19410 BK+GOLD SURFACE

WATTAGE: 10w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*95(H)mm
BEAM ANGLE: 38°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Bk+Gold




RIF-19812 DEEP CYLINDER

WATTAGE: 12w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*120(H)mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RAYZ INDOOR FIXTURE (RIF)





RIF-23005 DELTA

WATTAGE: 5W
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø55*73(H)mm
BEAM ANGLE: 30°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

RIF-23012 DELTA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø74*100(H)mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

RIF-23020 DELTA

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø94*114(H)mm
BEAM ANGLE: 45°
LUMENS: 2200lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RIF-23005 SQ DELTA

WATTAGE: 5W
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 55*55*73(H)mm
BEAM ANGLE: 30°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

RIF-23012 SQ DELTA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 74*74*94(H)mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

RIF-23020 SQ DELTA

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 95*95*119(H)mm
BEAM ANGLE: 45°
LUMENS: 2200lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



RAYZ OREO/ORION BACKLITE PANEL (ROP)





ROP-0712 ORION


WATTAGE: 12w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø120*49(H)mm
CUT-OUT: 111mm
BEAM ANGLE: 110°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: White

ROP-0718 ORION

WATTAGE: 18w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø154*54(H)mm
CUT-OUT: 145mm
BEAM ANGLE: 110°
LUMENS: 2160lm
MATERIAL: Alu Die Casting
BODY COLOR: White

ROP-0724 ORION


WATTAGE: 24w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø174*54(H)mm
CUT-OUT: 162mm
BEAM ANGLE: 110°
LUMENS: 2880lm
MATERIAL: Alu Die Casting
BODY COLOR: White



SLIM BACKLITE



SLIM BACKLITE



PRODUCTS CODE	PRODUCT NAME	WATTAGE	LED	COLOR TEMP	DIMENSION	CUT-OUT	BEAM ANGLE	LUMENS	MATERIAL
ROP-0906	SLIM BACKLITE	6w	BRIDGELUX	3K/4K/6K	Ø120*35(H)mm	100mm	120°	660lm	Alu Die Casting
ROP-0912	SLIM BACKLITE	12w	BRIDGELUX	3K/4K/6K	Ø145*35(H)mm	125mm	120°	1320lm	Alu Die Casting
ROP-0918	SLIM BACKLITE	18w	BRIDGELUX	3K/4K/6K	Ø170*35(H)mm	150mm	120°	1980lm	Alu Die Casting
ROP-0924	SLIM BACKLITE	24w	BRIDGELUX	3K/4K/6K	Ø195*35(H)mm	175mm	120°	2640lm	Alu Die Casting
ROP-0906 SQ	SLIM BACKLITE	6w	BRIDGELUX	3K/4K/6K	120*120*35(H)mm	100mm	120°	660lm	Alu Die Casting
ROP-0912 SQ	SLIM BACKLITE	12w	BRIDGELUX	3K/4K/6K	145*145*35(H)mm	125mm	120°	1320lm	Alu Die Casting
ROP-0918 SQ	SLIM BACKLITE	18w	BRIDGELUX	3K/4K/6K	170*170*35(H)mm	150mm	120°	1980lm	Alu Die Casting
ROP-0924 SQ	SLIM BACKLITE	24w	BRIDGELUX	3K/4K/6K	195*195*35(H)mm	175mm	120°	2640lm	Alu Die Casting

Rayz Indoor Wall Light (RIWL)





RIHL-0106 DYNAMO

WATTAGE: 6w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: 120mm

HEIGHT: 1mtr Wire Cable

BEAM ANGLE: 24°

LUMENS: 600lm

MATERIAL: Alu Die Casting


BODY COLOR: Black











PRODUCT CODE	PRODUCT NAME	WATTAGE	LED	COLOR TEMP	DIMENSION	BEAM ANGLE	LUMENS	BODY COLOR
RIWL-1309	DISC BACKLITE	9w	Bridgelux	3K/4K/6K	Ø200*20(H)mm	360°	990lm	Golden
RIWL-1312	DISC BACKLITE	12w	Bridgelux	3K/4K/6K	Ø250*25(H)mm	360°	1320lm	Golden
RIWL-1315	DISC BACKLITE	15w	Bridgelux	3K/4K/6K	Ø300*25(H)mm	360°	1650lm	Golden

RAYZ OUTDOOR WALL LIGHT (ROWL)




RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-8205 LENSCO

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø65*95*100(H)mm
BEAM ANGLE: 40°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-8210 LENSCO


WATTAGE: 2*5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø65*115*110(H)mm
BEAM ANGLE: 40°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-7212 JUPITER

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø95*110*105(H)mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-7224 JUPITER

WATTAGE: 2*12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø95*210*110(H)mm
BEAM ANGLE: 38°
LUMENS: 2640lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-6503 ROMEO


WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 68*85*40*(H)mm
BEAM ANGLE: 71°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-6506 JULIET

WATTAGE: 2*3W
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 68*85*40(H)mm
BEAM ANGLE: 71°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-0503 K SHAPE

WATTAGE: 3w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 80*75*65(H)mm
BEAM ANGLE: 86°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-0506 K SHAPE

WATTAGE: 2*3w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 80*142*65(H)mm
BEAM ANGLE: 86°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-0805 RECTANGLE

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 68*80*80(H)mm
BEAM ANGLE: 60°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-0810 RECTANGLE


WATTAGE: 2*5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 68*150*80(H)mm
BEAM ANGLE: 60°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-1205 ROUNDO

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 68*80*80(H)mm
BEAM ANGLE: 60°
LUMENS: 550lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-1210 ROUNDO

WATTAGE: 2*5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 68*150*80(H)mm
BEAM ANGLE: 60°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-3803 SLEEKO


WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 40*90*60(H)mm
BEAM ANGLE: 10°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-3806 SLEEKO


WATTAGE: 2*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 45*120*63(H)mm
BEAM ANGLE: 10°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-6406 FLATTER

WATTAGE: 2*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 65*50*60(H)mm
BEAM ANGLE: 60°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-6412 FLATTER

WATTAGE: 4*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 77*77*57(H)mm
BEAM ANGLE: 60°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR WALL LIGHT (ROWL)



ROWL-4003 TRICK

WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø92*130(H)mm
BEAM ANGLE: 20°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROWL-4009 TRICK


WATTAGE: 9w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø118*165(H)MM
BEAM ANGLE: 20°
LUMENS: 1080lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-2112 DISCK


WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø180*45(H)mm
BEAM ANGLE: 360°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: Grayphite Grey





ROWL-6712 WAVE

WATTAGE: 2*6W
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø100*200*83(H)mm
BEAM ANGLE: 45°
LUMENS: 850lm
MATERIAL: Alu Die Casting
BODY COLOR: Black+Gold





ROWL-6308 RANGOLI

WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø85*55(H)mm
BEAM ANGLE: 360°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: White





ROWL-3009 TRIOS

WATTAGE: 3*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø165*45(H)mm
BEAM ANGLE: 45°
LUMENS: 990lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey/White





RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-5306 TRIPOD


WATTAGE: 2*3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 108*180*65(H)mm
BEAM ANGLE: 15/60°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-1806 CUBIC

WATTAGE: 2*3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 100*100*100(H)mm
BEAM ANGLE: 92°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey/White











ROWL-4505 BOX-T

WATTAGE: 5w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 100*100*105(H)mm
BEAM ANGLE: 92°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-7008 BIG BALL

WATTAGE: 4*2w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø100*98(H)mm
BEAM ANGLE: 85°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-2312 FOUR WAY


WATTAGE: 4*3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 100*100*50(H)mm
BEAM ANGLE: 15°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-7110 FIVE STAR


WATTAGE: 5*2w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø100*80(H)mm
BEAM ANGLE: 30°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-8506 FLORAL

WATTAGE: 6*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø120*45(H)mm
BEAM ANGLE: 30°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-8616 RAYONS

WATTAGE: 16*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø140*20(H)mm
BEAM ANGLE: 10°
LUMENS: 1760lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-8004 ARCH

WATTAGE: 4w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø116*61(H)mm
BEAM ANGLE: 30°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-8006 ARCH

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø116*61(H)mm
BEAM ANGLE: 30°
LUMENS: 720lm
MATERIAL: Alu Die Casting





ROWL-7406 URBAN

WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 160*87*105(H)mm
BEAM ANGLE: 60°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-7509 CRISP

WATTAGE: 9w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 240*120*45(H)mm
BEAM ANGLE: 135°
LUMENS: 990lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR WALL LIGHT (ROWL)

ROWL-7715 SHELTER

WATTAGE: 15w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 130*85*175H)mm
BEAM ANGLE: 80°
LUMENS: 1650lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROWL-5406 BOX-T


WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 215*125*55(H)mm
BEAM ANGLE: 60°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-5812 FLUSH


WATTAGE: 2*6w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 115*90*30(H)mm
BEAM ANGLE: 60°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROWL-5816 FLUSH

WATTAGE: 2*8w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 175*90*32(H)mm
BEAM ANGLE: 120°
LUMENS: 1760lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






RAYZ OUTDOOR WALL LIGHT (ROWL)



RAYZ OUTDOOR GARDEN LIGHT (ROGL)



RAYZ OUTDOOR GARDEN LIGHT (ROGL)

ROGL-1303 PILLAR HIGHLIGHTER

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø42*81(H)mm
BEAM ANGLE: 10°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



WATTAGE: 8w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø71*155(H)mm
BEAM ANGLE: 10°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-1308 PILLAR HIGHLIGHTER



ROGL-1308 R



ROGL-2308 SKYLINE

WATTAGE: 8w
LED: Cree
COLOR TEMP: 3K
DIMENSION: 125*100*135(H)mm
BEAM ANGLE: 5°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1324 HOOD PILLAR HIGHLIGHTER

WATTAGE: 24w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 100*160*85(H)mm
BEAM ANGLE: 20°
LUMENS: 2880lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2218 ORBIX TREE HIGHLIGHTER

WATTAGE: 18w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø160*100*290(H)mm
BEAM ANGLE: 40°
LUMENS: 2160lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey







ROGL-0410 HEAVY GARDEN

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*150(H)mm
BEAM ANGLE: 36°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-2140 LOTUS

WATTAGE: 40w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø180*185*280(H)mm
BEAM ANGLE: 120°
LUMENS: 4400lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR GARDEN LIGHT (ROGL)



PYRAMID







ROGL-2003 BASE

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*66(H)mm
BEAM ANGLE: 38°
LUMENS: 360lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2007 BASE

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 840lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2012 BASE

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 1440lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2020 BASE

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø80*130(H)mm
BEAM ANGLE: 38°
LUMENS: 2160lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2003 SPIKE

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*66(H)mm
BEAM ANGLE: 38°
LUMENS: 360lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2007 SPIKE

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 840lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2012 SPIKE

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø66*100(H)mm
BEAM ANGLE: 38°
LUMENS: 1440lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

ROGL-2020 SPIKE

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø80*130(H)mm
BEAM ANGLE: 38°
LUMENS: 2160lm
MATERIAL: Heavy Alu Die Casting
BODY COLOR: Graphite Grey

RAYZ OUTDOOR GARDEN LIGHT (ROGL)



ROGL-1607 ARABIC

WATTAGE: 7w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*130(H)mm
BEAM ANGLE: 36°
LUMENS: 770lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1615 ARABIC

WATTAGE: 15w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø73*180(H)mm
BEAM ANGLE: 36°
LUMENS: 1650lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-1620 ARABIC

WATTAGE: 20w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*190(H)mm
BEAM ANGLE: 36°
LUMENS: 2200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0706 ASTRA

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø63*97(H)mm
BEAM ANGLE: 36°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROGL-0712 ASTRA

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*110(H)mm
BEAM ANGLE: 36°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





RAYZ OUTDOOR CELING SURFACE & CONCEAL (ROCS & ROCC)



RAYZ OUTDOOR CELING SURFACE & CONCEAL (ROCS & ROCC)

ROCS-0406 KITH

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø63*90(H)mm
BEAM ANGLE: 38°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0614 KASPER

WATTAGE: 14w
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/6K
DIMENSION: Ø90*136(H)mm
BEAM ANGLE: 38°
LUMENS: 1680lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0621 KASPER

WATTAGE: 21w /40W
LED: Cree/Bridgelux
COLOR TEMP: 2.7K/3K/4K/5K/6K
DIMENSION: Ø143*143(H)mm
BEAM ANGLE: 38°
LUMENS: 2310lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROCS-0630 KASPER

WATTAGE: 30w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø143*143(H)mm
BEAM ANGLE: 38°
LUMENS: 3300lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey
(ALSO AVAILABLE IN 40W)









ROCS-0803 KLARO

WATTAGE: 3w
LED: DOB
COLOR TEMP: 3000K
DIMENSION: Ø58*15(H)mm
BEAM ANGLE: 60°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black/Gold Copper/Black Nickel



ROCS-0514 KASPER

WATTAGE: 14w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*140(H)mm
BEAM ANGLE: 38°
LUMENS: 1680lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROCS-0310 SPEAKER

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*130(H)mm
BEAM ANGLE: 24°/36°/60°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: Black



RAYZ OUTDOOR CELING SURFACE & CONCEAL (ROCS & ROCC)





ROCS-0908 KLASSIC

WATTAGE: 8w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*46(H)mm
BEAM ANGLE: 180°
LUMENS: 880lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black



ROCS-1108 KLASSIC

WATTAGE: 8w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø90*90*46(H)mm
BEAM ANGLE: 180°
LUMENS: 880lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

ROCS-0916 KLASSIC

WATTAGE: 16w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø140*46(H)mm
BEAM ANGLE: 180°
LUMENS: 1760lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black





ROCS-1116 KLASSIC

WATTAGE: 16w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø140*140*46(H)mm
BEAM ANGLE: 180°
LUMENS: 1760lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Black

ROCC-0103 KINGLY

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø43*33(H)mm
CUT-OUT: 30mm
BEAM ANGLE: 24°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White





ROCC-0106 KINGLY

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*35(H)mm
CUT-OUT: 58mm
BEAM ANGLE: 24°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROCC-0110 KINGLY

WATTAGE: 10w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø84*69(H)mm
CUT-OUT: 73mm
BEAM ANGLE: 38°
LUMENS: 1100lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)



RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)

ROFC-5202 EYE

WATTAGE: 2*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 114*114*60(H)mm
CUT-OUT: 110*110mm
BEAM ANGLE: 30°
LUMENS: 260lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey







ROFC-5204 EYE


WATTAGE: 4*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 170*114*60(H)mm
CUT-OUT: 165*110mm
BEAM ANGLE: 30°
LUMENS: 480lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-5206 EYE

WATTAGE: 6*1w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 226*114*60(H)mm
CUT-OUT: 221*110mm
BEAM ANGLE: 30°
LUMENS: 720lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey








ROFC-6003 BOOSTER

WATTAGE: 3w
LED: Cree/bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 90*90*40(H)mm
CUT-OUT: 82*82mm
BEAM ANGLE: 90°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White/Graphite Grey




RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)




ROFC-1703 MINI

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø45*60(H)mm
CUT-OUT: 45mm
BEAM ANGLE: 33°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White




ROFC-1803 MINI

WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 45*45*60(H)mm
CUT-OUT: 45mm
BEAM ANGLE: 33°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White




ROFC-6103 RD ALMOND

WATTAGE: 3w
LED: Seoul
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*45*(H)mm
CUT-OUT: 65mm
BEAM ANGLE: 78°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFC-6103 SQ ALMOND

WATTAGE: 3w
LED: Seoul
COLOR TEMP: 3K/4K/6K
DIMENSION: 85*85*45(H)mm
CUT-OUT: 70*70mm
BEAM ANGLE: 78°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey








ROFC-4303 NARROW

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 20°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROFC-4403 NARROW

WATTAGE: 3w
LED: Cree/Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 70*70*76(H)mm
CUT-OUT: 60mm
BEAM ANGLE: 20°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish




RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)



ROFC-5503 CREASE

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 100*57*50(H)mm
CUT-OUT: 98*50mm
BEAM ANGLE: 10°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFC-5506 CREASE

WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 210*58*50(H)mm
CUT-OUT: 200*55mm
BEAM ANGLE: 10°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFC-5104 NEON

WATTAGE: 4w
LED: Bridgelux
COLOR TEMP: 3K
DIMENSION: 77*77*45(H)mm
CUT-OUT: 77*77mm
BEAM ANGLE: 75°
LUMENS: 400lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-5106 NEON

WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 110*70*45(H)mm
CUT-OUT: 110*70mm
BEAM ANGLE: 75°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Grayphite Grey







ROFC-2903 RD LOOP

WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø55*40(H)mm
CUT-OUT: 45mm
BEAM ANGLE: 60°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-2903 SQ LOOP

WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 55*55*40(H)mm
CUT-OUT: 45*45mm
BEAM ANGLE: 60°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White



RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)



ROFC-1305 EPIC


WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 160*95*70(H)mm
CUT-OUT: 130*80mm
BEAM ANGLE: 120°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-2205 EPIC


WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 145*70*40(H)mm
CUT-OUT: 110*55mm
BEAM ANGLE: 120°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROFC-1305N EPIC

WATTAGE: 5w
LED: Epistar
COLOR TEMP: 3K/4K/6K
DIMENSION: 160*95*70(H)mm
CUT-OUT: 130*80mm
BEAM ANGLE: 120°
LUMENS: 600lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-3706

WATTAGE: 6w
LED: Cree
COLOR TEMP: 3000K
DIMENSION: 135*80*75(H)mm
CUT-OUT: 125*75mm
BEAM ANGLE: 120°
LUMENS: 700lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFC-3508 EYE

WATTAGE: 4*2w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 180*120*75(H)mm
CUT-OUT: 155*95mm
BEAM ANGLE: 30°
LUMENS: 960lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROFC-2703 NIKO



WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 125*125*40(H)mm
CUT-OUT: 110*110mm
BEAM ANGLE: 30°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROFC-2803 NIKO



WATTAGE: 3w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø125*40(H)mm
CUT-OUT: 110mm
BEAM ANGLE: 30°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFC-4703 INDIRECT

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø59*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 360°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White



ROFC-4803 INDIRECT

WATTAGE: 3w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 360°
LUMENS: 330lm
MATERIAL: Alu Die Casting
BODY COLOR: White




RAYZ OUTDOOR FOOT LIGHT SURFACE & CONCEAL (ROFS & ROFC)




ROFS-0502 BRICK

WATTAGE: 2w
LED: Edison
COLOR TEMP: 3000K
DIMENSION: 90*60*40(H)mm
BEAM ANGLE: 80°
LUMENS: 200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey




ROFS-0506 BRICK

WATTAGE: 6w
LED: Edison
COLOR TEMP: 3000K
DIMENSION: 150*70*40(H)mm
BEAM ANGLE: 120°
LUMENS: 540lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROFS-3608 MOON



WATTAGE: 8w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø130*68(H)mm
BEAM ANGLE: 120°
LUMENS: 800lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFS-3804 NANO



WATTAGE: 4w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø115*30(H)mm
BEAM ANGLE: 120°
LUMENS: 380lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROFS-3904 NANO



WATTAGE: 4w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: 115*115*30(H)mm
BEAM ANGLE: 120°
LUMENS: 380lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

RAYZ OUTDOOR BURIAL LIGHT (ROBL)



RAYZ OUTDOOR BURIAL LIGHT (ROBL)




ROBL-0101 LEDO

WATTAGE: 1w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 24°
LUMENS: 120lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish



ROBL-0201 LEDO

WATTAGE: 1W
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 45*45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 24°
LUMENS: 120lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish




ROBL-0703 LEDO




WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: Ø45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 36°
LUMENS: 240lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish

ROBL-0803 LEDO



WATTAGE: 3w
LED: Epistar
COLOR TEMP: 3K/4K/6K/R/G/B
DIMENSION: 45*45*45(H)mm
CUT-OUT: 35mm
BEAM ANGLE: 36°
LUMENS: 240lm
MATERIAL: Alu Die Casting
BODY COLOR: SS Finish





ROBL-1106 PISTON




WATTAGE: 6w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø85*97(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 38°
LUMENS: 660lm
MATERIAL: Alu Die Casting
BODY COLOR: SS.Finish

ROBL-1112 PISTON




WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø110*105(H)mm
CUT-OUT: 90mm
BEAM ANGLE: 38°
LUMENS: 1320lm
MATERIAL: Alu Die Casting
BODY COLOR: SS.Finish


ROBL-2415
TURBO WALL WASHER




WATTAGE: 15w
LED: Cree/Bridgelux
COLOR TEMP: 3K
DIMENSION: Ø180*120(H)mm
CUT-OUT: 165mm
BEAM ANGLE: 60°
LUMENS: 1650lm
MATERIAL: Alu Die Casting
BODY COLOR: SS.Finish

RAYZ OUTDOOR BURIAL LIGHT (ROBL)







ROBL-2302 TRENDY



WATTAGE: 2w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 180lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROBL-1702 TRENDY



WATTAGE: 2*1w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 180lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROBL-1804 TRENDY




WATTAGE: 4*1w
LED: Bridgelux
COLOR TEMP: 3000K
DIMENSION: Ø85*70(H)mm
CUT-OUT: 70mm
BEAM ANGLE: 105°
LUMENS: 180lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-1904 TWO WAY

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-2004 FOUR WAY


WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey






ROBL-2104 TWO WAY

WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROBL-2204 FOUR WAY


WATTAGE: 4w
LED: Cree
COLOR TEMP: 3K/4K/6K
DIMENSION: 60*60*75(H)mm
CUT-OUT: 39mm
BEAM ANGLE: 44°
LUMENS: 360lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



RAYZ OUTDOOR BOLLARD (ROB)



RAYZ OUTDOOR BOLLARD (ROB)







ROB-0300 HUT



WATTAGE: E27

DIMENSION: 220*205(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-1500 HUT



WATTAGE: E27

DIMENSION: 220*500(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-1600 HUT



WATTAGE: E27

DIMENSION: 220*760(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROWL-7800 HUT



WATTAGE: E27


DIMENSION: 220*260*205(H)mm


MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)







ROB-0400 MAGNUM



WATTAGE: E27

DIMENSION: Ø220*200(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-0900 MAGNUM



WATTAGE: E27

DIMENSION: Ø220*500(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-1700 MAGNUM



WATTAGE: E27

DIMENSION: Ø220*760(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROWL-6100 MAGNUM



WATTAGE: E27

DIMENSION: Ø200*240*200(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)







ROB-0700 S SHAPED



WATTAGE: E27

DIMENSION: 180*230(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-1100 S SHAPED



WATTAGE: E27

DIMENSION: 180*500(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROB-1200 S SHAPED



WATTAGE: E27

DIMENSION: 180*760(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

ROWL-5600 S SHAPED




WATTAGE: E27

DIMENSION: 180*230*230(H)mm

MATERIAL: Alu Die Casting+PC Diffuser

BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)







ROB-1309 SLEEK



WATTAGE: 9w
LED: Epistar
COLOR TEMP: 3000K/6000K
DIMENSION: Ø105*300(H)mm
BEAM ANGLE: 110°
LUMENS: 900lm
MATERIAL: Alu Die Casting+PC Diffuser
BODY COLOR: Graphite Grey

ROB-1409 SLEEK



WATTAGE: 9w
LED: Epistar
COLOR TEMP: 3000K/6000K
DIMENSION: Ø105*500(H)mm
BEAM ANGLE: 110°
LUMENS: 900lm
MATERIAL: Alu Die Casting+PC Diffuser
BODY COLOR: Graphite Grey

ROB-1809 SLEEK



WATTAGE: 9w
LED: Epistar
COLOR TEMP: 3000K/6000K
DIMENSION: Ø105*800(H)mm
BEAM ANGLE: 110°
LUMENS: 900lm
MATERIAL: Alu Die Casting+PC Diffuser
BODY COLOR: Graphite Grey

ROWL-5709 SLEEK



WATTAGE: 9w
LED: Epistar
COLOR TEMP: 3000K/6000K
DIMENSION: Ø105*175*300(H)mm
BEAM ANGLE: 110°
LUMENS: 850lm
MATERIAL: Alu Die Casting+PC Diffuser
BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)



ROB-3800
PHANTOM



WATTAGE: E27

DIMENSION: 160*176(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-1000
PHANTOM




WATTAGE: E27

DIMENSION: 220*220(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-3906
PICKET



WATTAGE: 6w

LED: Bridgelux

COLOR TEMP: 3000K

DIMENSION: 124*82(H)mm

BEAM ANGLE: 44°

LUMENS: 580lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2000 TEMPLE



WATTAGE: E27

DIMENSION: 150*150*165(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-2000 BIG TEMPLE



WATTAGE: E27

DIMENSION: 250*250*265(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey





ROB-4000 EROS



WATTAGE: E27


DIMENSION: 260*260*220(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-4100 LUNA



WATTAGE: E27

DIMENSION: Ø220*225(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)



ROB-2312 ROLLER




WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø108*260(H)mm
BEAM ANGLE: 41°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2412 ROLLER




WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø108*600(H)mm
BEAM ANGLE: 41°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2512 TOWER



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 109*109*300(H)mm
BEAM ANGLE: 47°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2612 TOWER



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 109*109*600(H)mm
BEAM ANGLE: 47°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROB-2712 PLAZA



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 160*55*300(H)mm
BEAM ANGLE: 329°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2812 PLAZA



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 160*55*600(H)mm
BEAM ANGLE: 329°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)



ROB-2106 REGAL



WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø106*102(H)mm
BEAM ANGLE: 44°
LUMENS: 580lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



ROB-2206 REGAL

WATTAGE: 6w
LED: Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 108*107(H)mm
BEAM ANGLE: 44°
LUMENS: 580lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey







ROB-3000
TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*300(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-3100
TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*500(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROB-3200
TRIANGLE DAZZLE

WATTAGE: E27
DIMENSION: 125*800(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)





ROB-3300 BLAZE

WATTAGE: E27

DIMENSION: 85*300(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROB-3400 BLAZE

WATTAGE: E27

DIMENSION: 85*500(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey





ROB-3500 BLAZE

WATTAGE: E27

DIMENSION: 85*800(H)mm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-3609 FLARE

WATTAGE: 9w

LED: Epistar

COLOR TEMP: 3000K

DIMENSION: Ø80*500(H)mm

BEAM ANGLE: 113°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-3709 FLARE

WATTAGE: 9w

LED: Epistar

COLOR TEMP: 3000K

DIMENSION: Ø70*750(H)mm

BEAM ANGLE: 113°

LUMENS: 900lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey





ROB-2210

WATTAGE: 10w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K


DIMENSION: 220*220*170(H)mm

BEAM ANGLE: 44°

LUMENS: 1100lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



ROB-4715 MASHAL

WATTAGE: 15w

LED: Cree/Bridgelux

COLOR TEMP: 3K/4K/6K

DIMENSION: Ø220*60*320(H)mm

LUMENS: 1500lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey



RAYZ OUTDOOR BOLLARD (ROB)



ROB-4200 GLACIER



WATTAGE: E-27
DIMENSION: 150*150*220(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2412 ROLLER



WATTAGE: E-27
DIMENSION: Ø150*220(H)mm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2512 N SLIM TOWER (300MM)





WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 150*150*300(H)mm
BEAM ANGLE: 47°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-2512 N SLIM TOWER (600MM)



WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: 150*150*600(H)mm
BEAM ANGLE: 47°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROPL-0140 MUSHROOM



WATTAGE: 40w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø450*430(H)mm
BEAM ANGLE: 360°
LUMENS: 4400lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROPL-0236 OZEL



WATTAGE: 36w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø425*400(H)mm
BEAM ANGLE: 360°
LUMENS: 3960lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

RAYZ OUTDOOR BOLLARD (ROB)





ROB-4412 TRINITY (250MM)

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø130*250(H)mm
BEAM ANGLE: 360°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4412 TRINITY (500MM)

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø130*500(H)mm
BEAM ANGLE: 360°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4412 TRINITY (760MM)

WATTAGE: 12w
LED: Cree/Bridgelux
COLOR TEMP: 3K/4K/6K
DIMENSION: Ø130*760(H)mm
BEAM ANGLE: 360°
LUMENS: 1200lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey





ROB-4621 JUMBO KRYSTAL (230mm)

WATTAGE: 21w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø160*230(H)mm
BEAM ANGLE: 360°
LUMENS: 2520lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4621 JUMBO KRYSTAL (500mm)

WATTAGE: 21w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø160*500(H)mm
BEAM ANGLE: 360°
LUMENS: 2520lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4512 SLEEK KRYSTAL (300mm)

WATTAGE: 12w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø100*300(H)mm
BEAM ANGLE: 360°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4512 SLEEK KRYSTAL (500mm)

WATTAGE: 12w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø100*500(H)mm
BEAM ANGLE: 360°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey

ROB-4512 SLEEK KRYSTAL (800mm)

WATTAGE: 12w
LED: Osram/Bridgelux
COLOR TEMP: 3K/6K
DIMENSION: Ø100*800(H)mm
BEAM ANGLE: 360°
LUMENS: 1440lm
MATERIAL: Alu Die Casting
BODY COLOR: Graphite Grey



RAYZ OUTDOOR BULKHEAD (ROBH)



ROBH-0105 BROS



WATTAGE: 6w

LED: Epister

COLOR TEMP: 3000K/6000K

DIMENSION: 80*233(H)mm

BEAM ANGLE: 180°

LUMENS: 540lm

MATERIAL: Alu Die Casting

BODY COLOR: Graphite Grey

ROBH-0408 MELON



WATTAGE: 8w

LED: Epister

COLOR TEMP: 3K/4K/6K

DIMENSION: 85*210*65(H)mm

BEAM ANGLE: 150°

LUMENS: 720lm

MATERIAL: Pvc+Pc Diffuser

BODY COLOR: Graphite Grey



RAYZ OUTDOOR FLOOD LIGHT (ROFL)



ROFL-0430 BRITE



WATTAGE: 30w
LED: Hongli
COLOR TEMP: 6000K
DIMENSION: 140*180*30(H)mm
BEAM ANGLE: 100°
LUMENS: 2950lm
MATERIAL: Alu Die Casting
BODY COLOR: Black

ROFL-0550 BRITE



WATTAGE: 50w
LED: Hongli
COLOR TEMP: 6000K
DIMENSION: 200*250*35(H)mm
BEAM ANGLE: 100°
LUMENS: 5000lm
MATERIAL: Alu Die Casting
BODY COLOR: Black

RAYZ OUTDOOR WALL WASHER (ROWW)



ROWW-0111 WALL WASHER

WATTAGE: 11w

LED: Osram

COLOR TEMP: 3K/4K/6K/R/G/B/A

DIMENSION: 300*43*48(H)mm

BEAM ANGLE: 15°

LUMENS: 1210lm

MATERIAL: Alu Die Casting+PC

BODY COLOR: Black

ROWW-0133 WALL WASHER

WATTAGE: 33w

LED: Osram

COLOR TEMP: 3K/4K/6K/R/G/B/A

DIMENSION: 900*43*48(H)mm

BEAM ANGLE: 15°

LUMENS: 3630lm

MATERIAL: Alu Die Casting+PC

ROWW-0122 WALL WASHER

WATTAGE: 22w

LED: Osram

COLOR TEMP: 3K/4K/6K/R/G/B/A

DIMENSION: 600*43*48(H)mm

BEAM ANGLE: 15°

LUMENS: 2420lm

MATERIAL: Alu Die Casting+PC

ROWW-0144 WALL WASHER

WATTAGE: 44w

LED: Osram

COLOR TEMP: 3K/4K/6K/R/G/B/A

DIMENSION: 1200*43*48(H)mm

BEAM ANGLE: 15°

LUMENS: 4840lm

MATERIAL: Alu Die Casting+PC



RAYZ®

The Creative Side of Lighting

FOLLOW US ON

www.rayzlighting.co.in
www.instagram.com/rayz_lighting
rayzlighting17@gmail.com
www.facebook.com/rayzlighting
www.twitter.com/rayzlighting
www.youtube.com/rayzlighting
www.linkedin.com/in/rays-lighting

LEGAL NOTICE:

All rights reserved. The content of this CATALOGUE is subject to change without any prior notice. All images, statements, offerings included in this CATALOGUE are of the company. The Company reserves its rights to suitable changes, after or omit anything contained herein. For suggestions &/or complaints send an Email:to rayzlighting17@gmail.com